AUTHOR INDEX

Abadie, V., 215, e81
Abelson, J.A., 61
Abreu, M., 957, 1433
Abston, P., 1598
Acharya, K., 1008, e476
Ackerman, P.D., 1008, e476
Ackermann-Liebrich, U., 1210, e702
Acolet, D., 1457
Acton, J.D., 1442
Adachi-Mejia, A.M., 1183
Adame, N., 749, e461
Ades, A.M., 423
Adler, N.E., 746, e414
Admon, G., 742, e348
Aebi, C., 1204, e623
Agarwal, S., 246, 741, e326
Agerbo, E., 462
Agosti, M., 522
Agrawal, D., 1612
Ahluwalia, I.B., 1408
Akins, P., 844
Alam, N.H., 484, e221
Alberta, L., 748, e450
Alberti, C., 216, e102
Albuquerque, P., 749, e457
Aldinucci, M., 1008, e494
Alessandrini, E.A., 1303
Alex, C.P., 482, e198
Allal, H., 1534, e785
Allan, J.D., 235
Allan, W.C., 1597
Aller, S.K., 901
Al Maskary, S., 423
Alpern, E.R., 1303
ALSPAC Study Team, 46, 1208, e681
Al-Tamemi, S., 749, e457
Altman, R.L., 513, 1600
Altman, S., 1260
Altschuler, E.L., 1603
Alzen, G., 214, e52
Ambalavanan, N., 1367
American Academy of Pediatrics, 1574
American College of Cardiology Foundation, 1574
American Heart Foundation, 1574
Amiel-Tison, C., 1047
Amitai, Y., 217, e113
Anand, K.J.S., 352
Anderson, J., 82
Anderson, M.R., 1192
Anderson, V., 1374
Arbogast, K.B., 180, 1608
Arisio, R., 516
Arko, M., 1059
Armon, C., 1474
Armstrong, F.D., 1018
Arnold, L., 1212, e735
Arnulf, I., 1212, e732
Aronoff, S.C., 989
Arscott-Mills, T., 216, e94
Arslanian, S.A., 473
Ashley, P., 454
Atkinson, A., 748, e445
Auerbach, S.B., 744, e381
Auinger, P., 112
Austin, B., e214
Austin, D., 1211, e724
Austin, S.B., 484
Auvinen, A., 673
Avner, J.R., 1530, e738
Ayala, J.M., 1095
Aylward, G.P., 491
Ayus, J.C., 741, e343
Azen, C.G., 901
Azim, T., 484, e221
Azzopardi, D., 1001

Bacchus, C., 609
Bachur, R.G., 709
Bada, H.S., 1064
Bahna, S.L., 1540, e876
Bailey, D.B., 1346
Balis, F.M., 1538, e846
Balluz, L.S., 743, e370
Baltimore, R.S., 595
Bancalari, E., 1217
Bank, D., 644
Banspach, S.W., 487, e277
Barak, S., 747, e432
Baraldi, E., 1534, e792
Barennes, H., 1206, e648
Baris, H., 757
Barker, C.C., 1055
Barlow, K.M., 482, e174
Barlow, S.E., 112
Barnes, C.J., 1016, e596
Barrueto, F., 748
Barrueto, F., Jr., e453
Barth, J.H., 73
Barth, R.P., 891
Bartkus, J.M., 483, e206
Barton, B.A., 352, 1178
Barton, L., 1487
Bartosiewicz, C., 933
Baskin, M., 614
Bassan, H., 717, 844
Bastek, T.K., 407
Battle, S., 1598
Batton, D., 523
Bauchner, H., 628
Bayir, H., 1506
Beach, M.L., 1183
Beckerman, R.C., 800
Beedgen, B., 1361
Beekman, R.H., III, 1574
Bell, E.F., 1049, 1609
Benes, J., 1205, e634
Beninger, P.R., 1613
Benseler, S.M., 1532, e760
Benson, C.B., 717
Benzaquen, H., 742, e348
Berg, A.L., 933
Berger, M.Y., 488, e295
Bergqvist, L.L., 352
Berkey, C.S., 1010, e518
Berman, S., 1474, 1545
Berthold, L.D., 214, e52
Bertrand, Y., 140
Bewick, B.M., 73
Bhandari, V., 352
Bi, D., 487, e285
Biederman, J., 215, e74, 1533, e777
Binstadt, B.A., 215, e89
Bisgard, K.M., 487, e285
Bisset, G.S., 513
Bissonette, E.A., 1070
Bizzarro, M.J., 595
Blanco, F., 1054
Block, R.W., 1234
Bloom, B.T., 392
Blum, M., 620
Blum, W.F., 214, e52
Blumberg, S.J., 345
Blumer, J.L., 927
Bobashev, G., 1367
Bocchini, J.A., 1540, e876
Boceta, R., 1292
Boctor, F.N., 1016, e592
Bodo, K., 1231
Boedy, R.F., 1048
Boehm, G., 522
Boellner, S.W., 1533, e777
Bogart, J., 489, e322
Bogen, D.L., 741, e343
Boguniewicz, M., 741, e334
Boney, C.M., 519
Bonfils, P., 215, e81
Bonsu, B.K., 746, e420
Bonuck, K.A., 1413
Boo, N.-Y., 486, e263
Bordigoni, P., 140
Borowitz, S., 1206, e643
Botkin, J.R., 862
Boulanger, B., 518
Boulden, T.F., 1064
Bourgeois, F., 295
Bowen, W.H., 921
Bower, C., 742, e356
Boxrud, D.J., 483, e206
Boyd, G.S., 442
Boyer, E.W., 249
Braga, R., 1534, e792
Brand, D.A., 513, 1600
Brand, R., 1207, e662
Bréart, G., 1262
Brennan, T., 1260
Brent, R.L., 753, 1051
Bridges, C.B., 153
Briss, P.A., 240
Britz, P.H., 1287
Brockmann, M.A., 242
Broderick, A., 290
Bronson, M.B., 144
Brooks, L.J., 799
Brousseau, D.C., 295
Brown, G., e5, 211
Brown, J., 1211, e709
Bruckner, A.L., 218, e149
Bruckner, D., 61
Bruijn, J.K.J., 488, e295
Brumm, V.L., 901
Brunekreef, B., 486, e255
Brunell, P., 1056
Brunelle, F., 218, e145
Brüssau, J., 1361
Brüssow, H., 484, e221
Bryant, T., 1531
Bryant, T., III, e746
Buchter, S., 857
Buencamino, A., 518
Buescher, E.S., 485, e241
Buison, A.M., 943
Bulloch, B., 978
Bundy, D.G., 82
Buonocore, S., 489, e322
Burdette, H.L., 657
Burns, J.P., 407
Burns Ewald, M., 249
Burrows, P.E., 38
Burrows, V., 1531, e754
Bush, A., 917
Butzner, J.D., 1531, e754
Buzby, M., 1095
Byard, R.W., 1608
Byington, C.L., 696, 749, e461

Cadwell, B.L., 1122
Cakan, N., 1536, e826
Cake, H., 1539, e864
Calfas, K.J., 908
Callahan, S.T., 88
Camargo, C.A., Jr., 484, e214
Camil, L., 1339
Cantarutti, L., 212, e26
Caplan, M., 1053
Caprilli, S., 1013, e563
Carcillo, J.A., 1506
Cardinal, D.N., 290
Carlin, J.B., 1211, e709
Carlo, W.A., 1367
Carlson, E.J., 950
Carnevale, F.A., 884
Caro, I., 1263
Carr, B.L., 1219
Carroll, C.R., 1134
Carron, J.D., 1257
Carsetti, R., 798
Cartar, L., 333
Carusi, C.P., 1183
Case, S., 1531, e754
Cash, J., 212, e21
Catroppa, C., 1374
Cebelinski, E.A., 483, e206
Chaisson, C.E., 1433
Chalouhi, C., 215, e81
Chalumeau, M., 1262
Chamberlain, L.B., 628
Chan, E., 144
Chand, D.V., 1539, e874
Chang, A.C., 423
Chang, C.-H., 1114
Chang, K.W., 246
Chapman, V.R., 703
Charlesworth, A., 1516
Chauvenet, A.R., 1010, e525
Chay, O.M., 1208, e675
Chen, C.-L., 437
Chen, C.-Y., 468
Chen, H.-L., 437
Chen, L., 797
Chen, L.-S., 826
Chen, Y., 485, e235
Cheng, Y.J., 1122
Cherry, J.D., 755, 1056
Chertin, B., 1534, e798
Chesney, P.J., 195
Chevalier, I., 1261
Chiang, V.W., 603
Chiarelli, F., 515
Chiarelli, S., 1260
Chin, C.W., 1208, e675

AUTHOR INDEX

Abadie, V., 215, e81
Abelson, J.A., 61
Abreu, M., 957, 1433
Abston, P., 1598
Acharya, K., 1008, e476
Ackerman, P.D., 1008, e476
Ackermann-Liebrich, U., 1210, e702
Acolet, D., 1457
Acton, J.D., 1442
Adachi-Mejia, A.M., 1183
Adame, N., 749, e461
Ades, A.M., 423
Adler, N.E., 746, e414
Admon, G., 742, e348
Aebi, C., 1204, e623
Agarwal, S., 246, 741, e326
Agerbo, E., 462
Agosti, M., 522
Agrawal, D., 1612
Ahluwalia, I.B., 1408
Akins, P., 844
Alam, N.H., 484, e221
Alberta, L., 748, e450
Alberti, C., 216, e102
Albuquerque, P., 749, e457
Aldinucci, M., 1008, e494
Alessandrini, E.A., 1303
Alex, C.P., 482, e198
Allal, H., 1534, e785
Allan, J.D., 235
Allan, W.C., 1597
Aller, S.K., 901
Al Maskary, S., 423
Alpern, E.R., 1303
ALSPAC Study Team, 46, 1208, e681
Al-Tamemi, S., 749, e457
Altman, R.L., 513, 1600
Altman, S., 1260
Altschuler, E.L., 1603
Alzen, G., 214, e52
Ambalavanan, N., 1367
American Academy of Pediatrics, 1574
American College of Cardiology Foundation, 1574
American Heart Foundation, 1574
Amiel-Tison, C., 1047
Amitai, Y., 217, e113
Anand, K.J.S., 352
Anderson, J., 82
Anderson, M.R., 1192
Anderson, V., 1374
Arbogast, K.B., 180, 1608
Arisio, R., 516
Arko, M., 1059
Armon, C., 1474
Armstrong, F.D., 1018
Arnold, L., 1212, e735
Arnulf, I., 1212, e732
Aronoff, S.C., 989
Arscott-Mills, T., 216, e94
Arslanian, S.A., 473
Ashley, P., 454
Atkinson, A., 748, e445
Auerbach, S.B., 744, e381
Auinger, P., 112
Austin, B., e214
Austin, D., 1211, e724
Austin, S.B., 484
Auvinen, A., 673
Avner, J.R., 1530, e738
Ayala, J.M., 1095
Aylward, G.P., 491
Ayus, J.C., 741, e343
Azen, C.G., 901
Azim, T., 484, e221
Azzopardi, D., 1001

Bacchus, C., 609
Bachur, R.G., 709
Bada, H.S., 1064
Bahna, S.L., 1540, e876
Bailey, D.B., 1346
Balis, F.M., 1538, e846
Balluz, L.S., 743, e370
Baltimore, R.S., 595
Bancalari, E., 1217
Bank, D., 644
Banspach, S.W., 487, e277
Barak, S., 747, e432
Baraldi, E., 1534, e792
Barennes, H., 1206, e648
Baris, H., 757
Barker, C.C., 1055
Barlow, K.M., 482, e174
Barlow, S.E., 112
Barnes, C.J., 1016, e596
Barrueto, F., 748
Barrueto, F., Jr., e453
Barth, J.H., 73
Barth, R.P., 891
Bartkus, J.M., 483, e206
Barton, B.A., 352, 1178
Barton, L., 1487
Bartosiewicz, C., 933
Baskin, M., 614
Bassan, H., 717, 844
Bastek, T.K., 407
Battle, S., 1598
Batton, D., 523
Bauchner, H., 628
Bayir, H., 1506
Beach, M.L., 1183
Beckerman, R.C., 800
Beedgen, B., 1361
Beekman, R.H., III, 1574
Bell, E.F., 1049, 1609
Benes, J., 1205, e634
Beninger, P.R., 1613
Benseler, S.M., 1532, e760
Benson, C.B., 717
Benzaquen, H., 742, e348
Berg, A.L., 933
Berger, M.Y., 488, e295
Bergqvist, L.L., 352
Berkey, C.S., 1010, e518
Berman, S., 1474, 1545
Berthold, L.D., 214, e52
Bertrand, Y., 140
Bewick, B.M., 73
Bhandari, V., 352
Bi, D., 487, e285
Biederman, J., 215, e74, 1533, e777
Binstadt, B.A., 215, e89
Bisgard, K.M., 487, e285
Bisset, G.S., 513
Bissonette, E.A., 1070
Bizzarro, M.J., 595
Blanco, F., 1054
Block, R.W., 1234
Bloom, B.T., 392
Blum, M., 620
Blum, W.F., 214, e52
Blumberg, S.J., 345
Blumer, J.L., 927
Bobashev, G., 1367
Bocchini, J.A., 1540, e876
Boceta, R., 1292
Boctor, F.N., 1016, e592
Bodo, K., 1231
Boedy, R.F., 1048
Boehm, G., 522
Boellner, S.W., 1533, e777
Bogart, J., 489, e322
Bogen, D.L., 741, e343
Boguniewicz, M., 741, e334
Boney, C.M., 519
Bonfils, P., 215, e81
Bonsu, B.K., 746, e420
Bonuck, K.A., 1413
Boo, N.-Y., 486, e263
Bordigoni, P., 140
Borowitz, S., 1206, e643
Botkin, J.R., 862
Boulanger, B., 518
Boulden, T.F., 1064
Bourgeois, F., 295
Bowen, W.H., 921
Bower, C., 742, e356
Boxrud, D.J., 483, e206
Boyd, G.S., 442
Boyer, E.W., 249
Braga, R., 1534, e792
Brand, D.A., 513, 1600
Brand, R., 1207, e662
Bréart, G., 1262
Brennan, T., 1260
Brent, R.L., 753, 1051
Bridges, C.B., 153
Briss, P.A., 240
Britz, P.H., 1287
Brockmann, M.A., 242
Broderick, A., 290
Bronson, M.B., 144
Brooks, L.J., 799
Brousseau, D.C., 295
Brown, G., e5, 211
Brown, J., 1211, e709
Bruckner, A.L., 218, e149
Bruckner, D., 61
Bruijn, J.K.J., 488, e295
Brumm, V.L., 901
Brunekreef, B., 486, e255
Brunell, P., 1056
Brunelle, F., 218, e145
Brüssau, J., 1361
Brüssow, H., 484, e221
Bryant, T., 1531
Bryant, T., III, e746
Buchter, S., 857
Buencamino, A., 518
Buescher, E.S., 485, e241
Buison, A.M., 943
Bulloch, B., 978
Bundy, D.G., 82
Buonocore, S., 489, e322
Burdette, H.L., 657
Burns, J.P., 407
Burns Ewald, M., 249
Burrows, P.E., 38
Burrows, V., 1531, e754
Bush, A., 917
Butzner, J.D., 1531, e754
Buzby, M., 1095
Byard, R.W., 1608
Byington, C.L., 696, 749, e461

Cadwell, B.L., 1122
Cakan, N., 1536, e826
Cake, H., 1539, e864
Calfas, K.J., 908
Callahan, S.T., 88
Camargo, C.A., Jr., 484, e214
Camil, L., 1339
Cantarutti, L., 212, e26
Caplan, M., 1053
Caprilli, S., 1013, e563
Carcillo, J.A., 1506
Cardinal, D.N., 290
Carlin, J.B., 1211, e709
Carlo, W.A., 1367
Carlson, E.J., 950
Carnevale, F.A., 884
Caro, I., 1263
Carr, B.L., 1219
Carroll, C.R., 1134
Carron, J.D., 1257
Carsetti, R., 798
Cartar, L., 333
Carusi, C.P., 1183
Case, S., 1531, e754
Cash, J., 212, e21
Catroppa, C., 1374
Cebelinski, E.A., 483, e206
Chaisson, C.E., 1433
Chalouhi, C., 215, e81
Chalumeau, M., 1262
Chamberlain, L.B., 628
Chan, E., 144
Chand, D.V., 1539, e874
Chang, A.C., 423
Chang, C.-H., 1114
Chang, K.W., 246
Chapman, V.R., 703
Charlesworth, A., 1516
Chauvenet, A.R., 1010, e525
Chay, O.M., 1208, e675
Chen, C.-L., 437
Chen, C.-Y., 468
Chen, H.-L., 437
Chen, L., 797
Chen, L.-S., 826
Chen, Y., 485, e235
Cheng, Y.J., 1122
Cherry, J.D., 755, 1056
Chertin, B., 1534, e798
Chesney, P.J., 195
Chevalier, I., 1261
Chiang, V.W., 603
Chiarelli, F., 515
Chiarelli, S., 1260
Chin, C.W., 1208, e675

Cho, M., 682
Chou, H.-C., 468
Chou, Y.-J., 826
Christakis, D.A., 851, 1051, 1148
Christian, C.W., 180, 1303, 1608
Christopher, F.S., 1451
Chu, S.Y., 130
Chuang, J.-H., 437
Clark, F., 513, 1601
Clark, M.J., 649
Clark, M.K., 1532, e767
Clark, R.H., 392
Clark, R.S.B., 1506
Clauss, S.B., 682
Coates, E.W., 485, e241
Cohen, A.L., 575, 1051
Cohen, M.H., 1014, e568
Cohen, S.R., 884
Colditz, G.A., 484, 1010, e214, e518
Colver, A., 1383
Colvin, J., 742, e356
Committee on Adolescence, 281, 1026
Committee on Child Abuse Neglect, 506, 1234, 1565
Committee on Child Health Financing, 261, 274
Committee on Environmental Health, 784, 1036
Committee on Genetics, 771
Committee on Infectious Diseases, 496
Committee on Nutrition, 784, 1234
Committee on Pediatric Emergency Medicine, 258, 1553
Committee on Pediatric Workforce, 219, 263, e156
Committee on Psychosocial Aspects of Child Family Health, 787
Committee on Sports Medicine Fitness, 1557
Connelly, B.L., 487, e285
Conners, G.P., 752
Connor, J.A., 689
Constantini, N., 742, e348
Continisio, G.I., 1008, e494
Continisio, P., 1008, e494
Cook, S., 112
Cooke, C.B., 73
Cooper, L.A., 1267
Cooper, W.O., 88
Coplan, J., 117
Corcoran, T., 1127
Corey, T.S., 212, e13
Correra, A., 1009, e506
Cortese, S., 1212, e732
Coudeville, L., 1263
Council on Children With Disabilities, 1238
Cowan, F., 1001
Cowie, C.C., 1122
Cox, D.J., 1206, e643
Coyne-Beasley, T., 1080
Craig, W., 1538, e855
Cranney, A., 1531, e754
Crighton, E.J., 51
Croitoru, D.P., 485, e241
Crooks, G.M., 1022
Crosby, A.E., 743, e370
Crosby, R.A., 78
Crowe, D., 1605
Cull, W.L., 32
Cummings, G.E., 1539, e868
Cunningham, J., 1538, e855
Cunningham, P.B., 1536, e826
Curran, T.J., 1339
Currie, C.E., 1538, e855
Curry, S.C., 489, e319
Czernichow, P., 216, e102

Dailey, A., 1531, e746
Dailey, J., 1205, e634
Daines, C., 1442
Dal-Ré, R., 1292
Dalton, M.A., 1183
Dame, C., 521
Damen, L., 488, e295
D'Amora, S., 1008, e494
D'Angelo, L.J., 24
Daniel, A.R., 1264
Danila, R., 483, e206
Darden, P.M., 296
Darlow, B.A., 516
Darville, T., 1606
David, R., 190
Davidoff, A., 213, e34
Davis, R., 575, 1051
Davis, R.L., 56
Dawson-Hughes, B., 620
Dayan, G., 1287
Dayan, G.H., e1, 211
Dayan, P.S., 644
Deardorff, J., 1451
De Benedetti, F., 798
DeCarlo, E., 1538, e846
Decker, M.R., 486, e272
Dedeoglu, F., 215, e89
De Franciscis, A., 1009, e506
Dekker, F.W., 725
DeLago, C.W., 216, e94
de Lonlay, P., 218, 1170, e145
De Marco, G., 1009, e506
De Matteo, D., 1605
Dempfle, A., 214, e52
Denis, G., 1263
Desgrandchamps, D., 1204, e623
Deutschmann, A., 1231
Devereux, E., 609
de Vijlder, J.J.M., 168
Deville, J., 61
de Vries, L.S., 1, 1048
Diamond, B.E., 933
Diaz, A.M., 1433
Diaz, B., 1433
Di Caro, S., 1009, e506
Dickinson, J.E., 742, e356
DiClemente, R.J., 78
Diener-West, M., 1267
Di Fiore, J.M., 1059
DiMario, F.J., Jr., 226
Dingguo, L., 745, e393
Disalvo, D.N., 717
Dishop, M.K., 767
Dodds, L., 1539, e864
Dokken, D.L., 872
Dollberg, S., 747, 1204, e432, e619
Donald, T.G., 1608
Dong, L., 745, e393
Dorgeret, S., 216, e102
Doron, M.W., 104
Dostaler, S., 1538, e855
Dovichi, S., 518
Dratva, J., 1210, e702
Drolet, B.A., 748, 1016, e439, e596
Drotar, D., 333, 1598
Drusano, G.L., 927
Dubay, L., 213, e34
Duke, J.C., 487, e277
Duncan, A.M.V., 749, e457
du Plessis, A.J., 717, 844

Earl, C.Q., 1533, e777
Early Treatment for Retinopathy of Prematurity Cooperative Group, 15
Edmonds, L.D., 580
Eduardo, E., 1287
Edwards, A.D., 1001
Ehara, A., 801
Ehrenkranz, R., 1353, 1367
Ehresmann, K.R., 487, e285
Eichenfield, L.F., 1016, e596
Eichler, F.S., 757
Eiraldi, R., 1010, e512
Eitel, P., 297, 303
Ekong, U.D., 1540, e880
Elbertse, L., 1207, e662
Elbourne, D., 1457
Ellen, J.M., 746, e414
Elliott, M.R., 744, e381
Ellis, D.A., 1536, e826
El-Metwally, A., 673
Elms, A., 1276
Emancipator, J.L., 798
Enciso, J.M., 228
Eng, H.-L., 437
Engelgau, M.M., 1122
Engle, W., 857
Engstrom, J.L., 1466
Escobar, R., 743, e364
Escobar-Chaves, S.L., 297, 301, 303
Essink-Bot, M.-L., 1535, e810
Esterly, N.B., 748, e439
Eugster, E.A., 1513
Evans, N.J., 516
Ewigman, B.G., 1209, e687

Faerber, E.N., 431
Fahnenstich, H., 521
Fairchok, M.P., 517
Falk, B., 742, e348
Falkner, B., 442
Fan, L.L., 767
Fanaroff, A.A., 1353, 1367
Fang, J., 38
Farina, D., 516
Farkas, A., 1534, e798
Farmer, J.E., 649
Farrell, M.H., 1492, 1499
Faulcon, P., 215, e81
Faville, R., 483, e206
Fay, T.B., 214, e58
Fayman, G., 742, e348
Fekete, C., 218, e145
Fellman, V., 1391
Feneberg, R., 1361
Ferguson, K.S., 1442
Fergusson, D.M., 1535, e803
Fernandez, H., 1433
Fernandez, S.A., 96
Fete, T.J., 484, e229
Feudtner, C., 1010, e512
Fewlass, C., 745, e397
Field, A.E., 484, 1010, e214, e518
Fine, R.L., 1219
Finer, N.N., 1216
Finkelstein, J.A., 746, 1009, e408, e499
Finken, M.J.J., 725
Firth, S., 696
Fischbach, B.V., 984
Fiser, D.H., 342
Fishman, S.J., 38, 709
Fitzgerald, D.A., 1012, e549
Flaherty, E., 996
Flaherty, J., 1538, e846
Fleischman, A.R., 872
Fleisher, G., 614
Flores, A., 580
Flores, G., 957, 1433
Florin, T.A., 1051
Folkman, J., 38
Forgues, D., 1534, e785
Forthuber, P., 485, e247
Foy, T.M., 484, e229
Fraboni, T., 1539, e864
Frader, J.E., 1601
Fraley, J.K., 484
Fraley, K., e229
France, E.K., 153
Francis, D.E., 1211, e709
Francisco, P., 1433
Fraser, C.D., Jr., 423
Freeman, K., 1413
Frey, M.A., 1536, e826
Frieden, I.J., 218, e149
Friedlaender, E.Y., 1303
Friedman, H., 333
Friedman, L.A., 1178
Friend, K., 1205, e634
Frölich, M., 725
Frush, D.R., 513
Fuchs, G.J., 484, e221
Fuhlbrigge, R.C., 215, e89
Fullmer, J.J., 767
Fullwood, E., 1427
Fulton, D.R., 1339
Funt, N., 1127

Gafni, R.I., 1538, e846
Gaglani, M.J., 745, e397
Gahagan, S., 1047
Galbraith, A.A., 1148
Galbraith, S.S., 748, e439
Galifer, R.-B., 1534, e785
Gallagher, P.G., 595
García-Cazorla, A., 1170
García-Corbeira, P., 1292
Garcia Garcia, M.L., 360
Garcia-Sicilia, J., 1292
Garland, J.S., 482, e198
Gastaldi, G., 1057
Gastaminza, X., 743, e364
Gately, P.J., 73
Gauthier, M., 1261
Gauthier, N.S., 1339
Gauvreau, K., 215, 689, e89, 1339
Geiss, L.S., 1122
Gelber, H., 1534, e798
Gendrel, D., 1262
Gex-Fabry, M., 1
Ghuznavi, H., 1603
Giaquinto, C., 212, e26
Gibson, J.J., 1183
Gidding, S., 442
Gilaberte, I., 743, e364
Gilbert, D.L., 1226
Gilchrist, G.S., 1192
Gilles, L., 360
Gilliam, A.E., 218, e149
Gillis, D., 1534, e798
Gillman, M.W., 1010, e518
Gilmour, J., 1014, e568
Ginsburg, K.R., 1095
Girling, L., Jr., 520
Giurgea, I., 218, e145
Glantz, S.A., 1516
Glascoe, F.P., 174
Glasgow, T.S., 696
Glennen, A., 483, e206

Glezen, W.P., 745, e397
Glodé, M.P., 487, e285
Goh, A., 1208, e675
Gold, R., 217, e125
Goldenberg, N.A., 1012, e543
Goldenberg, R.L., 703
Goldhagen, J., 1531, e746
Goldmann, D., 746, e408
Goldmann, D.A., 587, 603
Goldstein, J., 1427
Gomirato, G., 516
Gonzales, N.A., 1451
Gonzalez, B.E., 1141
Goodman, D.C., 219, 493, 1114, e156
Goodman, D.G., 746, e420
Gorelick, M., 295
Gortner, L., 214, e52
Goss, M.A., 1613
Gosselin, J., 1047
Gourley, G.R., 385
Gozal, D., 214, e66
Gracely, E., 1127
Graf, J., 797
Graham, I.D., 1531, e754
Graham, T.P., Jr., 1574
Graham-Bermann, S.A., 1532, e767
Grant, H., 1535, e803
Grant, M.J.C., 212, e21
Grant, P.E., 757
Gravel, J.S., 663
Graven, M., 1539, e864
Gravenhorst, J.B., 1207, e662
Graviss, E.A., 1141
Green, M., 160
Green, R., 978
Greenberg, D.P., 160
Greenhill, L., 1533, e777
Greenhouse, J.B., 231
Greer, F.R., 784
Gregg, E.W., 1122
Griffin, M.P., 1070
Groenendaal, F., 1
Grossman, D.C., 1148
Grunau, R.E., 214, e58
Grunebaum, E., 748, e445
Guagliardo, M.F., 1542
Guarino, A., 1009, e506
Guevara, J.P., 1010, e512
Guibal, M.-P., 1534, e785
Guilhot, F., 140
Guilhot, J., 140
Guise, J.-M., 1211, e724
Gunnell, D., 1208, e681
Gupta, R.S., 1009, e499
Gupta, V.B., 174
Guttenberg, M., 749, e468

Hack, M., 333, 1598
Hackler, C., 1606
Hagan, J.F., 787
Hagemann, S., 214, e52
Hahn, C., 487, e285
Haidar, H., 844
Halamek, L.P., 741, e326
Hall, J.G., 771
Hammarén-Malmi, S., 185, 1258
Hammarström, L., 484, e221
Han, C.J., 447
Han, Y.Y., 1506
Hancock, B.J., 978
Hanioka, T., 482, e186
Hanley, C.A., 757
Hanming, L., 745, e393
Hannon, T.S., 473
Hansen, T., 1075
Hardison, H.H., 431
Harel, Y., 1538, e855
Haritou, F., 1374
Harlan, L.C., 1178
Harlan, W.R., 1178
Harms, E., 841
Harrell, F.E., Jr., 1070
Harriman, K., 483, e206
Harrington, K., 78
Hashimoto, D., 1014, e568
Hassink, S., 442
Hata, D., 1016, e601
Hauck, F.R., 1211, e716
Hauser-Cram, P., 144
Havens, C.G., 950
Haviland, J., 1457
Hays, T., 1012, e543
Hazra, R., 1538, e846
Heagerty, P.J., 1148
Heatherton, T.F., 1183
Hebbeler, K., 1346
Hebebrand, J., 214, e52
Hedlund, G., 749, e461
Hedrick, H., 749, e468
Heine, R.G., 1211, e709
Heininger, U., 1204, e623
Heitzler, C.D., 487, e277
Heller, K.S., 872
Helmkamp, J.C., 1204, e608
Helou, S., 1080
Hemming, K., 1383
Henderson-Smart, D.J., 516
Hendrickson, K.J., e198
Henrickson, K.J., 482
Henriksen, T.B., 462, 1089
Herschler, G., 745, e397
Hershfield, M.S., 1540, e876
Hertzberg, V.S., 78
Hertz-Pannier, L., 215, e81
Hervas, A., 743, e364
Hess, S., 522
Hessel, C., 745, e397
Hill, A.J., 73
Hill, D.J., 1211, e709
Hill, G., 1010, e525
Hille, E.T.M., 725, 1207, e662
Hilton, J., 1012, e549
Hirsch, H.J., 1534, e798
Hirschi, K.K., 228
Hobgood, C., 1276
Hoda, S., 757
Hodgman, J.E., 1487
Hoffman, R.S., 748, e453
Hoffmaster, M., 1539, e868
Holl, J.L., 1260
Hollister, J.R., 749, e472
Holly, J.M.P., 1208, e681
Holmes, A.V., 32
Holmes, K.W., 682
Holstrum, J., 663
Honberg, L., 1162
Hong, D.K., 246
Hoon, L.S., 1208, e675
Hopkins, P., 682
Horwood, L.J., 1535, e803
Hosking, C.S., 1211, e709
Hostetler, S.G., 1207, e667
Hotopf, M., 46
Houtzager, B.A., 1204, e613
Howard, R.M., 218, e149
Howe, C.J., 1095
Howland, M.A., 748, e453
Hoyen, C.K., 1539, e874
Hsia, J., 1408
Hsiao, R., 213, e43
Hsieh, W.-S., 468
Huang, F.-C., 437
Huang, N., 826
Huang, S.S., 746, e408
Huhman, M., 487, e277
Huiras, E.E., 1016, e596
Hunsaker, D.M., 212, e13
Hunter, W.M., 1080
Huppertz, C., 1361
Huppi, P.S., 1, 844
Hurlburt, M., 891
Hurst, I., 288, 1600
Hurst, N.M., 400, 1610
Hutchinson, J.W., 966
Hutton, J.L., 1383

Imperatore, G., 1122
Inder, T.E., 1047
Iowa Measles Response Team, e1, 211
Irwin, M., 1605
Iurlano, K., 160
Ivanenko, A., 214, e66

Jabado, N., 749, e457
Jackson, M.B., 749, e468
James, C., 295
James, M., 663
Jansen, O., 242, 1604
Jaracz, E., 741, e334
Jawad, A.F., 117, 1095
Jea, A., 1209, e694
Jefferson, T., 1009, e506
Jenkins, K.J., 689, 1339
Jensen, T.K., 1323
Jepson, B., 1012, e549
Jeroudi, M., 1540, e876
Jewett, E.A., 1192
Jiang, J., 1533, e777
Jobe, A.H., 1353
Jodorkovsky, R., 1051
Joffe, A., 1257
Johnson, D., 482, e174
Johnson, J.L., 663
Johnson, M.S., 235
Johnson-Levonas, A.O., 682
Johnston, K.E., 703
Jones, D., 342, 614
Jones, J.S., 1442
Jones, M., 482, e191
Jones, R.A.K., 370, 379
Jungmann, H., 841
Juni, B.A., 483, e206
Juo, S.-H.H., 437
Juul, A., 1323

Kabani, A., 978
Kadota, E., 1016, e601
Kalfa, N., 1534, e785
Kallan, M.J., 744, e381
Kang, L.W., 1208, e675
Kantanie, S., 1206, e654
Kaplan, E.L., 927
Kaplan, F.S., 1206, e654
Kapoor, N., 1022
Karlowicz, G., e241
Karlowicz, M.G., 485
Katkin, J., 423
Kaufman, D.A., 1540, e876
Kautiainen, H., 673
Kawchak, D.A., 943
Kazzi, S.N.J., 857
Kearney, B.P., 1538, e846
Keenan, H.T., 104
Keijzer-Veen, M.G., 725
Kelleher, K.J., 231
Kellogg, N., 506, 1309, 1565
Kelly, S., 1540, e880
Kemper, K.J., 1014, e568
Kennalley, T., 663
Kenney, G., 213, 345, e34
Kent, G., 1605
Keskin, M., 515
Kettler, C., 485, e247
Khaki, Z.F., 1013, e559
Khambalia, A., 939
Kharbanda, A.B., 709
Kheifets, L., 489, e303
Khurana, D.S., 431
Kiang, K.M., 483, e206
Kidon, M.I., 1208, e675
Kiernan, M.P., 800
Kieschnick, M., 520
Kilroy, S.M., 38
Kim, I.K., 1127
Kimball, A., 1059
Kimura, R.E., 1466
King, J.C., 1539
King, J.C., Jr., e868
Kinnamon, D.D., 717
Kirby, R.S., 580
Kirchner, H.L., 798
Kirschner, J., 8
Kirse, D.J., 815
Kitterman, J.A., 1206, e654
Klein, D.J., 1178
Klein, J.D., 235, 281, 950
Klein, N., 333, 1598
Kleinman, M.E., 249
Kliewer, C., 290
Kling, P.J., 414
Kluth, P., 290
Knapp-Clevenger, R., 1012, e543
Knishkowy, B., 217, e113
Koenigsberg, J., 442
Koepsell, T.D., 1148
Koes, B.W., 488, e295
Kogan, M.D., 1162
Kohn, B., 190
Kohn, D.B., 1022
Kok, J.H., 1204, e613
Kolczak, M., 153
Kong, C.-K., 1537, e839
Konofal, E., 1212, e732
Koop, S., 483, e206
Kopelman, L.M., 288, 514, 1602
Koren, G., 1299
Korff, C.M., 1008, e485
Korinthenberg, R., 8
Korkman, M., 1391
Korkodilos, M., 1457
Korones, S.B., 1064
Kosorok, M.R., 385
Kothare, S.V., 431
Kovatchev, B., 1206, e643
Kozer, E., 1299
Kozinetz, C., 745, e397
Krance, R., 767
Kratochvil, C.J., 215, e74, 1533, e777
Krawczyk, J., 485, e247
Kreamer, B.L., 385
Krebs, N.F., 238, 1234
Kreher, N.C., 1513
Krief, W., 644
Krishnamoorthy, K.S., 757
Krist, A., 1267
Kronsberg, S.S., 352
Krysko Davis, R., 216, e94
Kugathasan, S., 748, e439
Kuhtz-Buschbeck, J.P., 242
Kuijpers, T.W., 799
Kulldorff, M., 1009, e499
Kumanyika, S.K., 744, e381
Kunz, A.N., 517
Kuppermann, N., 644
Kwiterovich, P.O., 682
Kwok, C., 696

Labbé, R.F., 414
Ladouceur, L., 1492
Lahmann, C., 485, e247
Lahr, M.B., 1011, e530
Lai, M.W., 249
Laidler, J.R., 217, e120
Lake, D.E., 1070
Lamerson, C., 741, e334
Landrigan, C.P., 603
Landsverk, J., 891
Lang, D.L., 78
Langhan, M., 1212, e735
Lanphear, B.P., 454
Lanting, C.I., 168
La Pean, A., 1492, 1499
Lapidus, J.A., 1011, e530
Laptook, A., 857
Larsen, G.Y., 212, e21
Lau, C., 400, 1610
Lawrence, K.S., 160
Lawrence, R.A., 921
Lazeyras, F., 1
LeBaron, C.W., e1, 211, 1263
Le Bihan, C., 215, e81
Leblanc, T., 140
Lecendreux, M., 1212, e732
Lee, B.P., 218, e149
Lee, C.-H., 826
Lee, G., 1263
Lee, G.M., 587
Lee, M.S., 757
Léger, J., 216, e102
Legido, A., 431
Lehtonen, L., 1391
Leiberich, P., 485, e247
Leonard, E.G., 1539, e874
Leonard, M.B., 943
Leonessa, M.L., 516
Leppert, J., 744, e389
Leroy, S., 1262
Lescoeur, B., 216, e102
Leslie, L.K., 195, 518, 891
Lett, S., 1263
Leung, A.K.C., 800
Levene, M., 492
Leverger, C., 140
Levetown, M., 872
Levi, B.H., e5, 211
Levin, M.E., 1223
Levine, D.A., 644
Levine, J.C., 215, e89
Lewis, C., 747, e426
Lewis, J., 984
Li, Z., 385
Liben, S., 884
Lieftink, A.F., 1
Lieu, T., 1263
Lilienfeld, S.O., 290
Limperopoulos, C., 717, 844
Lin, H.-C., 293
Lin, J.T.P., 1208, e675
Lin, M., 485, e235
Lin, P.L., 160
Lin, T.-M., 437
Lindenberg, T., 1534, e798
Linderkamp, O., 1361
Linnet, K.M., 462
Liu, B., 1367
Liu, G.C., 518
Livingood, W., 1531, e746
Lobelo, F., 519
Lodygensky, G.A., 1
Loeber, J.G., 168
Loening-Baucke, V., 744, e377
Loew, T.H., 485, e247
Logan, S., 609
Lopata, A.L., 1223
Lopez, G., 1292
Lopez, M., 1534, e785
Lorey, F., 1536, e818
Lott, D.G., 414
Loud, K.J., 484, e214
Lovato, J., 1010, e525
Low, B.J., 297, 303
Lu, J.-H., 486, e263
Lubetzky, R., 747, 1204, e432, e619
Lucas, V., 1206, e643
Lucey, J.F., 523
Ludwig, D.S., 1010, e518
Lueder, G.T., 270
Luis, C.A., 984
Lukefahr, J.L., 1309
Lurie, P., 1287
Lynch, J.K., 447
Lynfield, R., 483, e206

MacArthur, C., 939
Macdonald, M.E., 884
Mache, C.J., 1231
Macias, C.G., 644
Macintosh, M., 1457
Mack, D.R., 293
MacKendrick, W., 1053
MacKlin, E.A., 1536, e818
MacPherson, A., 1299
Magder, L.S., 1539, e868
Maki, D.G., 482, e198
Makuch, R.W., 1597
Maldarelli, F., 1538, e846
Mallik, S., 1346
Mamdani, M., 51
Manco-Johnson, M.J., 1012, e543
Mandel, D., 747, 1204, e432, e619
Mandell, D.S., 1303, 1480
Maneyapanda, S.B., 1013, e555
Mangani, S., 1009, e506
Mannino, S., 212, e26
Manole, M.D., 741, e343
Manzoni, P., 516
Maples, H.D., 1606
Marcovecchio, M., 515
Marcuse, E.K., 575
Margolis, P.A., 82
Margulies, S.S., 180, 1608
Marien, W.E., 649
Marini, A., 522
Marinovic, D., 216, e102
Markham, C.M., 297, 303
Marler, J.J., 38
Marshall, W., 1052
Martin, R.J., 1059
Martinez, A.M., 486, e263
Martin Rojas-Marcos, P., 190
Mathew, O.P., 1048
Mathias, E., 1367
Matsumura, B., 1603
Mattila, P.S., 185, 1258
Maxon, A.B., 663
Mayer, M.L., 833
Mayo, T.W., 1219
Mazariegos, G.V., 160
Mazer, B., 749, e457
Mazur, J., 1538, e855
McAuliffe, T.L., 482, e198
McBride, S.C., 603
McBurney, P.G., 296
McCarthy, A.M., 1532, e767
McClain, V., 1605
McComsey, G.A., 1539, e874
McCrindle, B.W., 1532, e760
McCullough, L.B., 1019
McCusker, C., 749, e457
McDonald, S., 123
McDonald, S.A., 635
McGovern, M.C., 1599
McHugh, S., 1539, e864
McIlhaney, J.S., Jr., 327
McInerny, T.K., 1599
McIntosh, N., 1457
McIntyre, C.L., 1134
McKee, D., 1413
McKenzie, E.D., 423
McLaren, C., 217, e109
McLean, T.W., 1010, e525
McMahon, C.J., 423
McPhillips, H., 575
Meerding, W.J., 1535, e810
Mehta, S.D., 216, 628, e94
Meier, P.P., 1466
Mell, L.K., 56
Meloche, D., 884
Meltzer, A.A., 24
Melvin, J.J., 431
Meneghelli, G., 1534, e792
Menkedick, J., 454
Ment, L.R., 1597
Mercuri-Minich, N., 333
Mercy, J.A., 743, e370
Merenstein, D., 1267
Merewood, A., 628
Merhar, S.L., 1226
Merritt, T.A., 1050
Merten, S., 1210, e702
Messeri, A., 1013, e563
Metzl, J.D., 1542
Meurer, J., 957
Meurer, J.R., 1599
Meyers, A., 1433
Michaels, M.G., 160
Michelson, D., 215, e74
Mikkelsson, M., 673
Mikkola, K., 1391
Miller, L.L., 1208, e681
Miller, M.R., 1259
Miller, P.M., 520
Millot, F., 140
Millsap, R.E., 1451
Mimouni, F.B., 747, 1204, e432, e619
Mink, J.W., 1427
Minns, R.A., 482, e174
Miotto, M.B., 518
Mitchell, D., 749, e457
Mitchell, W.G., 747, 901, e436
Mitterlehner, F.O., 485, e247
Miyazaki, K., 1016, e601
Miyazaki, M., 1016, e601
Mochel, F., 218, e145
Mock, T., 1055
Modder, J., 1457
Moeller, F., 242
Moeschler, J.B., 290
Mohn, A., 515
Moineddin, R., 51
Moissidis, I.J., 1540, e876
Mokdad, A.H., 743, e370
Molcho, M., 1538, e855
Molloy, M., 1531, e754
Mönting, J.S., 8
Moon, R.Y., 972
Mooney, D., 614
Moore, M., 717, 844
Moore, T., 61
Moorman, J.R., 1070
Mörelius, E., 1105
Moritz, M.L., 741, e343
Moriyama, K., 1016, e601
Morlock, L., 826
Morris, C.D., 1211, e724
Morrison, J.A., 1178
Morrow, B., 1408
Morrow, M., 333
Morse, S., 1374
Moses, M.A., 38
Moshang, T., Jr., 749, e468
Mosser, J., 741, e334
Motala, C., 1223
Motii, K.J., 484, e229
Mouren, M.C., 1212, e732
Moy, R., 1258
Moyer, V.A., 235
Msall, M.E., 123
Muehlbacher, M., 485, e247
Mulder, S., 1535, e810
Muldoon, S., 212, e13
Mulligan, D.A., 1075
Mulliken, J.B., 38
Murphy, A., 741, e326
Murphy, K., 1095
Murphy, T., 1263
Murray, M., 82
Murray, N., 1609
Muso, E., 1016, e601
Musser, J.M., 1141
Must, A., 620

Naar-King, S., 1536, e826
Nafstad, P., 486, e255
Nagaraja, J., 454
Nagata, M., 1016, e601
Nagot, N., 1206, e648
Nakano, A., 1016, e601
Naprawa, J.T., 746, e420
Narayan, K.M.V., 1122
Nassogne, M.C., 1170
Naumova, E.N., 620
Nauta, J., 725
Neches, W., 1205, e634
Nee, L.E., 447
Negretti, F., 522
Nelken, B., 140
Nellis, M.E., 1053
Nelson, B., 1317
Nelson, D.E., 743, e370
Nelson, D.P., 423
Nelson, K.B., 447
Nelson, K.G., 703
Nelson, L., 1346
Nelson, L.S., 748, e453
Nelson, N., 1105
Neufeld, N.D., 292
Neville, K.A., 1401
Newacheck, P.W., 1162
Newburger, J.W., 215, e89
Newcorn, J.H., 215, e74
Newman, T.B., 195, 1613
Nguyen, T.C., 1506
Nickel, C., 485, e247
Nickel, M.K., 485, e247
Nicolosi, A., 212, e26
Nielsen, K., 61
Nightingale, D., 489, e322
Nigrovic, P.A., 215, e89
Nihtianova, S., 1010, e512
Nilsson, K.W., 744, e389
Nishida, H., 486, e263
Noel, J.M., 517
Noel, M., 216, e102
Nordli, D.R., 1008
Nordli, D.R., Jr., e485
Norman, G.J., 908
Novak, M.M., 1480
Null, J., 217, e109
Nyquist, A.-C., 1317
Nystad, W., 486, e255

Oaklander, A., 293
Oakley, G.P., 753

Oazi, M., e191
Obel, C., 462
O'Brian Smith, E., 400
O'Brien, L.M., 214, e66
Obrinsky, D., 520
Ochoa, D.Q., 130
Ochs, U., 484, e229
Ockene, J.K., 235
O'Connell, M., 212, e21
O'Connor, K., 996
O'Connor, K.G., 174
O'Connor, K.S., 345
Ofan, R., 742, e348
Ogunmodede, F., 483, e206
Ohene-Frempong, J., 1010, e512
Ohene-Frempong, K., 943
Ojima, M., 482, e186
Okoro, C.A., 743, e370
Olivieri, N.F., 1536, e818
Olsen, P., 1391
Olson, L., 996
Olympia, R.P., 1530, e738
Omar, S.A., 213, e43, 1261
O'Meara, M.W., 1401
Omeñaca, F., 1292
Omojokun, O.O., 1211, e716
orgen Secher, N.J., 462, 1089
orn Olsen, J., 1089
Orr, R.A., 1506
Ortega-Sánchez, I.R., e1, 211
O'Shea, T.M., 1070
Osredkar, D., 1048
Ostergaard, J.R., 1089
Overpeck, M.D., 1538, e855
Owens, D., 56
Oyler, C., 290
Özgün, M., 841

Pääkkönen, L., 1391
Palfrey, J.S., 144
Paller, A.S., 748, e439
Papania, M.J., 1287
Parker, H.B., 212, e21
Parkin, P.C., 939
Parkman, R., 1022
Partridge, J.C., 486, e263
Pashankar, D.S., 744, e377
Passchier, J., 488, e295
Patel, A.L., 1466
Patel, K.M., 972
Pati, S., 1155
Paton, E.A., 917
Patrick, K., 908
Patrick, S., 487, e285
Patterson, K.E., 901
Pavan, M.H., 1611
Pawlak, R., 1141
Pearlman, D., 1612
Pedersen, C.B., 1323
Pelayo, R., 797
Pelech, A.N., 1016, e596
Pelton, S.I., 746, e408
Penny, D.J., 423
Perrin, J.M., 195
Pershad, J., 917
Pertussis Investigation Team, 487, e285
Phelan, K.J., 454
Phelps, S., 747, e426
Philipp, B.L., 628
Phillip, M., 742, e348
Phillips, S.M., 620
Phipps, M.G., 746, e414
Phrampus, E., 1127
Piazza-Waggoner, C., 1442
Picaud, J.-C., 1534, e785
Picelli, G., 212, e26
Pickett, W., 1538, e855
Piedra, P.A., 745, e397
Pinneger, M., 1267
Pisacane, A., 1008, e494
Pitetti, R., 1127
Plack, M.M., 1546
Plantaz, D., 140
Platt, M.-J., 1383
Platt, R., 746, e408
Platt, S.L., 644
Polavieja, P., 743, e364
Polinder, S., 1535, e810
Polos, P., 360
Poole, K., 1353, 1367
Poole, W.K., 123, 635
Pöschl, J., 1361
Posfay-Barbe, K.M., 1204, e623
Potter, L.D., 487, e277
Pourcyrous, M., 1064
Power, T., 1010
Powers, S.W., 1442
Preisser, J.S., 833
Pussard, E., 1206, e648

Qazi, M., 482
Quattrin, T., 292
Quinlisk, M.P., e1, 211
Quinn, J., 217, e109
Quintal, L., 748, e445

Rabe, H., 841
Rabideau, N., 1339
Rademaker, K., 1
Radley, D., 73
Raimer, S., 741, e334
Raj, A., 486, e272
Raju, T.N.K., 732
Ramchandani, P.G., 46
Ramey, S.L., 703
Ranalli, M.A., 746, e420
Rand, W.M., 620
Randolph, G.D., 82
Rao, G., 473
Rashid, M., 1054, 1531, e754
Raskind, C., 595
Rasmussen, M., 857
Rasmussen, S.A., 580
Rauchwerger, D., 1299
Raux, O., 1534, e785
Readmond, B.X., 1539, e868
Reagan, P.B., 1329
Redd, S.B., 1287
Redline, S., 798
Reed, M.D., 927
Reifen, R., 68
Remo, R., 1531, e746
Rennick, J.E., 884
Renowden, S., 1001
Repacholi, M., 489, e303
Resnick, E.A., 587
Rhee, K.E., 216, e94
Rhodes, J., 1339
Rhodes, P., 487, e285
Rich, M., 329
Richardson, D.K., 407
Ridder, E.M., 1535, e803
Rifas-Shiman, S.L., 746, 1010, e408, e518
Riggs, M., 745, e397
Ring, E., 1231
Ringer, S.A., 717
Ringler, G., 214, e52
Ritari, N., 1391
Ritterband, L.M., 1206, e643
Ritzwoller, D.P., 153
Rivara, F., 575
Rivara, F.P., 1051
Roberts, I., 1609
Robertson, A.S., 747, e426
Robertson, R., 1209, e694
Robertson, R.L., 844
Robiglio, A., 1013, e563
Robson, W.L.M., 800
Rocke, D.M., 1206, e654
Rockett, H.R.H., 1010, e518
Rodewald, L.E., 130
Rodgers, C., 767
Rodig, N.M., 249
Rodriguez, J., 901
Rogers, I., 1208, e681
Rogers, M., 214, e58
Roifman, C.M., 748, e445
Roland, J.T., 1008
Roland, J.T., Jr., e487
Romer, D., 1010
Romero, A., 1292
Ronis, D.L., 1532, e767
Ronzio, C.R., 1542
Roosa, M.W., 1451
Rosales, A., 1010, e512
Rose, J.B., 294
Rosen, C.L., 798
Rosenberg, K.D., 1011, e530
Rosenfeld, J., 1374
Rosengard, C., 746, e414
Ross, L.F., 1008, e476
Ross-Degnan, D., 587
Rosti, L., 1057
Rother, W.K., 485, e247
Roy, N., 1211, e709
Rubin, D.M., 1303
Rubin, J., 1539, e868
Rubin, R., 289
Rubin, R.A., 289
Ruff, D., 215, e74
Ruff, E., 1539, e868
Runyan, C.W., 1080
Rushton, C., 872
Rustin, P., 1170
Rutherford, M.A., 1001

Sabrine, N., 1536, e833
Sachdeva, R.C., 1433
Sadowsky, J., 1211, e709
Salazar, L.F., 78
Salazar, M., 1598
Sallis, J.F., 908
Salminen, J.J., 673
Salokorpi, T., 1391
Salomon, M., 1204, e619
Salsberry, P.J., 1329
Saluja, G., 1080
Samore, M., 696
Sand, N., 174, 1611
Sandhu, B., 46
Sandora, T.J., 587
Santoli, J.M., 130
Santos-Guerrero, I., 1433
Sargent, J.D., 1183
Sarker, S.A., 484, e221
Satchell, M., 1155
Saudubray, J.-M., 218, 1170, e145
Sauer, P.J.J., 736
Saunders, R., 489, e303
Saville, A., 1127
Saxen, H., 185, 1258
Sayeed, S.A., 1014, e576
Scamarcia, A., 212, e26
Scarborough, A., 1346
Schachner, L.A., 741, e334
Schall, J.I., 943
Schanler, R.J., 400, 1610
Schauer, S., 1263
Schessl, J., 8
Schluchter, M., 333, 1598
Schmid, B.A., 908
Schneiderman, H., 290
Schnitzer, P.G., 1209, e687
Schor, J., 644
Schreiber, G.B., 1178
Schultz, R.J., 484, e229
Schwartz, L., 1207, e667
Schwarz, D.F., 1010, e512
Scolnik, D., 1299
Scott, R.M., 1209, e694
Sebag, G., 216, e102
Section on Cardiology Cardiac Surgery, 1569
See, Y., 1208, e675
Segal, A.O., 51
Sege, R.D., 996
Sellers, D.E., 872
Selva, T.J., 649
Sempoux, C., 218, e145
Seng, J.S., 1532, e767
Serwint, J.R., 1053
Seto, S., 1016, e601
Seward, J.F., 1287
Seyda, B.A., 104
Shah, A.J., 1022
Shankar, R.R., 1513
Shannon, M., 295, 784
Sharek, P., 741, e326
Shaw, K.N., 644
Sheehan, M.P., 741, e334
Sheetz, A.H., 1134
Sheha, T., 1264
Shenoy, M., 609
Sherman, A., 649
Shetterly, S., 153
Shetty, A.K., 517
Shields, B.J., 96, e667
Shields, L.B.E., 212, e13
Shih, H.-H., 437
Shih, M.-C., 587
Shih, V.E., 757
Shipman, S.A., 217, e125
Shull, T., 741, e334
Shults, R.A., 1204, e608
Shuman, S., 1009, e499
Siadaty, M.S., 1211, e716
Siegrist, C.-A., 1204, e623
Sika, M., 984
Silber, T.J., 24
Silverman, E.D., 1532, e760
Silverman, J.G., 486, e272
Silverstein, J., 270
Silverstein, M., 174, 1611
Simon, T.D., 749, e472
Simpson, J.M., 516
Simpson, K., 1538, e855
Sinai, T., 68
Sinal, S.H., 815
Sinclair, K.A., 815
Sirin, S., 144
Sivan, Y., 797
Sjöberg, R.L., 744, e389
Skakkebæk, N.E., 1323
Skrondal, A., 486, e255
Slaw, K., 518
Smith, E.O.B., 1610
Smith, E.R., 1209, e694
Smith, G.A., 96, 1207, e667
Smith, K.C., 1141
Smith, L., 1012, e549
Smith, M.B.H., 1599
Smith, P.J., 130
Smith, P.R., 217, e125
Socolar, R.R., 32
Soep, J.B., 749, e472
Sokol, J., 742, e356
Soll, R., 1054

Solomon, M.Z., 872
Soslow, J., 246
Souid, A.-K., 489, e322
Soul, J.S., 844
Soutullo, C.A., 743, e364
Speer, M., 423
Speirs, B., 1211, e709
Spencer, N., 609
Spencer, T.J., 215, e74
Sperandio, M., 1361
Spiker, D., 1346
Spitz, I.M., 1534, e798
Spitzer, J.B., 933
Spivack, B.S., 212, e13
Spivak, H., 996
Spivak, L., 663
Sprague, B.M., 972
Stafford, E.M., 966
Stahmer, A.C., 891
Staley, P., 1205, e634
Stallings, V.A., 943
Standing, J.F., 1013, e559
Stanworth, S., 1609
Stapleton, F.B., 342
Starke, J.R., 1141
Stein, A., 46
Stein, E., 682
Steinberg, S.M., 1538, e846
Steinman, P.A., 520
Stephani, U., 242
Stettler, N., 744, e381
Stevens, L., 1014, e568
Stieb, D.M., 485, e235
Stoddard, G., 696
Stoddard, J., 1539, e868
Stoll, B.J., 1367
Stoller, K.P., 1015, e586
Stolovitch, C., 1204, e619
Stong, M., 1539, e868
Storfer-Isser, A., 798
Strauss, R.G., 1049, 1609
Strich, D., 1534, e798
Strickland, B., 1162
Striegel-Moore, R.H., 484, e214
Stukel, T.A., 1114
Stupp, N., 841
Sturkenboom, M., 212, e26
Su, B.-H., 293
Su, Y.-N., 468
Sullivan-Mahoney, M., 663
Sultana, S., 484, e221
Summerfield, G.P., 1258
Sundel, R.P., 215, e89
Sundrum, R., 609
Suresh, G., 1054
Suresh, G.K., 1265
Sutphen, J., 1206, e643
Swain, S.D., 1183
Swanson, J.M., 1533, e777
Swanson, S., 741, e326
Sweeney, S.M., 748, e450
Swern, A., 360
Switzer, C., 1531, e754
Sybert, V.P., 484, e229

Takasu, K., 1016, e601
Tamai, K., 1016, e601
Tamayo-Sarver, J.H., 1276
Tammela, O., 1391
Tamura, T., 703
Tan, K.W., 486, e263
Tan, W.-H., 757
Tanaka, K., 482, e186
Tanner, K., 1536, e833
Tarallo, L., 1009, e506
Tarkkanen, J., 185, 1258
Task Force on Sudden Infant Death Syndrome, 1245
Task Force on Terrorism, 787
Tate, A., 682
Tauman, R., 214, e66
Taveras, E.M., 587, 1009, 1010, e499, e518
Taylor, B., e214
Taylor, C.B., 484
Taylor, G.A., 709
Taylor, H.G., 333, 798, 1598
Taylor, J.A., 1259
Teeter, L.D., 1141
Teilmann, G., 1323
Templin, T., 1536, e826
Tenenbein, M., 230, 978
Teutsch, S.M., 235, 240
Theodorsson, E., 1105
Thickstun, P., 297, 303
Thomas, E.J., 1260
Thompson, A., 1127
Thompson, D.A., 851
Thompson, L.A., 1114
Thomsen, P.H., 462
Thomson, E., 482, e174
Thoresen, M., 1001
Titus-Ernstoff, L.T., 1183
Todd, J., 1317, 1474
Toet, H., 1535, e810
Tomany-Korman, S., 957
Tomlinson, J., 214, e58
Tommiska, V., 1391
Tonniges, T.P., 174
Tortolero, S.R., 297, 303
Touati, G., 218, 1170, e145
Towers, H.M., 933
Tozzi, A.E., 798
Tozzi, C.A., 360
Traore, P., 140
Trevisanuto, D., 1260
Tritt, K., 485, e247
Trombley, M., 1413
Trotter, T.L., 771
Trout, K.L., 984
Trowbridge, M.J., 996
Truog, R.D., 872
Tsai, C.-H., 293
Tsai, T., 1539, e868
Tsao, P.-N., 468
Tseng-Ong, L., 747, e436
Tucker, N.C., 1606
Tucker, R., 519
Tullio, A.N., 1538, e846
Tuttle, A., 1095
Tyrrell, P.N., 1532, e760

Uitto, J., 1016, e601
Ulinski, T., 218, e145
Ulmer, S., 242, 1604
Upperman, J.S., 1205, e634
Upshur, R.E.G., 51
Upton, J., 38
US Preventive Services Task Force, 205

Vagnoli, L., 1013, e563
Vajani, M., 1204, e608
Valadez-Meltzer, A., 24
Valea, I., 1206, e648
Valencia, I., 431
Valente, A.L., 489, e322
van Beeck, E.F., 1535, e810
Van de Perre, P., 1206, e648
van der Ende, A., 799
van der Heijden, A.J., 725
van Deventer, E., 489, e303
Vane, D.W., 1018
van Gils, E.J., 799
van Haastert, I.-L., 1048
Van Howe, R., 800
Van Rie, A., 1263
van Tijn, D.A., 168
van Wassenaer, A.G., 1204, e613
van Woensel, J.B., 799
Vaudaux, B., 1204, e623
Vaughan, M., 917
Vedovato, S., 1260
Venkataraman, S., 1127, 1506
Venkatasubramanian, A., 1013, e555
Verge, C.F., 1401
Verhagen, A.A.E., 736
Verhagen, A.P., 488, e295
Verkerk, P.H., 168
Verloove-Vanhorick, S.P., 1207, e662
Verma, A., 519
Vestergaard, M., 1089
Vichinsky, E.P., 1536, e818
Villar, M.E., 1075
Vilmer, E., 216, e102
Vincer, M.J., 1539, e864
Vohr, B.R., 123, 519, 635, 663, 1353, 1597
Voit, S.B., 1317
Volpe, J.J., 221, 717, 844
Vulsma, T., 168

Wahn, U., 360
Walker, J.L., 1401
Walker, L.S., 1206, e643
Wallace, A., 609
Wallin, J., 696
Walsh, M., 857
Walsh, M.C., 1353
Waltzman, M.L., 614
Waltzman, S.B., 1008, e487
Wan, E., 1530, e738
Wang, C., 1075
Wang-Flores, H.H., 748, e453
Warf, C., 1256
Warfield, M.E., 144
Warfield, S.K., 844
Warren, R.E., 1531, e754
Watson, R.S., 1506
Watts, G., 1531, e746
Watts, M., 745, e397
Waye, J.S., 1536, e818
Webb, M.B., 891
Webber, S.A., 160
Wegner, L.M., 233
Wei, S.-C., 468
Weinberg, K.I., 1022
Weindling, M., 1457
Weindling, S.N., 215, e89
Weiner, B., 1276
Weinshelbaum, K., 1603
Weinstein, Y., 742, e348
Weintrob, N., 742, e348
Weirather, Y., 663
Weitzman, M., 112, 1051
Westera, J., 1204, e613
Wheeler, J.G., 1606
Whitaker, R.C., 657
White, K.C., 1259
White, K.R., 663
Whitehouse, M., 1059
Whitelaw, A., 1001
Whitfield, J.M., 1219
Whitfield, M.F., 214, e58
Whitington, P.F., 1540, e880
Whitlock, E.P., 217, e125
Widen, J.E., 663
Widness, J.A., 414, 1049, 1609
Wiener, E.S., 1205, e634
Wigal, S.B., 1533, e777
Wight, N.E., 1610
Wiles, S.D., 1204, e608
Williams, B., 748, e445
Williams, D.E., 1122
Williams, L.J., 580
Williams, S.B., 217, e125
Wilson, D., 123
Wilson, F., 520
Wilson, K., 1022
Wilson, M.J., 520
Wilson-Costello, D., 333, 1598
Wingood, G.M., 78
Wisborg, K., 462, 1089
Wiss, K., 748, e450
Wit, J.M., 725
Wludyka, P., 1531, e746
Wolf, S.L., 884
Wong, F.L., 487, e277
Wong, H.-S.S., 1537, e839
Wong, I.C.K., 1013, e559
Wong, J., 1532, e760
Wood, D., 1531, e746
Wooditch, A.C., 989
Woods, C.R., 517, 815
Woods, D.M., 1260
Woolf, A.D., 489, e314
Woolf, N.T., 489, e314
Wootton, S.H., 1141
Worrell, C.J., 1538, e846
Wrage, L.A., 1353
Wren, C., 1536, e833
Wright, C.M., 1258
Wright, L.L., 123, 635, 1353, 1367
Wu, S., 218, e149
Wudy, S.A., 214, e52
Wypij, D., 614

Xiang, H., 1207, e667
Xiaoxing, X., 745, e393

Yaeger, K., 741, e326
Yale, K., 1538, e846
Yamasaki, K., 153
Yang, M.L., 1427
Yang, W., 1064
Yao, Q., 857
Yarema, M.C., 489, e319
Yeung, C.-Y., 486, e263
Yeung, L.F., 1287
Yeung, R.S.M., e760
Yogev, R., 1214
Young, J., 520
Young, K., 1606
Young, K.D., e191
Young, M.C., 1134
Young, P.C., 696
Yu, V.Y.H., 486, e263
Yum, S., 431
Yuuki, K., 482, e186

Zacchello, F., 1534, e792
Zadik, Z., 68
Zanardo, V., 1260
Zanconato, S., 1534, e792
Zarkadas, M., 1531, e754
Zebedin, D., 1231
Zeichner, S.L., 1538, e846
Zemel, B.S., 943
Zhang, J., 748, 891, e445
Zhang, X., 454
Zigel, L., 742, e348
Zimine, S., 1
Zimmerman, M.B., 414
Zorc, J.J., 644
Zubritsky, C.D., 1480
Zung, A., 68
Zupancic, J.A.F., 407
Zurakowski, D., 38

SUBJECT INDEX

Abdominal pain
acute
analgesia for children with (commentary), 1018
early analgesia for, 978
efficacy and concerns regarding early analgesia in children with (commentary), 1018
clinical decision rule to identify children at low risk for appendicitis, 709
epidemiology of recurrent abdominal pain from 2 to 6 years of age, 46
Academic pediatric departments, leadership trends in, 342
Access to care
effects of State Children's Health Insurance Program expansions on children with chronic health conditions, e34, 213
impact of decline in Colorado Medicaid managed care enrollment on access and quality of preventive primary care services, 1474
Medicaid acceptance and availability of timely follow-up for newborns, 1148
Medicaid policy statement (AAP policy statement), 274
model contractual language for medical necessity for children (AAP policy statement), 261
open access in primary care: North Carolina pilot project, 82
pediatric subspecialty workforce: public policy and forces of change, 1192
underinsurance and access to care among children with special health care needs in United States, 1162
uninsurance and health care access among young adults in United States, 88
Accidents. *See* Injuries
Achondroplasia, health supervision for children with (AAP clinical report), 771
Acute chest syndrome, in sickle cell disease, serum biomarkers for identifying in emergency department, e420, 746
Adenoidectomy
effects on incidence of otitis media in children younger than 4 years who receive tympanostomy tubes, 185
prophylactic or therapeutic? (letter and reply), 1257
Adenosine deaminase deficiency, cerebral lymphoma in adenosine deaminase-deficient patient with severe combined immunodeficiency receiving polyethylene glycol–conjugated adenosine deaminase, e876
Adolescents
adolescent pregnancy: current trends and issues (AAP clinical report), 281
adverse health consequences that co-occur with depression, 78
aerobic capacity, strength, flexibility, and activity level in unimpaired extremely low birth weight survivors at 17 years of age compared with term-born controls, e58, 214
changing parental opinions about teen privacy through education, 966
childhood overweight and maturational timing in development of adult overweight and fatness: Newton Girls Study, 620
clostridial myonecrosis in adolescent male, e735, 1212
confidentiality in adolescent health care (AAP policy reaffirmed), 287
consumption of fried food away from home, body mass index, and diet quality in older children and, e518, 1010
cross-national study of fighting and weapon carrying as determinants of adolescent injury, e855, 1538
dating violence and sexually transmitted disease/HIV testing among adolescent females, e272, 486
deaths from residential injuries in US children and adolescents, 454
development of metabolic syndrome in black and white adolescent girls, 1178
early puberty and adolescent pregnancy: influence of alcohol use, 1451
effect of obesity and high blood pressure on plasma lipid levels, 442
effects of multisystemic therapy on diabetes stress among adolescent with chronically poorly controlled type 1 diabetes, e826, 1536
efficacy and safety of lovastatin in adolescent girls with heterozygous familial hypercholesterolemia, 682
emergency contraception (AAP policy statement), 1026
epidemiology of irritable bowel syndrome in adolescents and children in China, e393, 745
evaluation of adolescent smoking-cessation media campaign, 950
exposure to mass media, body shape concerns, and use of supplements to improve weight and shape among adolescents, e214, 484
exposure to movie smoking and relation to smoking initiation among US adolescents, 1183
FDA's deliberations on antidepressant use in pediatric patients, 195
histrelin implant for central precocious puberty, e798, 1534
impaired fasting glucose and its relationship with cardiovascular disease risk factors in US adolescents, 1999–2000, 1122
involvement in risk behaviors and belief in near-future death, 24
media impact on adolescent sexual attitudes and behaviors, 303
dilemma of, 329
executive summary, 297
introduction, 301
problems and solutions associated with media consumption: role of practitioner, 327
nonresponse bias in follow-up study of 19-year-old adolescents born as preterm infants, e662, 1207
pertussis in adolescents and adults (letter and reply), 1263
pertussis vaccines for adolescents and adults (commentary), 755
posttraumatic stress disorder and physical comorbidity among female children and adolescents, e767, 1532
psychosocial and environmental correlates of adolescent sedentary behavior, 908
psychosocial correlates of adolescent males' pregnancy intention, e414, 746
screening and interventions for overweight children and adolescents: recommendation statement, 205
screening for overweight in children and adolescents
call to action (commentary), 238
where is the evidence? (commentary), 235
smoking in the movies increases adolescent smoking, 1516
tamoxifen to improve height potential in short pubertal boys, 1513
uninsurance and health care access among young adults in United States, 88
water-pipe smoking, e113, 217
Adverse drug effects
early presentation with angioedema and urticaria in cross-reactive hypersensitivity to nonsteroidal antiinflammatory drugs among young, Asian, atopic children, e675, 1208
mucocutaneous reactions in children treated with niflumic acid, other NSAIDs, or nonopioid analgesics, e26, 212

Adverse events
authors incorrectly cited classification of adverse-event codes (letter and reply), 1259
preventable adverse events in infants hospitalized with bronchiolitis, 603
Airway management
croup hospitalizations in Ontario: 14-year time-series analysis, 51
steroid odyssey in croup (commentary), 230
Albuterol, helium/oxygen-driven albuterol nebulization for moderate to severe asthma exacerbations, 1127
Alcohol-based hand sanitizer and hand-hygiene education to reduce illness transmission in home, 587
Alcohol consumption
early puberty and adolescent pregnancy: influence of alcohol use, 1451
prenatal exposure to cigarettes, alcohol, and coffee and risk for febrile seizures, 1089
All-terrain vehicles, nonfatal injuries among young riders: United States, 2001–2003, e608, 1204
Allergy
anaphylaxis in milk-allergic child after ingestion of soy formula cross-contaminated with cow's milk protein, 1223
best articles, 537
early presentation with angioedema and urticaria in cross-reactive hypersensitivity to nonsteroidal antiinflammatory drugs among young, Asian, atopic children, e675, 1208
early respiratory infections, asthma, and allergy: 10-year follow-up of Oslo Birth Cohort, e255, 486
epinephrine for life-threatening allergic reactions in school settings, 1134
American Academy of Pediatrics (AAP)
Clinical report
American Academy of Pediatric Dentistry and Committee on Child Abuse and Neglect: Oral and dental aspects of child abuse and neglect, 1565
American Association for Pediatric Ophthalmology and Strabismus: Screening for retinopathy in the pediatric patient with type 1 diabetes mellitus, 270
Committee on Adolescence: Adolescent pregnancy: current trends and issues, 281
Committee on Child Abuse and Neglect: The evaluation of sexual abuse in children, 506
Committee on Child Abuse and Neglect and Committee on Nutrition: Failure to thrive as a manifestation of child neglect, 1234
Committee on Genetics: Health supervision for children with achondroplasia, 771
Committee on Nutrition and Committee on Environmental Health: Infant methemoglobinemia: role of dietary nitrate in food and water, 784
Committee on Psychosocial Aspects of Child and Family Health and Task Force on Terrorism: Psychosocial implications of disaster or terrorism on children: guide for the pediatrician, 787
Section on Cardiology and Cardiac Surgery: Cardiovascular health supervision for individuals affected by Duchenne or Becker muscular dystrophy, 1569
evidence does not support AAP recommendation for routine imaging after a first urinary tract infection (letter), 1613
Policy statement
AAP publications retired and reaffirmed, 796
American College of Cardiology Foundation, American Heart Association: ACCF/AHA/AAP recommendations for training in pediatric cardiology, 1574
Committee on Adolescence: Emergency contraception, 1026
Committee on Child Health Financing: Medicaid policy statement, 274
Committee on Child Health Financing: Model contractual language for medical necessity for children, 261
Committee on Environmental Health: Lead exposure in children: prevention, detection, and management, 1036
Committee on Infectious Diseases: Prevention and control of meningococcal disease: recommendations for use of meningococcal vaccines in pediatric patients, 496
Committee on Pediatric Emergency Medicine: Pediatric care recommendations for freestanding urgent care facilities, 258
Committee on Pediatric Workforce: Pediatrician workforce statement, 263
Committee on Sports Medicine and Fitness: Promotion of healthy weight-control practices in young athletes, 1557
Confidentiality in adolescent health care (policy reaffirmed), 287
Council on Children With Disabilities: Care coordination in the medical home: integrating health and related systems of care for children with special health care needs, 1238
Task Force on Sudden Infant Death Syndrome: Changing concept of sudden infant death syndrome: diagnostic coding shifts, controversies regarding the sleeping environment, and new variables to consider in reducing risk, 1245
response to AAP report on legalization of marijuana (letter and reply), 1256
American Board of Pediatrics, 525, 804
Amputation, pediatric traumatic amputations treated in hospital emergency departments: United States, 1990–2002, e667, 1207
Anabolic steroids
exposure to mass media, body shape concerns, and use of supplements to improve weight and shape among adolescents, e214, 484
and the pediatric community (commentary), 1542
Analgesia
for children with acute abdominal pain (commentary), 1018
early analgesia for acute abdominal pain, 978
efficacy and concerns regarding early analgesia in children with acute abdominal pain (commentary), 1018
lidocaine gel to alleviate pain of bladder catheterization, 917
morphine and short-term pulmonary outcomes among ventilated preterm infants, 352
morphine sedation in ventilated newborns: who are we treating? (commentary), 492
mucocutaneous reactions in children treated with niflumic acid, other NSAIDs, or nonopioid analgesics, e26, 212
Anaphylaxis
best articles, 549
in milk-allergic child after ingestion of soy formula cross-contaminated with cow's milk protein, 1223
Anemia, finding that is likely to respond to iron therapy (letter and reply), 1258
Anencephaly, prevalence by race/ethnicity, 580
Aniridia, WAGR syndrome, 984
Anogenital warts, human papillomavirus infections, 815
Antidepressants
antidepressants, suicidality, and research synthesis (commentary), 231
FDA's deliberations on use in pediatric patients, 195
pediatricians and antidepressant medications: black box or black hole? (commentary), 233
Antidiuretic hormone levels and hyponatremia in children with gastroenteritis, 1401
Antimicrobial agents
antibiotic prescribing for children with nasopharyngitis, upper respiratory infections, and bronchitis who have health-professional parents, 826
electronic surveillance system for monitoring surgical antimicrobial prophylaxis, 1317
intrapartum antibiotic exposure and late-onset serious bacterial infections in infants, 696

Antimicrobial agents—*continued*
poor bacteriologic eradication rate of single-dose ceftriaxone in group A streptococcal tonsillopharyngitis, 927
vancomycin-heparin lock solution for prevention of nosocomial bloodstream infection in critically ill neonates with peripherally inserted central venous catheters, e198, 482
Antiretroviral agents
coercive treatment of HIV-positive children is not justified (letter and reply), 1605
tenofovir disoproxil fumarate and optimized background regimen of antiretroviral agents as salvage therapy for pediatric HIV infection, e846, 1538
Anxiety
association between streptococcal infection, obsessive-compulsive disorder, Tourette's syndrome, and tic disorder, 56
clown doctors for preoperative anxiety, e563, 1013
posttraumatic stress disorder and physical comorbidity among female children and adolescents, e767, 1532
psychosocial implications of disaster or terrorism on children: guide for the pediatrician (AAP clinical report), 787
Apnea
apnea is not prolonged by acid gastroesophageal reflux in preterm infants, 1059
apnea is not prolonged by acid gastroesophageal reflux in preterm infants (commentary), 1217
enuresis and sleep apnea (letter and reply), 799
Apparent life-threatening event, yield of diagnostic testing in infants who have had (letter and reply), 1599
Appendicitis
clinical decision rule to identify children at low risk for, 709
early analgesia for acute abdominal pain, 978
Arsenic poisoning in two siblings, 249
Arthritis
coronary artery dilation in children with systemic-onset juvenile idiopathic arthritis, e89, 215
outbreak of osteomyelitis/septic arthritis caused by *Kingella kingae* among child care center attendees, e206, 483
Assisted reproductive technology, hormonal effects in infants conceived by, 190
Asthma
best articles, 554
early respiratory infections, asthma, and allergy: 10-year follow-up of Oslo Birth Cohort, e255, 486
helium/oxygen-driven albuterol nebulization for moderate to severe asthma exacerbations, 1127
montelukast vs. fluticasone for mild asthma in 6- to 14-year-old patients, 360 (erratum, 1058)
office spirometry in primary care pediatrics, e792, 1534
preventing hospitalizations for, 957
quality of life for children with newly diagnosed attention-deficit/hyperactivity disorder vs. asthmatic and healthy children, e364, 743 (erratum, 1266)
when an asthma drug has an inferiority complex: a noninferiority trial (commentary), 493
Atomoxetine, effects on growth after 2-year treatment for attention-deficit/hyperactivity disorder, e74, 215
Atopic dermatitis, safety and efficacy of tacrolimus ointment 0.03% for, e334, 741
Attention-deficit/hyperactivity disorder
effects of atomoxetine on growth after 2-year treatment for, e74, 215
efficacy and safety of modafinil film-coated tablets in children and adolescents with, 1533
fragmented care for inner-city minority children with, e512, 1010
iron supplementation in young child with, e732, 1212
quality of life for children with newly diagnosed attention-deficit/hyperactivity disorder vs. asthmatic and healthy children, e364, 743 (erratum, 1266)
smoking during pregnancy and risk for hyperkinetic disorder in offspring, 462
Auditory brainstem response
infants with permanent hearing loss who pass an otoacoustic emissions/automated auditory brainstem response newborn hearing screening protocol, 663
neonatal hearing screening in NICU: failed auditory brainstem response/passed otoacoustic emission, 933
Autism
factors associated with age of diagnosis among children with autism spectrum disorders, 1480
modeling clinical outcome of children with autism spectrum disorders, 117
US Department of Education data not reliable for tracking autism prevalence, e120, 217

Baby Doe rules
choose your battles wisely (letter and reply), 288
interpreted and applied by an appellate court (letter), 513
(letter and reply), 1600
Baby-Friendly hospitals
breastfeeding rates in, 628
do they influence breastfeeding duration on a national level?, e702, 1210
Bacteremia, 75 years of neonatal sepsis at Yale: 1928–2003, 595
Bayley Scales of Infant Development
the conundrum of prediction (commentary), 491
grade 3 to 4 intraventricular hemorrhage and Bayley scores predict outcome (letter and reply), 1597
poor predictive validity for cognitive function of extremely low birth weight children at school age, 333
population-based study to determine performance of Cognitive Adaptive Test/Clinical Linguistic and Auditory Milestone Scale to predict Mental Developmental Index at 18 months on the Bayley Scales of Infant Development-II in very preterm infants, e864, 1539
Bedsharing and maternal smoking, e530, 1011
Behavior
adolescent involvement in risk behaviors and belief in near-future death, 24
behavioral and nutrition treatment to improve energy intake and growth in toddlers and preschoolers with cystic fibrosis, 1442
behavioral morbidity in school-aged children with sleep-disordered breathing (letter and reply), 797
developmental and behavioral needs and service use for young children in child welfare, 891
media impact on adolescent sexual attitudes and behaviors, 303
dilemma of, 329
executive summary, 297
introduction, 301
problems and solutions associated with media consumption: role of practitioner, 327
psychosocial and environmental correlates of adolescent sedentary behavior, 908
Behavioral Risk Factor Surveillance System, household firearms and firearm-storage practices in 50 states and District of Columbia, e370, 743
Bereavement, parental perspectives on hospital staff members' acts of kindness and commemoration after a child's death, 884
Bicycle helmets, peer and adult helmet use and helmet use by children, 939
Biliary atresia, CD14 endotoxin receptor gene polymorphism in idiopathic neonatal cholestasis and, 437
Bilirubin
clinical findings and cerebrospinal fluid neurotransmitters in 2 children with severe chronic bilirubin encephalopathy, 1226
double-blind trial of prophylaxis against jaundice among breastfed newborns, 385
Birth defects
cardiovascular malformations among preterm infants, e833, 1536
complete DiGeorge anomaly in absence of neonatal hypocalcemia and velofacial and cardiac defects, e457, 749
health supervision for children with achondroplasia (AAP clinical report), 771
olfactory evaluation in children: CHARGE syndrome, e81, 215

prevalence of spina bifida and anencephaly by race/ethnicity, 580
understanding abnormalities in vascular specification and remodeling (commentary), 228
urinary matrix metalloproteinase expression and vascular anomalies, 38
WAGR syndrome, 984
Bladder catheterization, lidocaine gel to alleviate pain of, 917
Bladder ultrasonography (letter and reply), 797
Blood pressure
dexamethasone in neonatal chronic lung disease: 13- to 17-year follow-up study: respiratory status, growth, and blood pressure, 379
effect of obesity and high blood pressure on plasma lipid levels, 442
excess soluble fms-like tyrosine kinase 1 and low platelet counts in premature neonates of preeclamptic mothers, 468
hypertension 19 years after intrauterine growth restriction and preterm birth, 725
Body composition. *See also* Obesity and overweight
improvement in bone mineral density and body composition in survivors of childhood acute lymphoblastic leukemia, e102, 216
Body image, exposure to mass media, body shape concerns, and use of supplements to improve weight and shape among adolescents, e214, 484
Body mass index
children with idiopathic short stature are poor eaters and have decreased body mass index, e52, 214
consumption of fried food away from home, body mass index, and diet quality in older children and adolescents, e518, 1010
Bone
bone area and bone mineral content deficits in sickle cell disease, 943
improvement in bone mineral density and body composition in survivors of childhood acute lymphoblastic leukemia, e102, 216
outbreak of osteomyelitis/septic arthritis caused by *Kingella kingae* among child care center attendees, e206, 483
treatment of chronic recurrent multifocal osteomyelitis with tumor necrosis factor-α blockage, 1231
Bone marrow transplantation, treatment of bronchiolitis obliterans in bone marrow transplant patient with tumor necrosis factor-α blockade, 767
Born-Alive Infants Protection Act of 2002, 1014
Botulism, infant, e436, 747
Brain
acute disseminated encephalomyelitis, 431
cerebellar hemorrhage in preterm infant, 717
cerebral lymphoma in adenosine deaminase-deficient patient with severe combined immunodeficiency receiving polyethylene glycol–conjugated adenosine deaminase, e876
encephalopathy of prematurity includes neuronal abnormalities (commentary), 221
functional plasticity or vulnerability after early brain injury, 1374
hypothermia and distribution of cerebral lesions in infants with hypoxic-ischemic encephalopathy, 1001
initial neurologic presentation in young children sustaining fatal head injuries, 180
initial neurologic presentation in young children sustaining inflicted and unintentional fatal head injuries (letter and reply), 1608
late neurologic and cognitive sequelae of inflicted traumatic brain injury in infancy, e174, 482
left-hemispheric hydranencephaly with less favorable findings (letter and reply), 1603
living a normal life with the nondominant hemisphere: MRI findings and clinical outcome for a patient with left-hemispheric hydranencephaly, 242
prevalence of spina bifida and anencephaly by race/ethnicity, 580
prothrombotic factors in children with stroke or porencephaly, 447
sinogenic intracranial empyema, e461, 749
structural and functional brain development after hydrocortisone treatment for neonatal chronic lung disease, 1
trophic interactions between cerebellum and cerebrum in preterm infants, 844
Breastfeeding
do Baby-Friendly hospitals influence breastfeeding duration on a national level?, e702, 1210
donor human milk vs. preterm formula as substitutes for mothers' own milk in feeding of extremely premature infants, 400
double-blind trial of prophylaxis against jaundice among breastfed newborns, 385
effect of low-allergen maternal diet on colic among breastfed infants, e709, 1211
effect on risk for childhood leukemia, e724, 1211
fat and energy contents of expressed human breast milk in prolonged lactation, e432, 747
father's role in promotion of, e494, 1008
hypernatremia associated with, e343, 741
impact of prenatal and postnatal lactation consultant intervention on duration and intensity of breastfeeding up to 12 months, 1413
rates in US Baby-Friendly hospitals, 628
why women stop, 1408
Bronchiolitis
preventable adverse events in infants hospitalized with, 603
treatment of bronchiolitis obliterans in bone marrow transplant patient with tumor necrosis factor-α blockade, 767
Bronchitis, antibiotic prescribing for children with nasopharyngitis, upper respiratory infections, and bronchitis who have health-professional parents, 826
Bronchopulmonary dysplasia
leukemoid reaction and (letter and reply), 1260
morphine and short-term pulmonary outcomes among ventilated preterm infants, 352
outcome of extremely low birth weight infants with leukemoid reaction, e43, 213
preterm infants with congenital heart disease and bronchopulmonary dysplasia: outcome after cardiac surgery, 423
validation of NIH consensus definition of, 1353
Bronchoscopy, endobronchial tuberculosis in an infant, 246
Brookline Early Education Project: 25-year follow-up study, 144
Bullying, anger, interpersonal relationships, and health-related quality of life in bullying boys who are treated with outpatient family therapy, e247, 485

C-reactive protein, in diagnosis, management, and prognosis of neonatal necrotizing enterocolitis, 1064
Cancer
cerebral lymphoma in adenosine deaminase-deficient patient with severe combined immunodeficiency receiving polyethylene glycol–conjugated adenosine deaminase, e876
clinical and biological features at diagnosis in 40 children with chronic myeloid leukemia, 141
effect of breastfeeding on risk for childhood leukemia, e724, 1211
histiocytic sarcoma in 3-year-old male, e322, 489
improvement in bone mineral density and body composition in survivors of childhood acute lymphoblastic leukemia, e102, 216
steroid therapy and severity of varicella infections in children with acute lymphoblastic leukemia, e525, 1010
Cardiovascular health and disease
ACCF/AHA/AAP recommendations for training in pediatric cardiology (AAP policy statement), 1574
cardiovascular health supervision for individuals affected by Duchenne or Becker muscular dystrophy (AAP clinical report), 1569
cardiovascular malformations among preterm infants, e833, 1536

Cardiovascular health and disease—*continued*
coronary artery dilation in children with systemic-onset juvenile idiopathic arthritis, e89, 215
effect of corticosteroid therapy on coronary artery aneurysm formation in Kawasaki disease, 989
escalating, stepwise approach to indomethacin treatment for patent ductus arteriosus in premature infants below 33 weeks of gestation, 1361
factors associated with increased resource utilization for congenital heart disease, 689
impact of cardiac rehabilitation on exercise function of children with serious congenital heart disease, 1339
impaired fasting glucose and its relationship with cardiovascular disease risk factors in US adolescents, 1999–2000, 1122
infections, Kawasaki disease, and coronary artery outcome, e760, 1532
preterm infants with congenital heart disease and bronchopulmonary dysplasia: outcome after cardiac surgery, 423
understanding abnormalities in vascular specification and remodeling (commentary), 228
urinary matrix metalloproteinase expression and vascular anomalies, 38
Cariogenicity of cola, honey, cow milk, human milk, and sucrose, 921
Case management
care coordination in the medical home: integrating health and related systems of care for children with special health care needs (AAP policy statement), 1238
cost and utilization analysis of a pediatric emergency department diversion project, 1075
effectiveness of community-based case management in insuring uninsured Latino children, 1433
Catheters
lidocaine gel to alleviate pain of bladder catheterization, 917
vancomycin-heparin lock solution for prevention of nosocomial bloodstream infection in critically ill neonates with peripherally inserted central venous catheters, e198, 482
CD14 endotoxin receptor gene polymorphism in biliary atresia and idiopathic neonatal cholestasis, 437
Ceftriaxone, poor bacteriologic eradication rate of single-dose ceftriaxone in group A streptococcal tonsillopharyngitis, 927
Celiac disease
diagnosis and dietary compliance in Canadian children, e754, 1531
diagnosis with positive serological test and without intestinal biopsy (letter and reply), 1054
Cerebellar hemorrhage in preterm infant, 717
Cerebral lymphoma in adenosine deaminase-deficient patient with severe combined immunodeficiency receiving polyethylene glycol–conjugated adenosine deaminase, e876
Cerebral palsy
gross motor function in extremely low birth weight children with cerebral palsy at 18 months of age, 123
neurodevelopmental outcomes of extremely low birth weight infants <32 weeks' gestation: 1993–1998, 635
regional variation in survival in United Kingdom, 1383
weight-for-height values and limb anthropometric composition of tube-fed children with quadriplegic cerebral palsy, e839, 1537
Cetaphil cleanser cures head lice (letter), 1612
CHARGE syndrome, olfactory evaluation in children, e81, 215
Chelation therapy, acute arsenic poisoning in two siblings, 249
Chest physiotherapy, in cystic fibrosis, dornase alfa before vs. after, e549, 1012
Chickenpox
eczema and postvaccination varicella breakthrough (letter), 1613
steroid therapy and severity of varicella infections in children with acute lymphoblastic leukemia, e525, 1010
Child abuse/neglect
anogenital and respiratory tract human papillomavirus infections, 815
child deaths from inflicted injuries: household risk factors and perpetrator characteristics, e687, 1209
criminally prosecuted cases of child starvation, 1309
developmental and behavioral needs and service use for young children in child welfare, 891
disabling conditions and registration for, 609
Early Start program of home visitation, e803, 1535
evaluation of sexual abuse in children (AAP clinical report), 506
failure to thrive as a manifestation of child neglect (AAP clinical report), 1234
initial neurologic presentation in young children sustaining fatal head injuries, 180
initial neurologic presentation in young children sustaining inflicted and unintentional fatal head injuries (letter and reply), 1608
intentional injury management and prevention, 996
late neurologic and cognitive sequelae of inflicted traumatic brain injury in infancy, e174, 482
oral and dental aspects (AAP clinical report), 1565
patterns of health care use that may identify children at risk for maltreatment, 1303
study of Pennsylvania pediatricians regarding, e5, 211
Child care
opportunities for health promotion education in, e499, 1009
outbreak of osteomyelitis/septic arthritis caused by *Kingella kingae* among child care center attendees, e206, 483
risk factors for sudden infant death syndrome in child care settings in 2001, 972
Cholestasis, neonatal, CD14 endotoxin receptor gene polymorphism in biliary atresia and, 437
Cholesterol, efficacy and safety of lovastatin in adolescent girls with heterozygous familial hypercholesterolemia, 682
Chronic health conditions. *See also* Special health care needs
behavioral and nutrition treatment to improve energy intake and growth in toddlers and preschoolers with cystic fibrosis, 1442
cardiovascular health supervision for individuals affected by Duchenne or Becker muscular dystrophy (AAP clinical report), 1569
childhood obesity and type 2 diabetes mellitus, 473
disabling conditions and registration for child abuse and neglect, 609
dornase alfa before vs. after physiotherapy in cystic fibrosis, e549, 1012
early respiratory infections, asthma, and allergy: 10-year follow-up of Oslo Birth Cohort, e255, 486
effect of SCHIP expansions on children with, e34, 213
exercise with and without an insulin pump in type 1 diabetes mellitus, e348, 742
gross motor function in extremely low birth weight children with cerebral palsy at 18 months of age, 123
helium/oxygen-driven albuterol nebulization for moderate to severe asthma exacerbations, 1127
insurance gaps among vulnerable children in United States, 1999–2001, 1155
montelukast vs. fluticasone for mild asthma in 6- to 14-year-old patients, 360 (erratum, 1058)
parents' perceptions of factors that affect successful diabetes management for their children, 1095
preventing asthma hospitalizations, 957
regional variation in survival of people with cerebral palsy in United Kingdom, 1383
structural and functional brain development after hydrocortisone treatment for neonatal chronic lung disease, 1
underinsurance and access to care among children with special health care needs in United States, 1162
unmet dental care needs among children with special health care needs, e426, 747

weight-for-height values and limb anthropometric composition of tube-fed children with quadriplegic cerebral palsy, e839, 1537
Clinical reports
adolescent pregnancy: current trends and issues, 281
cardiovascular health supervision for individuals affected by Duchenne or Becker muscular dystrophy, 1569
evaluation of sexual abuse in children, 506
failure to thrive as a manifestation of child neglect, 1234
health supervision for children with achondroplasia, 771
infant methemoglobinemia: role of dietary nitrate in food and water, 784
oral and dental aspects of child abuse and neglect, 1565
psychosocial implications of disaster or terrorism on children: guide for the pediatrician, 787
screening for retinopathy in the pediatric patient with type 1 diabetes mellitus, 270
Clinical trials
alcohol-based hand sanitizer and hand-hygiene education to reduce illness transmission in home, 587
behavioral and nutrition treatment to improve energy intake and growth in toddlers and preschoolers with cystic fibrosis, 1442
dexamethasone in neonatal chronic lung disease: 13- to 17-year follow-up study
neurologic, psychological, and educational outcomes, 370
respiratory status, growth, and blood pressure, 379
donor human milk vs. preterm formula as substitutes for mothers' own milk in feeding of extremely premature infants, 400
dornase alfa before vs. after physiotherapy in cystic fibrosis, e549, 1012
double-blind trial of prophylaxis against jaundice among breastfed newborns, 385
Early Start program of home visitation, e803, 1535
effect of low-allergen maternal diet on colic among breastfed infants, e709, 1211
effectiveness of community-based case management in insuring uninsured Latino children, 1433
effects of multisystemic therapy on diabetes stress among adolescents with chronically poorly controlled type 1 diabetes, e826, 1536
efficacy and safety of modafinil film-coated tablets in children and adolescents with attention-deficit/hyperactivity disorder, 1533
father's role in promotion of breastfeeding, e494, 1008
helium/oxygen-driven albuterol nebulization for moderate to severe asthma exacerbations, 1127
impact of prenatal and postnatal lactation consultant intervention or duration and intensity of breastfeeding up to 12 months, 1413
Infasurf (calfactant) vs. Survanta (beractant) in prevention and treatment of respiratory distress syndrome, 392
intravenous immunoglobulin for Guillain-Barré syndrome, 8
intravenous immunoglobulin for Guillain-Barré syndrome (commentary), 226
liberal vs. restrictive guidelines for red blood cell transfusion in preterm infants (letter and reply), 1048
lidocaine gel to alleviate pain of bladder catheterization, 917
management of esophageal coins, 614
montelukast vs. fluticasone for mild asthma in 6- to 14-year-old patients, 360 (erratum, 1058)
poor formulation information in pediatric drug trials, e559, 1013
symptomatic treatment of migraine in children: review of medication trials, e295, 488
ten-year follow-up of children born at <30 weeks' gestational age supplemented with thyroxine in neonatal period, e613, 1204
when an asthma drug has an inferiority complex: a noninferiority trial (commentary), 493
Clostridial myonecrosis in adolescent male, e735, 1212
Clown doctors for preoperative anxiety, e563, 1013
Cochlear implantation in children younger than 12 months, e487, 1008
Coding
authors incorrectly cited classification of adverse-event codes (letter and reply), 1259
changing concept of sudden infant death syndrome: diagnostic coding shifts, controversies regarding the sleeping environment, and new variables to consider in reducing risk (AAP policy statement), 1245
Cognitive function
folate status of mothers during pregnancy and mental and psychomotor development of their children at 5 years of age, 703
grade 3 to 4 intraventricular hemorrhage and Bayley scores predict outcome (letter and reply), 1597
insulin-like growth factor I, insulin-like growth factor–binding protein-3, and intelligence quotient among 8- to 9-year-old children in Avon Longitudinal Study of Parents and Children, e681, 1208
late neurologic and cognitive sequelae of inflicted traumatic brain injury in infancy, e174, 482
neurocognitive changes before, during, and after hyperbaric oxygen therapy in fetal alcohol syndrome, e586, 1015
poor predictive validity of Bayley Scales of Infant Development for cognitive function of extremely low birth weight children at school age, 333
population-based study to determine performance of Cognitive Adaptive Test/Clinical Linguistic and Auditory Milestone Scale to predict Mental Developmental Index at 18 months on the Bayley Scales of Infant Development-II in very preterm infants, e864, 1539
Coins
esophageal, 614
management of asymptomatic coin ingestion (commentary), 752
Colic, effect of low-allergen maternal diet on colic among breastfed infants, e709, 1211
Commentaries
Anabolic steroids and the pediatric community, 1542
Analgesia for children with acute abdominal pain: a cautious move to improved pain management, 1018
Apnea is not prolonged by acid gastroesophageal reflux in preterm infants, 1217
The conundrum of prediction, 491
Efficacy and concerns regarding early analgesia in children with acute abdominal pain, 1018
Encephalopathy of prematurity includes neuronal abnormalities, 221
Food and Drug Administration must require addition of more folic acid in "enriched" flour and other grains, 753
Influenza vaccine confusion: a call for an alternative evidence-based approach, 1214
Intravenous immunoglobulin in treatment of Guillain-Barré syndrome: randomized trial, 226
Is region of country a useful variable for child health studies?, 1542
Management of asymptomatic coin ingestion, 752
Morphine sedation in ventilated newborns: who are we treating?, 492
Nasal cannula use in the preterm infant: oxygen or pressure?, 1216
Neonatal ethics at the limits of viability, 1019
Pediatricians and antidepressant medications: black box or black hole?, 233
Pertussis vaccines for adolescents and adults, 755
The reflective practitioner: reaching for excellence in practice, 1546
Screening for overweight in children and adolescents: call to action, 238
Screening for overweight in children and adolescents: where is the evidence?, 235
Spanning the boundary between clinics and communities to address overweight and obesity in children, 240
The steroid odyssey in croup, 230

Commentaries—*continued*
Tax cuts, budget deficits, and Medicaid cuts: does "starving the beast" mean that children's health must take two steps backward?, 1545
Thinking outside the (black) box: antidepressants, suicidality, and research synthesis (commentary), 231
Understanding abnormalities in vascular specification and remodeling, 228
When an asthma drug has an inferiority complex: a noninferiority trial, 493
Common cold, antibiotic prescribing for children with nasopharyngitis, upper respiratory infections, and bronchitis who have health-professional parents, 826
Communication
assessment of shared-decision model in parents of children with acute otitis media, 1267
content of communication by pediatric residents after newborn genetic screening, 1492
initially misleading communication of carrier results after newborn genetic screening, 1499
Community pediatrics
effectiveness of community-based case management in insuring uninsured Latino children, 1433
prevalence of overweight among pediatric users of community health centers, e381, 744 (erratum, 1266)
spanning the boundary between clinics and communities to address overweight and obesity in children (commentary), 240
Complementary therapies, pediatric use of, e568, 1014
Computerized physician order entry
and change management in tertiary pediatric hospital, e634, 1204
unexpected increased mortality after implementation of a commercially sold system for, 1506
Confidentiality, changing parental opinions about teen privacy through education, 966
Congenital conditions
cardiovascular malformations among preterm infants, e833, 1536
content of communication by pediatric residents after newborn genetic screening, 1492
factors associated with increased resource utilization for congenital heart disease, 689
health supervision for children with achondroplasia (AAP clinical report), 771
impact of cardiac rehabilitation on exercise function of children with serious congenital heart disease, 1339
initially misleading communication of carrier results after newborn genetic screening, 1499
outcome of congenital diaphragmatic hernia in Western Australia, e356, 742
preterm infants with congenital heart disease and bronchopulmonary dysplasia: outcome after cardiac surgery, 423
thyroxine/thyroxine-binding globulin ratio to detect congenital hypothyroidism in neonatal screening program, 168
Constipation, prevalence of obesity in children with functional constipation, e377, 744
Continuity of care
fragmented care for inner-city minority children with attention-deficit/hyperactivity disorder, e512, 1010
from the resident's perspective (letter), 296
Contraception
adolescent pregnancy: current trends and issues (AAP clinical report), 281
emergency (AAP policy statement), 1026
Contractual language for medical necessity for children (AAP policy statement), 261
Coronary arteries
aneurysm formation in Kawasaki disease, effect of corticosteroid therapy on, 989
dilation in children with systemic-onset juvenile idiopathic arthritis, e89, 215
infections, Kawasaki disease, and coronary artery outcome, e760, 1532
Corticosteroids
for asthma, best articles, 564
dexamethasone in neonatal chronic lung disease: 13- to 17-year follow-up study
neurologic, psychological, and educational outcomes, 370
respiratory status, growth, and blood pressure, 379
effect on coronary artery aneurysm formation in Kawasaki disease, 989
montelukast vs. fluticasone for mild asthma in 6- to 14-year-old patients, 360 (erratum, 1058)
steroid odyssey in croup (commentary), 230
steroid therapy and severity of varicella infections in children with acute lymphoblastic leukemia, e525, 1010
when an asthma drug has an inferiority complex: a noninferiority trial (commentary), 493
Counseling
comparison of mothers' and counselors' perceptions of predelivery counseling for extremely premature infants, 104
ensuring accurate knowledge of prematurity outcomes for prenatal counseling (letter and reply), 1053
international comparison of care for very low birth weight infants: parents' perceptions of counseling and decision-making, e263, 486
screening and counseling associated with obesity diagnosis in national survey of ambulatory pediatric visits, 112
Critical care, vancomycin-heparin lock solution for prevention of nosocomial bloodstream infection in critically ill neonates with peripherally inserted central venous catheters, e198, 482
Crohn's disease, asymptomatic inflammatory bowel disease with mucocutaneous findings, e439, 748
Croup
hospitalizations in Ontario: 14-year time-series analysis, 51
steroid odyssey in (commentary), 230
Cystic fibrosis
behavioral and nutrition treatment to improve energy intake and growth in toddlers and preschoolers with, 1442
dornase alfa before vs. after physiotherapy in, e549, 1012
initially misleading communication of carrier results after newborn genetic screening, 1499

Dating violence and sexually transmitted disease/HIV testing among adolescent females, e272, 486
Decision-making
assessment of shared-decision model in parents of children with acute otitis media, 1267
Born-Alive Infants Protection Act of 2002, 1014
controversies in pediatric end-of-life care, 872
end-of-life decisions in newborns in Netherlands, 736
international comparison of care for very low birth weight infants: parents' perceptions of counseling and decision-making, e263, 486
medical futility in neonatal intensive care unit, 1219
prenatal consultation practices at the border of viability, 407
Dehydration, breastfeeding-associated hypernatremia, e343, 741
Dental health
cariogenicity of cola, honey, cow milk, human milk, and sucrose, 921
oral and dental aspects of child abuse and neglect (AAP clinical report), 1565
unmet dental care needs among children with special health care needs, e426, 747
Depression
adverse health consequences that co-occur with, 78
antidepressants, suicidality, and research synthesis (commentary), 231
FDA's deliberations on antidepressant use in pediatric patients, 195
obesity, shame, and depression in school-aged children, e389, 744
pediatricians and antidepressant medications: black box or black hole? (commentary), 233

Dermatology
diaper dye dermatitis, e450, 748
eczema and postvaccination varicella breakthrough (letter), 1613
mucocutaneous reactions in children treated with niflumic acid, other NSAIDs, or nonopioid analgesics, e26, 212
nephrotic syndrome and aberrant laminin isoforms in glomerular basement membranes of infant with Herlitz junctional epidermolysis bullosa, e601, 1016
pernio, e472, 749
safety and efficacy of tacrolimus ointment 0.03% for atopic dermatitis, e334, 741
Wells' syndrome, e149, 218
Development
the conundrum of prediction (commentary), 491
developmental and behavioral needs and service use for young children in child welfare, 891
erythropoietin as neuroprotective agent (letter), 521
factors associated with age of diagnosis among children with autism spectrum disorders, 1480
failure to thrive as a manifestation of child neglect (AAP clinical report), 1234
folate status of mothers during pregnancy and mental and psychomotor development of their children at 5 years of age, 703
functional plasticity or vulnerability after early brain injury, 1374
grade 3 to 4 intraventricular hemorrhage and Bayley scores predict outcome (letter and reply), 1597
gross motor function in extremely low birth weight children with cerebral palsy at 18 months of age, 123
insulin-like growth factor I, insulin-like growth factor–binding protein-3, and intelligence quotient among 8- to 9-year-old children in Avon Longitudinal Study of Parents and Children, e681, 1208
late neurologic and cognitive sequelae of inflicted traumatic brain injury in infancy, e174, 482
longitudinal evaluation of children with opsoclonus-ataxia, 901
neurodevelopmental outcome at 5 years of age of national cohort of extremely low birth weight infants born in 1996–1997, 1391
outcome of extremely low birth weight infants with leukemoid reaction, e43, 213
outcomes of extremely low birth weight infants <32 weeks' gestation: 1993–1998, 635
pediatricians' reported practices regarding developmental screening, 174
poor predictive validity of Bayley Scales of Infant Development for cognitive function of extremely low birth weight children at school age, 333
population-based study to determine performance of Cognitive Adaptive Test/Clinical Linguistic and Auditory Milestone Scale to predict Mental Developmental Index at 18 months on the Bayley Scales of Infant Development-II in very preterm infants, e864, 1539
structural and functional brain development after hydrocortisone treatment for neonatal chronic lung disease, 1
ten-year follow-up of children born at <30 weeks' gestational age supplemented with thyroxine in neonatal period, e613, 1204
Developmental disorders
factors associated with age of diagnosis among children with autism spectrum disorders, 1480
modeling clinical outcome of children with autistic spectrum disorders, 117
US Department of Education data not reliable for tracking autism prevalence, e120, 217
WAGR syndrome, 984
Dexamethasone, in neonatal chronic lung disease: 13- to 17-year follow-up study
neurologic, psychological, and educational outcomes, 370
respiratory status, growth, and blood pressure, 379
Diabetes mellitus
childhood obesity and type 2 diabetes mellitus, 473
effects of multisystemic therapy on diabetes stress among adolescents with chronically poorly controlled type 1 diabetes, e826, 1536
is homeostasis model assessment better than the quantitative insulin-sensitivity check index and fasting glucose/insulin ratio? (letter and reply), 515
parents' perceptions of factors that affect successful diabetes management for their children, 1095
screening for retinopathy in the pediatric patient with type 1 diabetes mellitus (AAP clinical report), 270
type 1, exercise with and without an insulin pump in, e348, 742
Diagnosis
breastfeeding-associated hypernatremia, e343, 741
celiac disease: diagnosis and dietary compliance in Canadian children, e754, 1531
clinical and biological features at diagnosis in 40 children with chronic myeloid leukemia, 141
clinical decision rule to identify children at low risk for appendicitis, 709
diagnosing celiac disease with positive serological test and without intestinal biopsy (letter and reply), 1054
factors associated with age of diagnosis among children with autism spectrum disorders, 1480
iatrogenic harm caused by diagnostic errors in fibrodysplasia ossificans progressiva, e654, 1206
infant botulism, e436, 747
screening and counseling associated with obesity diagnosis in national survey of ambulatory pediatric visits, 112
thyroxine/thyroxine-binding globulin ratio to detect congenital hypothyroidism in neonatal screening program, 168
yield of diagnostic testing in infants who have had an apparent life-threatening event (letter and reply), 1599
Diaper dye dermatitis, e450, 748
Diaphragmatic hernia, congenital, outcome of, in Western Australia, e356, 742
Diarrhea, *Lactobacillus paracasei* strain ST11 has no effect on rotavirus but ameliorates the outcome of nonrotavirus diarrhea in children from Bangladesh, e221, 484
Diet and nutrition. *See also* Feeding
anemia is important finding and is likely to respond to iron therapy (letter and reply), 1258
behavioral and nutrition treatment to improve energy intake and growth in toddlers and preschoolers with cystic fibrosis, 1442
cariogenicity of cola, honey, cow milk, human milk, and sucrose, 921
celiac disease: diagnosis and dietary compliance in Canadian children, e754, 1531
chronic salmonellosis and cinnamon (letter), 1057
consumption of fried food away from home, body mass index, and diet quality in older children and adolescents, e518, 1010
criminally prosecuted cases of child starvation, 1309
effect of low-allergen maternal diet on colic among breastfed infants, e709, 1211
effect of nutrition on growth in short stature before and during growth-hormone therapy, 68
exposure to mass media, body shape concerns, and use of supplements to improve weight and shape among adolescents, e214, 484
failure to thrive as a manifestation of child neglect (AAP clinical report), 1234
fat and energy contents of expressed human breast milk in prolonged lactation, e432, 747
folate status of mothers during pregnancy and mental and psychomotor development of their children at 5 years of age, 703
Food and Drug Administration must require addition of more folic acid in "enriched" flour and other grains (commentary), 753
infant methemoglobinemia: role of dietary nitrate in food and water, 784

Diet and nutrition. *See also* Feeding—*continued*
iron supplementation in young child with attention-deficit/hyperactivity disorder, e732, 1212
lead poisoning associated with spices used in food preparation, e314, 488
weight-for-height values and limb anthropometric composition of tube-fed children with quadriplegic cerebral palsy, e839, 1537
DiGeorge anomaly in absence of neonatal hypocalcemia and velofacial and cardiac defects, e457, 749
Diphtheria toxoid, response of preterm newborns to immunization with hexavalent diphtheria–tetanus–acellular pertussis–hepatitis B virus–inactivated polio and *Haemophilus influenzae* type b vaccine, 1292
Disability
disabling conditions and registration for child abuse and neglect, 609
prevalence and prognostic factors of disability after childhood injury, e810, 1535
thirty-six-month outcomes for families of children who have disabilities and participated in early intervention, 1346
Disaster preparedness
preparedness of schools to respond to emergencies in children, e738, 1530
psychosocial implications of disaster or terrorism on children: guide for the pediatrician (AAP clinical report), 787
Dornase alfa before vs. after physiotherapy in cystic fibrosis, e549, 1012
Down syndrome, Moyamoya syndrome associated with, e694, 1209
Dyslipidemia, obesity rather than severity of sleep-disordered breathing as major determinant of insulin resistance and altered lipidemia in snoring children, e66, 214

Early intervention
Brookline Early Education Project: 25-year follow-up study, 144
pediatricians' reported practices regarding developmental screening, 174
thirty-six-month outcomes for families of children who have disabilities and participated in, 1346
Early Start program of home visitation, e803, 1535
Eating behavior
children with idiopathic short stature are poor eaters and have decreased body mass index, e52, 214
promotion of healthy weight-control practices in young athletes (AAP policy statement), 1557
Economic issues
cost-effectiveness thyroxine/thyroxine-binding globulin ratio to detect congenital hypothyroidism in neonatal screening program, 168
cost of containing one case of measles: economic impact on public health infrastructure, Iowa, 2004, e1, 211
Medicaid policy statement (AAP policy statement), 274
model contractual language for medical necessity for children (AAP policy statement), 261
tax cuts, budget deficits, and Medicaid cuts (commentary), 1545
Ectodermal dysplasia syndromes, growth characteristics of children with, e229, 484
Eczema and postvaccination varicella breakthrough (letter), 1613
Education
alcohol-based hand sanitizer and hand-hygiene education to reduce illness transmission in home, 587
changing parental opinions about teen privacy through, 966
father's role in promotion of breastfeeding, e494, 1008
medical (*See* Medical education)
opportunities for health promotion education in child care, e499, 1009
using Internet to provide information prescriptions, e643, 1206
Electrolyte disturbances
breastfeeding-associated hypernatremia, e343, 741
high antidiuretic hormone levels and hyponatremia in children with gastroenteritis, 1401
Electromagnetic fields, sensitivity of children to, e303, 489
Emergency care
helium/oxygen-driven albuterol nebulization for moderate to severe asthma exacerbations, 1127
pediatric care recommendations for freestanding urgent care facilities (AAP policy statement), 258
preparedness of schools to respond to emergencies in children, e738, 1530
role of pediatrician in rural emergency medical services for children, 1553
Emergency contraception (AAP policy statement), 1026
Emergency department
cost and utilization analysis of a pediatric emergency department diversion project, 1075
parental preferences for medical error disclosure, reporting, and legal action, 1276
pediatric traumatic amputations treated in: United States, 1990–2002, e667, 1207
serum biomarkers for identifying acute chest syndrome in sickle cell disease in, e420, 746
using a preprinted order sheet to reduce prescription errors, 1299
wait times (letter and reply), 295
Empyema, sinogenic intracranial, e461, 749
Encephalopathy
clinical findings and cerebrospinal fluid neurotransmitters in 2 children with severe chronic bilirubin encephalopathy, 1226
encephalopathy of prematurity includes neuronal abnormalities (commentary), 221
hypothermia and distribution of cerebral lesions in infants with hypoxic-ischemic encephalopathy, 1001
End-of-life care
controversies in, 872
decisions in newborns in Netherlands, 736
medical futility in neonatal intensive care unit, 1219
parental perspectives on hospital staff members' acts of kindness and commemoration after a child's death, 884
Endocrinology
effect of nutrition on growth in short stature before and during growth-hormone therapy, 68
high antidiuretic hormone levels and hyponatremia in children with gastroenteritis, 1401
hormonal effects in infants conceived by assisted reproductive technology, 190
multiple endocrine neoplasia type 2A in kindred with C634Y mutation, e468, 749
Enuresis, sleep apnea and (letter and reply), 799
Environmental health
allergens and environmental exposures, best articles, 542
lead exposure in children: prevention, detection, and management (AAP policy statement), 1036
lead poisoning from toy necklace (letter and reply), 1050
sensitivity of children to electromagnetic fields, e303, 489
Eosinophilia, in Wells' syndrome, e149, 218
Epidemiology
all-terrain vehicle–related nonfatal injuries among young riders: United States, 2001–2003, e608, 1204
croup hospitalizations in Ontario: 14-year time-series analysis, 51
deaths from residential injuries in US children and adolescents, 454
disabling conditions and registration for child abuse and neglect, 609
dynamics of early childhood overweight, 1329
early respiratory infections, asthma, and allergy: 10-year follow-up of Oslo Birth Cohort, e255, 486
fungemia in hospitalized pediatric patients over 11 years at a tertiary care institution, 61
health status of southern children, e746, 1531
impaired fasting glucose and its relationship with cardiovascular disease risk factors in US adolescents, 1999–2000, 1122
incidence and course of retinopathy of prematurity, 15

insulin-like growth factor I, insulin-like growth factor–binding protein-3, and intelligence quotient among 8- to 9-year-old children in Avon Longitudinal Study of Parents and Children, e681, 1208
insurance gaps among vulnerable children in United States, 1999–2001, 1155
irritable bowel syndrome in adolescents and children in China, e393, 745
is region of country a useful variable for child health studies? (commentary), 1542
limited measles outbreak in highly vaccinated US boarding school, 1287
lower limb pain in preadolescent population, 673
minitrampoline- and full-sized trampoline–related injuries in United States, 1990–2002, 96
neurodevelopmental outcome at 5 years of age of national cohort of extremely low birth weight infants born in 1996–1997, 1391
neurodevelopmental outcomes of extremely low birth weight infants <32 weeks' gestation: 1993–1998, 635
obesity, shame, and depression in school-aged children, e389, 744
outbreak of osteomyelitis/septic arthritis caused by *Kingella kingae* among child care center attendees, e206, 483
outcome of congenital diaphragmatic hernia in Western Australia, e356, 742
pediatric traumatic amputations treated in hospital emergency departments: United States, 1990–2002, e667, 1207
of pediatric tuberculosis using traditional and molecular techniques in Houston, Texas, 1141
population-based study to determine performance of Cognitive Adaptive Test/Clinical Linguistic and Auditory Milestone Scale to predict Mental Developmental Index at 18 months on the Bayley Scales of Infant Development-II in very preterm infants, e864, 1539
posttraumatic stress disorder and physical comorbidity among female children and adolescents, e767, 1532
prenatal exposure to cigarettes, alcohol, and coffee and risk for febrile seizures, 1089
prevalence and incidence of precocious puberty in Denmark, 1323
prevalence and prognostic factors of disability after childhood injury, e810, 1535
prevalence of overweight among pediatric users of community health centers, e381, 744 (erratum, 1266)
prevalence of spina bifida and anencephaly by race/ethnicity, 580
Project 27/28: quality of neonatal care and survival of infants born at 27 and 28 weeks in England, Wales, and Northern Ireland, 1457
recurrent abdominal pain from 2 to 6 years of age, 46
regional variation in survival of people with cerebral palsy in United Kingdom, 1383
regional variations in rates of low birth weight, 1114
risk factors for sudden infant death syndrome in child care settings in 2001, 972
75 years of neonatal sepsis at Yale: 1928–2003, 595
of thalassemia in North America, e818, 1536
US Department of Education data not reliable for tracking autism prevalence, e120, 217
Epinephrine, for life-threatening allergic reactions in school settings, 1134
Errata, 524, 802, 1058, 1266
Erythromelalgia (letter and reply), 293
Erythropoietin as neuroprotective agent (letter), 521
Esophageal coins, 614
management of asymptomatic coin ingestion (commentary), 752
Ethical issues
Born-Alive Infants Protection Act of 2002, 1014
confidentiality in adolescent health care (AAP policy reaffirmed), 287
contribution of withholding or withdrawing care to newborn mortality, 1487
controversies in pediatric end-of-life care, 872
medical futility in neonatal intensive care unit, 1219
neonatal ethics at the limits of viability (commentary), 1019
pediatric use of complementary therapies, e568, 1014
prenatal consultation practices at the border of viability, 407
research for newborn screening, 862
Euthanasia, end-of-life decisions in newborns in Netherlands, 736
Evidence-based medicine
effect of breastfeeding on risk for childhood leukemia, e724, 1211
evidence does not support AAP recommendation for routine imaging after a first urinary tract infection (letter), 1613
influenza vaccine confusion: a call for an alternative evidence-based approach (commentary), 1214
starting small (letter and reply), 1611
Exercise
aerobic capacity, strength, flexibility, and activity level in unimpaired extremely low birth weight survivors at 17 years of age compared with term-born controls, e58, 214
effects of mass media campaign to increase physical activity among children, e277, 487
impact of cardiac rehabilitation on exercise function of children with serious congenital heart disease, 1339
national study of neighborhood safety, outdoor play, television viewing, and obesity in preschool children, 657
psychosocial and environmental correlates of adolescent sedentary behavior, 908
with and without an insulin pump in type 1 diabetes mellitus, e348, 742
Eye conditions
incidence and course of retinopathy of prematurity, 15
persistent eye closure and paroxysmal events in infants, e485, 1008
screening for retinopathy in the pediatric patient with type 1 diabetes mellitus (AAP clinical report), 270

Factitious hyperinsulinism leading to pancreatectomy: Munchausen syndrome by proxy, e145, 218
Failure to thrive as a manifestation of child neglect (AAP clinical report), 1234
Family. *See also* Parents and parenting
anger, interpersonal relationships, and health-related quality of life in bullying boys who are treated with outpatient family therapy, e247, 485
Early Start program of home visitation, e803, 1535
thirty-six-month outcomes for families of children who have disabilities and participated in early intervention, 1346
Father's role in promotion of breastfeeding, e494, 1008
Feeding
anaphylaxis in milk-allergic child after ingestion of soy formula cross-contaminated with cow's milk protein, 1223
breastfeeding-associated hypernatremia, e343, 741
breastfeeding rates in US Baby-Friendly Hospitals, 628
cariogenicity of cola, honey, cow milk, human milk, and sucrose, 921
do Baby-Friendly hospitals influence breastfeeding duration on a national level?, e702, 1210
donor human milk vs. preterm formula as substitutes for mothers' own milk in feeding of extremely premature infants, 400
donor milk: down but not out (letter and reply), 1610
double-blind trial of prophylaxis against jaundice among breastfed newborns, 385
effect of breastfeeding on risk for childhood leukemia, e724, 1211
effect of low-allergen maternal diet on colic among breastfed infants, e709, 1211
fat and energy contents of expressed human breast milk in prolonged lactation, e432, 747
father's role in promotion of breastfeeding, e494, 1008

Feeding—*continued*
impact of prenatal and postnatal lactation consultant intervention on duration and intensity of breastfeeding up to 12 months, 1413
infant methemoglobinemia: role of dietary nitrate in food and water, 784
why women stop breastfeeding, 1408
Fetal alcohol syndrome, neurocognitive changes before, during, and after hyperbaric oxygen therapy in, e586, 1015
Fetus
erythrocyte zinc protoporphyrin is elevated with prematurity and fetal hypoxemia, 414
fetal programming and risk of metabolic syndrome (letter and reply), 519
prenatal consultation practices at the border of viability, 407
Fibrodysplasia ossificans progressiva, iatrogenic harm caused by diagnostic errors in, e654, 1206
Firearms, household firearms and firearm-storage practices in 50 states and District of Columbia, e370, 743
Fluticasone
vs. montelukast for mild asthma in 6- to 14-year-old patients, 360 (erratum, 1058)
when an asthma drug has an inferiority complex: a noninferiority trial (commentary), 493
Folic acid
folate status of mothers during pregnancy and mental and psychomotor development of their children at 5 years of age, 703
Food and Drug Administration must require addition of more folic acid in "enriched" flour and other grains (commentary), 753
Food allergy
anaphylaxis in milk-allergic child after ingestion of soy formula cross-contaminated with cow's milk protein, 1223
best articles, 544
Food and Drug Administration's deliberations on antidepressant use in pediatric patients, 195
Foreign bodies
management of asymptomatic coin ingestion (commentary), 752
management of esophageal coins, 614
Formula feeding
anaphylaxis in milk-allergic child after ingestion of soy formula cross-contaminated with cow's milk protein, 1223
donor human milk vs. preterm formula as substitutes for mothers' own milk in feeding of extremely premature infants, 400
donor milk: down but not out (letter and reply), 1610
Foster care, developmental and behavioral needs and service use for young children in child welfare, 891
Fungemia in hospitalized pediatric patients over 11 years at a tertiary care institution, 61

Gastrointestinal system
apnea is not prolonged by acid gastroesophageal reflux in preterm infants, 1059
apnea is not prolonged by acid gastroesophageal reflux in preterm infants (commentary), 1217
asymptomatic inflammatory bowel disease with mucocutaneous findings, e439, 748
C-reactive protein in diagnosis, management, and prognosis of neonatal necrotizing enterocolitis, 1064
celiac disease: diagnosis and dietary compliance in Canadian children, e754, 1531
diagnosing celiac disease with positive serological test and without intestinal biopsy (letter and reply), 1054
distribution of pathogens associated with peritonitis in neonates with focal intestinal perforation vs. necrotizing enterocolitis, e241, 485
epidemiology of irritable bowel syndrome in adolescents and children in China, e393, 745
high antidiuretic hormone levels and hyponatremia in children with gastroenteritis, 1401
Lactobacillus paracasei strain ST11 has no effect on rotavirus but ameliorates the outcome of nonrotavirus diarrhea in children from Bangladesh, e221, 484
misconceptions concerning gastroesophageal reflux in children (letter and reply), 513
prevalence of obesity in children with functional constipation, e377, 744
probiotics and necrotizing enterocolitis (letter and reply), 293
Genetics
CD14 endotoxin receptor gene polymorphism in biliary atresia and idiopathic neonatal cholestasis, 437
content of communication by pediatric residents after newborn genetic screening, 1492
epidemiology of thalassemia in North America, e818, 1536
initially misleading communication of carrier results after newborn genetic screening, 1499
multiple endocrine neoplasia type 2A in kindred with C634Y mutation, e468, 749
novel RA1 mutation in severe combined immunodeficiency, e445, 748
pediatricians' attitudes toward expanding newborn screening, e476, 1008
prothrombotic factors in children with stroke or porencephaly, 447
sulfite oxidase deficiency, 757
WAGR syndrome, 984
Glasgow Coma Scale, initial neurologic presentation in young children sustaining fatal head injuries, 180
Glucose
impaired fasting glucose and its relationship with cardiovascular disease risk factors in US adolescents, 1999–2000, 1122
sublingual sugar vs. intravenous dextrose for hypoglycemia among children in the tropics, e648, 1206
Gosset, William Sealy, 732
Growth
accuracy of methods for calculating postnatal growth velocity for extremely low birth weight infants, 1466
behavioral and nutrition treatment to improve energy intake and growth in toddlers and preschoolers with cystic fibrosis, 1442
bone area and bone mineral content deficits in sickle cell disease, 943
children with idiopathic short stature are poor eaters and have decreased body mass index, e52, 214
dexamethasone in neonatal chronic lung disease: 13- to 17-year follow-up study: respiratory status, growth, and blood pressure, 379
effect of nutrition on growth in short stature before and during growth-hormone therapy, 68
effects of atomoxetine after 2-year treatment for attention-deficit/hyperactivity disorder, e74, 215
failure to thrive as a manifestation of child neglect (AAP clinical report), 1234
growth characteristics of children with ectodermal dysplasia syndromes, e229, 484
health supervision for children with achondroplasia (AAP clinical report), 771
sulfite oxidase deficiency, 757
tamoxifen to improve height potential in short pubertal boys, 1513
weight-for-height values and limb anthropometric composition of tube-fed children with quadriplegic cerebral palsy, e839, 1537
Growth hormone, effect of nutrition on growth in short stature before and during growth-hormone therapy, 68
Guillain-Barré syndrome, randomized trial of intravenous immunoglobulin for, 8
(commentary), 226

Haemophilus influenzae type b vaccine, response of preterm newborns to immunization with hexavalent diphtheria–tetanus–acellular pertussis–hepatitis B virus–inactivated polio and *Haemophilus influenzae* type b vaccine, 1292
Hand hygiene, alcohol-based hand sanitizer and hand-hygiene education to reduce illness transmission in home, 587

Head injury
functional plasticity or vulnerability after early brain injury, 1374
initial neurologic presentation in young children sustaining fatal head injuries, 180
initial neurologic presentation in young children sustaining inflicted and unintentional fatal head injuries (letter and reply), 1608
late neurologic and cognitive sequelae of inflicted traumatic brain injury in infancy, e174, 482
peer and adult helmet use and bicycle helmet use by children, 939
Head lice, cured by Cetaphil cleanser (letter), 1612
Headache
significant perinatal events and migraine severity, e555, 1013
symptomatic migraine treatment in children: review of medication trials, e295, 488
Health care costs
cost and utilization analysis of a pediatric emergency department diversion project, 1075
cost-effectiveness of thyroxine/thyroxine-binding globulin ratio to detect congenital hypothyroidism in neonatal screening program, 168
cost of containing one case of measles: economic impact on public health infrastructure, Iowa, 2004, e1, 211
tax cuts, budget deficits, and Medicaid cuts (commentary), 1545
Health insurance
effectiveness of community-based case management in insuring uninsured Latino children, 1433
effects of State Children's Health Insurance Program expansions on children with chronic health conditions, e34, 213
insurance gaps among vulnerable children in United States, 1999–2001, 1155
Medicaid acceptance and availability of timely follow-up for newborns, 1148
Medicaid policy statement (AAP policy statement), 274
Medicaid policy statement (letter and reply), 1598
tax cuts, budget deficits, and Medicaid cuts (commentary), 1545
underinsurance and access to care among children with special health care needs in United States, 1162
uninsurance and health care access among young adults in United States, 88
uninsured children who reportedly do not need health insurance, 345
Health promotion
breastfeeding rates in US Baby-Friendly Hospitals, 628
do Baby-Friendly hospitals influence breastfeeding duration on a national level?, e702, 1210
education in child care, e499, 1009
Health status
adverse health consequences that co-occur with depression, 78
is region of country a useful variable for child health studies? (commentary), 1542
of southern children, e746, 1531
Health supervision for children with achondroplasia (AAP clinical report), 771
Hearing
cochlear implantation in children younger than 12 months, e487, 1008
infants with permanent hearing loss who pass an otoacoustic emissions/automated auditory brainstem response newborn hearing screening protocol, 663
neonatal hearing screening in NICU: failed auditory brainstem response/passed otoacoustic emission, 933
Heart rate characteristics, novel physiomarkers to predict neonatal infection and death, 1070
Heat stress from enclosed vehicles, e109, 217
Helium/oxygen-driven albuterol nebulization for moderate to severe asthma exacerbations, 1127
Helmet use by children, peer and adult helmet use and, 939
Hematology
anemia is important finding and is likely to respond to iron therapy (letter and reply), 1258
clinical and biological features at diagnosis in 40 children with chronic myeloid leukemia, 141
erythrocyte zinc protoporphyrin is elevated with prematurity and fetal hypoxemia, 414
excess soluble fms-like tyrosine kinase 1 and low platelet counts in premature neonates of preeclamptic mothers, 468
improvement in bone mineral density and body composition in survivors of childhood acute lymphoblastic leukemia, e102, 216
measurement of transcutaneous hemoglobin concentration by noninvasive white-light spectroscopy in infants, 841
nucleated red blood cells in preterm infants with retinopathy of prematurity, e619, 1204
outcome of extremely low birth weight infants with leukemoid reaction, e43, 213
red blood cell exchange transfusion for malaria, e592, 1016
red blood cell transfusion in neonates (letter and reply), 1609
Hematopoietic stem cell transplantation for Niemann-Pick disease type B, 1022
Hemihydranencephaly, living a normal life with the nondominant hemisphere: MRI findings and clinical outcome for a patient with left-hemispheric hydranencephaly, 242
Hemochromatosis, neonatal, disparate clinical presentation in twins, e880, 1540
Hemorrhage
cerebellar, in preterm infant, 717
grade 3 to 4 intraventricular hemorrhage and Bayley scores predict outcome (letter and reply), 1597
Hepatitis B virus vaccine, response of preterm newborns to immunization with hexavalent diphtheria–tetanus–acellular pertussis–hepatitis B virus–inactivated polio and *Haemophilus influenzae* type b vaccine, 1292
Hepatitis C, transmission through swapping body jewelry (letter), 1264
Herlitz junctional epidermolysis bullosa, nephrotic syndrome and aberrant laminin isoforms in glomerular basement membranes of infant with, e601, 1016
Heterotopic ossification, iatrogenic harm caused by diagnostic errors in fibrodysplasia ossificans progressiva, e654, 1206
Histiocytic sarcoma in 3-year-old male, e322, 489
History, William Sealy Gosset and William A. Silverman, 732
Histrelin implant for central precocious puberty, e798, 1534
Home environment
alcohol-based hand sanitizer and hand-hygiene education to reduce illness transmission in, 587
household firearms and firearm-storage practices in 50 states and District of Columbia, e370, 743
Home visitation, Early Start program, e803, 1535
Hospital care
breastfeeding rates in US Baby-Friendly Hospitals, 628
coarse particulate matter and hospitalization for respiratory infections in children younger than 15 years in Toronto, e235, 485
croup hospitalizations in Ontario: 14-year time-series analysis, 51
do Baby-Friendly hospitals influence breastfeeding duration on a national level?, e702, 1210
emergency department wait times (letter and reply), 295
guidelines for reduction of inappropriate hospital admissions for influenza-like illness, e506, 1009
improper stool disposal in neonatal units in developing countries: hazard for nosocomial infection (letter), 1265
introduction of computerized physician order entry and change management in tertiary pediatric hospital, e634, 1204
language barriers and serious medical events during, 575
neonatal hearing screening in NICU: failed auditory brainstem response/passed otoacoustic emission, 933
preventable adverse events in infants hospitalized with bronchiolitis, 603
preventing asthma hospitalizations, 957
75 years of neonatal sepsis at Yale: 1928–2003, 595

Hospital care—*continued*
standard drug concentrations and smart-pump technology reduce continuous-medication-infusion errors, e21, 212
unexpected increased mortality after implementation of a commercially sold computerized physician order entry system, 1506
using a preprinted order sheet to reduce prescription errors in pediatric emergency department, 1299
Human immunodeficiency virus (HIV) infection
best articles, 571
coercive treatment of HIV-positive children is not justified (letter and reply), 1605
dating violence and sexually transmitted disease/HIV testing among adolescent females, e272, 486
tenofovir disoproxil fumarate and optimized background regimen of antiretroviral agents as salvage therapy, e846, 1538
Human papillomavirus infection, anogenital and respiratory tract, 815
Hydranencephaly, left-hemispheric, with less favorable findings (letter and reply), 1603
Hydrocortisone, structural and functional brain development after hydrocortisone treatment for neonatal chronic lung disease, 1
Hyperbilirubinemia
clinical findings and cerebrospinal fluid neurotransmitters in 2 children with severe chronic bilirubin encephalopathy, 1226
double-blind trial of prophylaxis against jaundice among breastfed newborns, 385
Hypercholesterolemia, heterozygous familial, efficacy and safety of lovastatin in adolescent girls with, 682
Hyperkinesis, smoking during pregnancy and risk for hyperkinetic disorder in offspring, 462
Hyperlactacidemia, long-term follow-up of neonatal mitochondrial cytopathies, 1170
Hypernatremia, breastfeeding-associated, e343, 741
Hypertension
effect of obesity and high blood pressure on plasma lipid levels, 442
excess soluble fms-like tyrosine kinase 1 and low platelet counts in premature neonates of preeclamptic mothers, 468
19 years after intrauterine growth restriction and preterm birth, 725
Hypoglycemia
factitious hyperinsulinism leading to pancreatectomy: Munchausen syndrome by proxy, e145, 218
sublingual sugar vs. intravenous dextrose for hypoglycemia among children in the tropics, e648, 1206
Hyponatremia, high antidiuretic hormone levels and hyponatremia in children with gastroenteritis, 1401
Hypothermia and distribution of cerebral lesions in infants with hypoxic-ischemic encephalopathy, 1001
Hypoxemia, erythrocyte zinc protoporphyrin is elevated with prematurity and fetal hypoxemia, 414
Hypoxic-ischemic encephalopathy, hypothermia and distribution of cerebral lesions in infants with, 1001

Immunization
association between having a medical home with vaccination coverage among children eligible for Vaccines for Children program, 130
Cherry picking (letter and reply), 1056
cost of containing one case of measles: economic impact on public health infrastructure, Iowa, 2004, e1, 211
eczema and postvaccination varicella breakthrough (letter), 1613
effectiveness of 2003–2004 influenza vaccine among children 6 months to 8 years of age, with 1 vs 2 doses, 153
effectiveness of a school-based influenza vaccination program, e868, 1539
how do physicians immunize their own children?, e623, 1204
impact of decline in Colorado Medicaid managed care enrollment on access and quality of preventive primary care services, 1474
influenza vaccine confusion: a call for an alternative evidence-based approach (commentary), 1214
limited measles outbreak in highly vaccinated US boarding school, 1287
pertussis in adolescents and adults (letter and reply), 1263
pertussis vaccine effectiveness among children 6 to 59 months of age in United States, 1998–2001, e285, 487
pertussis vaccines for adolescents and adults (commentary), 755
post-PCV7 changes in colonizing pneumococcal serotypes in 16 Massachusetts communities, e408, 746
prevention and control of meningococcal disease: recommendations for use of meningococcal vaccines in pediatric patients (AAP policy statement), 496
response of preterm newborns to immunization with hexavalent diphtheria–tetanus–acellular pertussis–hepatitis B virus–inactivated polio and *Haemophilus influenzae* type b vaccine, 1292
safety and immunogenicity of AAP-recommended sequential pneumococcal conjugate and polysaccharide vaccine schedule in pediatric solid organ transplant recipients, 160
safety of live attenuated influenza vaccine, trivalent, in children, e397, 745
Immunodeficiency. *See also* Human immunodeficiency virus infection
best articles, 568
cerebral lymphoma in adenosine deaminase-deficient patient with severe combined immunodeficiency receiving polyethylene glycol–conjugated adenosine deaminase, e876
complete DiGeorge anomaly in absence of neonatal hypocalcemia and velofacial and cardiac defects, e457, 749
novel RA1 mutation in severe combined immunodeficiency, e445, 748
Indomethacin, escalating, stepwise approach to treatment of patent ductus arteriosus in premature infants below 33 weeks of gestation, 1361
Infant botulism, e436, 747
Infants. *See also* Low birth weight; Neonates; Prematurity
accuracy of methods for calculating postnatal growth velocity for extremely low birth weight infants, 1466
bedsharing and maternal smoking, e530, 1011
breastfeeding-associated hypernatremia, e343, 741
cariogenicity of cola, honey, cow milk, human milk, and sucrose, 921
changing concept of sudden infant death syndrome: diagnostic coding shifts, controversies regarding the sleeping environment, and new variables to consider in reducing risk (AAP policy statement), 1245
cochlear implantation in children younger than 12 months, e487, 1008
compliance with guidelines for medical care of first urinary tract infections in (letter and reply), 1051
do pacifiers reduce risk of sudden infant death syndrome?, e716, 1211
donor human milk vs. preterm formula as substitutes for mothers' own milk in feeding of extremely premature infants, 400
effect of low-allergen maternal diet on colic among breastfed infants, e709, 1211
endobronchial tuberculosis in an infant, 246
factors associated with urinary tract infection in young febrile infants, 644
father's role in promotion of breastfeeding, e494, 1008
hormonal effects in infants conceived by assisted reproductive technology, 190
impact of prenatal and postnatal lactation consultant intervention on duration and intensity of breastfeeding up to 12 months, 1413

infants with permanent hearing loss who pass an otoacoustic emissions/automated auditory brainstem response newborn hearing screening protocol, 663
is it SIDS or sudden unexpected infant death? (letter), 800
late neurologic and cognitive sequelae of inflicted traumatic brain injury in infancy, e174, 482
masturbation in infancy and early childhood presenting as a movement disorder, 1427
measurement of transcutaneous hemoglobin concentration by noninvasive white-light spectroscopy in, 841
methemoglobinemia: role of dietary nitrate in food and water (AAP clinical report), 784
nephrotic syndrome and aberrant laminin isoforms in glomerular basement membranes of infant with Herlitz junctional epidermolysis bullosa, e601, 1016
outcome of extremely low birth weight infants with leukemoid reaction, e43, 213
persistent eye closure and paroxysmal events in, e485, 1008
pertussis vaccine effectiveness among children 6 to 59 months of age in United States, 1998–2001, e285, 487
poor predictive validity of Bayley Scales of Infant Development for cognitive function of extremely low birth weight children at school age, 333
population-based study to determine performance of Cognitive Adaptive Test/Clinical Linguistic and Auditory Milestone Scale to predict Mental Developmental Index at 18 months on the Bayley Scales of Infant Development-II in very preterm infants, e864, 1539
preventable adverse events in infants hospitalized with bronchiolitis, 603
risk factors for sudden infant death syndrome in child care settings in 2001, 972
risk factors for sudden unexplained infant death: infant care practices in Kentucky, e13, 212
why women stop breastfeeding, 1408
yield of diagnostic testing in infants who have had an apparent life-threatening event (letter and reply), 1599

Infection
alcohol-based hand sanitizer and hand-hygiene education to reduce illness transmission in home, 587
anogenital and respiratory tract human papillomavirus infections, 815
antibiotic prescribing for children with nasopharyngitis, upper respiratory infections, and bronchitis who have health-professional parents, 826
assessment of shared-decision model in parents of children with acute otitis media, 1267
association between streptococcal infection, obsessive-compulsive disorder, Tourette's syndrome, and tic disorder, 56
best articles, 573
chronic salmonellosis and cinnamon (letter), 1057
clostridial myonecrosis in adolescent male, e735, 1212
coarse particulate matter and hospitalization for respiratory infections in children younger than 15 years in Toronto, e235, 485
coercive treatment of HIV-positive children is not justified (letter and reply), 1605
compliance with guidelines for medical care of first urinary tract infections in infants (letter and reply), 1051
cost of containing one case of measles: economic impact on public health infrastructure, Iowa, 2004, e1, 211
dating violence and sexually transmitted disease/HIV testing among adolescent females, e272, 486
early respiratory infections, asthma, and allergy: 10-year follow-up of Oslo Birth Cohort, e255, 486
endobronchial tuberculosis in an infant, 246
epidemiology of pediatric tuberculosis using traditional and molecular techniques in Houston, Texas, 1141
evidence does not support AAP recommendation for routine imaging after a first urinary tract infection (letter), 1613
factors associated with urinary tract infection in young febrile infants, 644
fungemia in hospitalized pediatric patients over 11 years at a tertiary care institution, 61
improper stool disposal in neonatal units in developing countries: hazard for nosocomial infection (letter), 1265
infections, Kawasaki disease, and coronary artery outcome, e760, 1532
intrapartum antibiotic exposure and late-onset serious bacterial infections in infants, 696
Lactobacillus paracasei strain ST11 has no effect on rotavirus but ameliorates the outcome of nonrotavirus diarrhea in children from Bangladesh, e221, 484
limited measles outbreak in highly vaccinated US boarding school, 1287
outbreak of osteomyelitis/septic arthritis caused by *Kingella kingae* among child care center attendees, e206, 483
pertussis in adolescents and adults (letter and reply), 1263
poor bacteriologic eradication rate of single-dose ceftriaxone in group A streptococcal tonsillopharyngitis, 927
procalcitonin, vesicoureteral reflux, and urinary tract infection (letter and reply), 1261
red blood cell exchange transfusion for malaria, e592, 1016
risk of invasive meningococcal disease, pregnancy, and confounding (letter and reply), 798
75 years of neonatal sepsis at Yale: 1928–2003, 595
sinogenic intracranial empyema, e461, 749
steroid therapy and severity of varicella infections in children with acute lymphoblastic leukemia, e525, 1010
transmission of hepatitis C through swapping body jewelry (letter), 1264
treatment of chronic recurrent multifocal osteomyelitis with tumor necrosis factor-α blockage, 1231
vancomycin-heparin lock solution for prevention of nosocomial bloodstream infection in critically ill neonates with peripherally inserted central venous catheters, e198, 482

Inflammatory bowel disease, asymptomatic, with mucocutaneous findings, e439, 748

Infliximab, treatment of chronic recurrent multifocal osteomyelitis with tumor necrosis factor-α blockage, 1231

Influenza
effectiveness of 2003–2004 influenza vaccine among children 6 months to 8 years of age, with 1 vs 2 doses, 153
effectiveness of a school-based influenza vaccination program, e868, 1539
guidelines for reduction of inappropriate hospital admissions for influenza-like illness, e506, 1009
influenza vaccine confusion: a call for an alternative evidence-based approach (commentary), 1214
safety of live attenuated influenza vaccine, trivalent, in children, e397, 745

Injuries
all-terrain vehicle–related nonfatal injuries among young riders: United States, 2001–2003, e608, 1204
child deaths from inflicted injuries: household risk factors and perpetrator characteristics, e687, 1209
cross-national study of fighting and weapon carrying as determinants of adolescent injury, e855, 1538
deaths from residential injuries in US children and adolescents, 454
functional plasticity or vulnerability after early brain injury, 1374
initial neurologic presentation in young children sustaining fatal head injuries, 180

Injuries—*continued*
initial neurologic presentation in young children sustaining inflicted and unintentional fatal head injuries (letter and reply), 1608
injury prevention advice in top-selling parenting books, 1080
intentional injury management and prevention, 996
minitrampoline- and full-sized trampoline–related injuries in United States, 1990–2002, 96
pediatric traumatic amputations treated in hospital emergency departments: United States, 1990–2002, e667, 1207
prevalence and prognostic factors of disability after childhood injury, e810, 1535
Insect allergy, best articles, 549
Insulin
childhood obesity and type 2 diabetes mellitus, 473
development of metabolic syndrome in black and white adolescent girls, 1178
exercise with and without an insulin pump in type 1 diabetes mellitus, e348, 742
factitious hyperinsulinism leading to pancreatectomy: Munchausen syndrome by proxy, e145, 218
is homeostasis model assessment better than the quantitative insulin-sensitivity check index and fasting glucose/insulin ratio? (letter and reply), 515
obesity rather than severity of sleep-disordered breathing as major determinant of insulin resistance and altered lipidemia in snoring children, e66, 214
Insulin-like growth factor I, insulin-like growth factor–binding protein-3, and intelligence quotient among 8- to 9-year-old children in Avon Longitudinal Study of Parents and Children, e681, 1208
International health
celiac disease: diagnosis and dietary compliance in Canadian children, e754, 1531
coarse particulate matter and hospitalization for respiratory infections in children younger than 15 years in Toronto, e235, 485
croup hospitalizations in Ontario: 14-year time-series analysis, 51
early presentation with angioedema and urticaria in cross-reactive hypersensitivity to nonsteroidal antiinflammatory drugs among young, Asian, atopic children, e675, 1208
early respiratory infections, asthma, and allergy: 10-year follow-up of Oslo Birth Cohort, e255, 486
end-of-life decisions in newborns in Netherlands, 736
epidemiology of irritable bowel syndrome in adolescents and children in China, e393, 745
improper stool disposal in neonatal units in developing countries: hazard for nosocomial infection (letter), 1265
international comparison of care for very low birth weight infants: parents' perceptions of counseling and decision-making, e263, 486
Lactobacillus paracasei strain ST11 has no effect on rotavirus but ameliorates the outcome of nonrotavirus diarrhea in children from Bangladesh, e221, 484
outcome of congenital diaphragmatic hernia in Western Australia, e356, 742
prevalence and incidence of precocious puberty in Denmark, 1323
Project 27/28: quality of neonatal care and survival of infants born at 27 and 28 weeks in England, Wales, and Northern Ireland, 1457
regional variation in survival of people with cerebral palsy in United Kingdom, 1383
Internet
evaluation of adolescent smoking-cessation media campaign, 950
to provide information prescriptions, e643, 1206
Intracranial empyema, sinogenic, e461, 749
Intrauterine growth restriction, hypertension 19 years after preterm birth and, 725
Intravenous immunoglobulin for Guillain-Barré syndrome, 8
(commentary), 226
Intraventricular hemorrhage and Bayley scores predict outcome (letter and reply), 1597
Iron status
anemia is important finding and is likely to respond to iron therapy (letter and reply), 1258
disparate clinical presentation of neonatal hemochromatosis in twins, e880, 1540
erythrocyte zinc protoporphyrin is elevated with prematurity and fetal hypoxemia, 414
iron supplementation in young child with attention-deficit/hyperactivity disorder, e732, 1212
Irritable bowel syndrome, epidemiology in adolescents and children in China, e393, 745

Japanese residents have been judged to be workers (letter), 801
Jaundice
breastfeeding-associated hypernatremia, e343, 741
double-blind trial of prophylaxis against jaundice among breastfed newborns, 385
Jugular vein thrombosis, Lemierre's and Lemierre's-like syndromes, e543, 1012
Juvenile arthritis, systemic-onset, coronary artery dilation and, e89, 215

Kawasaki disease
coronary artery dilation in children with systemic-onset juvenile idiopathic arthritis, e89, 215
effect of corticosteroid therapy on coronary artery aneurysm formation in, 989
infections, Kawasaki disease, and coronary artery outcome, e760, 1532
Kernicterus, clinical findings and cerebrospinal fluid neurotransmitters in 2 children with severe chronic bilirubin encephalopathy, 1226
Kingella kingae, outbreak of osteomyelitis/septic arthritis among child care center attendees, e206, 483
Klippel-Trenaunay syndrome, pulmonary thromboembolism in, e596, 1016

Laboratory tests. *See also* Diagnosis
diagnosing celiac disease with positive serological test and without intestinal biopsy (letter and reply), 1054
is homeostasis model assessment better than the quantitative insulin-sensitivity check index and fasting glucose/insulin ratio? (letter and reply), 515
measurement of transcutaneous hemoglobin concentration by noninvasive white-light spectroscopy in infants, 841
thyroxine/thyroxine-binding globulin ratio to detect congenital hypothyroidism in neonatal screening program, 168
Lactation consultant, impact of prenatal and postnatal intervention on duration and intensity of breastfeeding up to 12 months, 1413
Lactobacillus
Lactobacillus paracasei strain ST11 has no effect on rotavirus but ameliorates the outcome of nonrotavirus diarrhea in children from Bangladesh, e221, 484
sepsis associated with probiotic therapy (letter and reply), 517
Laminin, nephrotic syndrome and aberrant laminin isoforms in glomerular basement membranes of infant with Herlitz junctional epidermolysis bullosa, e601, 1016
Language barriers and serious medical events in hospitalized patients, 575
Laparoscopy, neonatal tolerance of thoracoscopy and, e785, 1534
Laryngeal papillomatosis, human papillomavirus infections, 815
Lead poisoning
associated with spices used in food preparation, e314, 488
lead exposure in children: prevention, detection, and management (AAP policy statement), 1036
from toy necklace (letter and reply), 1050
Leadership
training young pediatricians as leaders (letter and reply), 518
trends in academic pediatric departments, 342
Legal issues
Baby Doe rules: choose your battles wisely (letter and reply), 288

Baby Doe rules interpreted and applied by an appellate court (letter), 513
Baby Doe rules (letter and reply), 1600
Born-Alive Infants Protection Act of 2002, 1014
criminally prosecuted cases of child starvation, 1309
parental preferences for medical error disclosure, reporting, and legal action, 1276
response to AAP report on legalization of marijuana (letter and reply), 1256
study of Pennsylvania pediatricians regarding child abuse, e5, 211
Lemierre's and Lemierre's-like syndromes, e543, 1012
Leukemia
clinical and biological features at diagnosis in 40 children with chronic myeloid leukemia, 141
effect of breastfeeding on risk for, e724, 1211
improvement in bone mineral density and body composition in survivors of childhood acute lymphoblastic leukemia, e102, 216
steroid therapy and severity of varicella infections in children with acute lymphoblastic leukemia, e525, 1010
Leukemoid reaction
bronchopulmonary dysplasia and (letter and reply), 1260
outcome of extremely low birth weight infants with, e43, 213
Lice, Cetaphil cleanser cures head lice (letter), 1612
Lidocaine gel to alleviate pain of bladder catheterization, 917
Lipids and lipoproteins
effect of obesity and high blood pressure on plasma lipid levels, 442
efficacy and safety of lovastatin in adolescent girls with heterozygous familial hypercholesterolemia, 682
Literature review, poor formulation information in pediatric drug trials, e559, 1013
Liver function and disease
disparate clinical presentation of neonatal hemochromatosis in twins, e880, 1540
hepatitis C transmission through swapping body jewelry (letter), 1264
Lovastatin, efficacy and safety in adolescent girls with heterozygous familial hypercholesterolemia, 682
Low birth weight. *See also* Neonates; Perinatal pediatrics; Prematurity
accuracy of methods for calculating postnatal growth velocity for extremely low birth weight infants, 1466
aerobic capacity, strength, flexibility, and activity level in unimpaired extremely low birth weight survivors at 17 years of age compared with term-born controls, e58, 214
erythropoietin as neuroprotective agent (letter), 521
gross motor function in extremely low birth weight children with cerebral palsy at 18 months of age, 123
international comparison of care for very low birth weight infants: parents' perceptions of counseling and decision-making, e263, 486
leukemoid reaction and bronchopulmonary dysplasia (letter and reply), 1260
neurodevelopmental outcome at 5 years of age of national cohort of extremely low birth weight infants born in 1996–1997, 1391
neurodevelopmental outcomes of extremely low birth weight infants <32 weeks' gestation: 1993–1998, 635
outcome of extremely low birth weight infants with leukemoid reaction, e43, 213
poor predictive validity of Bayley Scales of Infant Development for cognitive function of extremely low birth weight children at school age, 333
prediction of death for extremely low birth weight neonates, 1367
probiotics, prebiotics, or both in very low birth weight infant (letter), 522
regional variations in rates of, 1114
Lower limb pain in preadolescent population, 673
Lung function and disease
coarse particulate matter and hospitalization for respiratory infections in children younger than 15 years in Toronto, e235, 485
dexamethasone in neonatal chronic lung disease: 13- to 17-year follow-up study
neurologic, psychological, and educational outcomes, 370
respiratory status, growth, and blood pressure, 379
dornase alfa before vs. after physiotherapy in cystic fibrosis, e549, 1012
early respiratory infections, asthma, and allergy: 10-year follow-up of Oslo Birth Cohort, e255, 486
endobronchial tuberculosis in an infant, 246
Infasurf (calfactant) vs. Survanta (beractant) in prevention and treatment of respiratory distress syndrome, 392
montelukast vs. fluticasone for mild asthma in 6- to 14-year-old patients, 360 (erratum, 1058)
morphine and short-term pulmonary outcomes among ventilated preterm infants, 352
morphine sedation in ventilated newborns: who are we treating? (commentary), 492
office spirometry in primary care pediatrics, e792, 1534
preterm infants with congenital heart disease and bronchopulmonary dysplasia: outcome after cardiac surgery, 423
pulmonary thromboembolism in Klippel-Trenaunay syndrome, e596, 1016
structural and functional brain development after hydrocortisone treatment for neonatal chronic lung disease, 1
validation of NIH consensus definition of bronchopulmonary dysplasia, 1353
Lymphoma, cerebral, in adenosine deaminase-deficient patient with severe combined immunodeficiency receiving polyethylene glycol–conjugated adenosine deaminase, e876

Magnetic resonance imaging (MRI)
acute disseminated encephalomyelitis, 431
living a normal life with the nondominant hemisphere: MRI findings and clinical outcome for a patient with left-hemispheric hydranencephaly, 242
neurological examination in early childhood (letter and reply), 1047
structural and functional brain development after hydrocortisone treatment for neonatal chronic lung disease, 1
trophic interactions between cerebellum and cerebrum in preterm infants, 844
Malaria
red blood cell exchange transfusion for, e592, 1016
sublingual sugar vs. intravenous dextrose for hypoglycemia among children in the tropics, e648, 1206
Managed care
children with special health care needs and (letter), 520
cost and utilization analysis of a pediatric emergency department diversion project, 1075
impact of decline in Colorado Medicaid managed care enrollment on access and quality of preventive primary care services, 1474
Marijuana, response to AAP report on legalization of (letter and reply), 1256
Masturbation in infancy and early childhood presenting as a movement disorder, 1427
Matrix metalloproteinases, urinary, vascular anomalies and expression of, 38
Measles
cost of containing one case of measles: economic impact on public health infrastructure, Iowa, 2004, e1, 211
limited outbreak in highly vaccinated US boarding school, 1287
Mechanical ventilation
morphine and short-term pulmonary outcomes among ventilated preterm infants, 352
morphine sedation in ventilated newborns: who are we treating? (commentary), 492

Media. *See also* Television viewing
effects of mass media campaign to increase physical activity among children, e277, 487
evaluation of adolescent smoking-cessation media campaign, 950
exposure to mass media, body shape concerns, and use of supplements to improve weight and shape among adolescents, e214, 484
exposure to movie smoking and relation to smoking initiation among US adolescents, 1183
impact on adolescent sexual attitudes and behaviors, 303
dilemma of, 329
executive summary, 297
introduction, 301
problems and solutions associated with media consumption: role of practitioner, 327
smoking in the movies increases adolescent smoking, 1516
Medicaid
acceptance and availability of timely follow-up for newborns, 1148
cost and utilization analysis of a pediatric emergency department diversion project, 1075
effectiveness of community-based case management in insuring uninsured Latino children, 1433
impact of decline in Colorado Medicaid managed care enrollment on access and quality of preventive primary care services, 1474
patterns of health care use that may identify children at risk for maltreatment, 1303
policy statement (AAP policy statement), 274
policy statement (letter and reply), 1598
tax cuts, budget deficits, and Medicaid cuts (commentary), 1545
Medical education, leadership trends in academic pediatric departments, 342
Medical errors
iatrogenic harm caused by diagnostic errors in fibrodysplasia ossificans progressiva, e654, 1206
introduction of computerized physician order entry and change management in tertiary pediatric hospital, e634, 1204
language barriers and, in hospitalized patients, 575
parental preferences for error disclosure, reporting, and legal action, 1276
preventable adverse events in infants hospitalized with bronchiolitis, 603
standard drug concentrations and smart-pump technology reduce continuous-medication-infusion errors, e21, 212
unexpected increased mortality after implementation of a commercially sold computerized physician order entry system, 1506
using a preprinted order sheet to reduce prescription errors in pediatric emergency department, 1299
Medical home
association with vaccination coverage among children eligible for Vaccines for Children program, 130
care coordination: integrating health and related systems of care for children with special health care needs (AAP policy statement), 1238
factors associated with age of diagnosis among children with autism spectrum disorders, 1480
unmet dental care needs among children with special health care needs, e426, 747
Medical necessity for children, model contractual language for (AAP policy statement), 261
Melanin pigmentation in gingiva of children with parents who smoke, e186, 482
Meningococcal disease
Neisseria meningitidis periorbital cellulitis with meningitis, e874, 1539
risk of invasive disease, pregnancy, and confounding (letter and reply), 798
Meningococcal vaccine, recommendations for use in pediatric patients (AAP policy statement), 496
Metabolic disorders
cerebral lymphoma in adenosine deaminase-deficient patient with severe combined immunodeficiency receiving polyethylene glycol–conjugated adenosine deaminase, e876
sulfite oxidase deficiency, 757
Metabolic syndrome
development in black and white adolescent girls, 1178
fetal programming and risk of (letter and reply), 519
obesity rather than severity of sleep-disordered breathing as major determinant of insulin resistance and altered lipidemia in snoring children, e66, 214
Methemoglobinemia, infant, role of dietary nitrate in food and water (AAP clinical report), 784
Microbiology
distribution of pathogens associated with peritonitis in neonates with focal intestinal perforation vs. necrotizing enterocolitis, e241, 485
outbreak of osteomyelitis/septic arthritis caused by *Kingella kingae* among child care center attendees, e206, 483
post-PCV7 changes in colonizing pneumococcal serotypes in 16 Massachusetts communities, e408, 746
Migraine
significant perinatal events and severity of, e555, 1013
symptomatic treatment in children: review of medication trials, e295, 488
Mitochondrial cytopathies, neonatal, long-term follow-up of, 1170
Modafinil, efficacy and safety of modafinil film-coated tablets in children and adolescents with attention-deficit/hyperactivity disorder, 1533
Montelukast
vs. fluticasone for mild asthma in 6- to 14-year-old patients, 360 (erratum, 1058)
when an asthma drug has an inferiority complex: a noninferiority trial (commentary), 493
Morphine
for sedation in ventilated newborns: who are we treating? (commentary), 492
and short-term pulmonary outcomes among ventilated preterm infants, 352
Mortality
adolescent involvement in risk behaviors and belief in near-future death, 24
bedsharing and maternal smoking, e530, 1011
changing concept of sudden infant death syndrome: diagnostic coding shifts, controversies regarding the sleeping environment, and new variables to consider in reducing risk (AAP policy statement), 1245
child deaths from inflicted injuries: household risk factors and perpetrator characteristics, e687, 1209
contribution of withholding or withdrawing care to newborn mortality, 1487
deaths from residential injuries in US children and adolescents, 454
heart rate characteristics: novel physiomarkers to predict neonatal infection and death, 1070
initial neurologic presentation in young children sustaining fatal head injuries, 180
is it SIDS or sudden unexpected infant death? (letter), 800
prediction of death for extremely low birth weight neonates, 1367
primary care pediatricians and child deaths (letter and reply), 1052
regional variation in survival of people with cerebral palsy in United Kingdom, 1383
risk factors for sudden infant death syndrome in child care settings in 2001, 972
risk factors for sudden unexplained infant death: infant care practices in Kentucky, e13, 212
unexpected increased mortality after implementation of a commercially sold computerized physician order entry system, 1506
Mothers. *See also* Parents and parenting
bedsharing and maternal smoking, e530, 1011
comparison of mothers' and counselors' perceptions of predelivery counseling for extremely premature infants, 104
excess soluble fms-like tyrosine kinase 1 and low platelet counts in premature neonates of preeclamptic mothers, 468

folate status of mothers during pregnancy and mental and psychomotor development of their children at 5 years of age, 703
salivary cortisol and mood and pain profiles during skin-to-skin care for mothers and infants in neonatal intensive care, 1105
smoking during pregnancy and risk for hyperkinetic disorder in offspring, 462
why women stop breastfeeding, 1408
Motor development
aerobic capacity, strength, flexibility, and activity level in unimpaired extremely low birth weight survivors at 17 years of age compared with term-born controls, e58, 214
gross motor function in extremely low birth weight children with cerebral palsy at 18 months of age, 123
Motor vehicle safety, heat stress from enclosed vehicles, e109, 217
Moyamoya syndrome associated with Down syndrome, e694, 1209
Multiple endocrine neoplasia type 2A in kindred with C634Y mutation, e468, 749
Munchausen syndrome by proxy, factitious hyperinsulinism leading to pancreatectomy, e145, 218
Muscular dystrophy, cardiovascular health supervision for individuals affected by Duchenne or Becker muscular dystrophy (AAP clinical report), 1569
Myonecrosis, clostridial, in adolescent male, e735, 1212

Nasal cannula use in the preterm infant: oxygen or pressure? (commentary), 1216
Necrotizing enterocolitis
distribution of pathogens associated with peritonitis in neonates with focal intestinal perforation vs., e241, 485
neonatal, C-reactive protein in diagnosis, management, and prognosis of, 1064
probiotics and (letter and reply), 293
Neonatal intensive care unit
medical futility in, 1219
salivary cortisol and mood and pain profiles during skin-to-skin care for mothers and infants in, 1105
Neonates. *See also* Low birth weight; Perinatal pediatrics; Prematurity
apnea is not prolonged by acid gastroesophageal reflux in preterm infants, 1059
apnea is not prolonged by acid gastroesophageal reflux in preterm infants (commentary), 1217
Born-Alive Infants Protection Act of 2002, 1014
breastfeeding rates in US Baby-Friendly Hospitals, 628
C-reactive protein in diagnosis, management, and prognosis of neonatal necrotizing enterocolitis, 1064
CD14 endotoxin receptor gene polymorphism in biliary atresia and idiopathic neonatal cholestasis, 437
cerebellar hemorrhage in preterm infant, 717
content of communication by pediatric residents after newborn genetic screening, 1492
contribution of withholding or withdrawing care to newborn mortality, 1487
disparate clinical presentation of neonatal hemochromatosis in twins, e880, 1540
distribution of pathogens associated with peritonitis in neonates with focal intestinal perforation vs. necrotizing enterocolitis, e241, 485
do Baby-Friendly hospitals influence breastfeeding duration on a national level?, e702, 1210
donor milk: down but not out (letter and reply), 1610
double-blind trial of prophylaxis against jaundice among breastfed newborns, 385
end-of-life decisions for, 736
excess soluble fms-like tyrosine kinase 1 and low platelet counts in premature neonates of preeclamptic mothers, 468
hearing screening in NICU: failed auditory brainstem response/passed otoacoustic emission, 933
heart rate characteristics: novel physiomarkers to predict neonatal infection and death, 1070
hypothermia and distribution of cerebral lesions in infants with hypoxic-ischemic encephalopathy, 1001
improper stool disposal in neonatal units in developing countries: hazard for nosocomial infection (letter), 1265
infants with permanent hearing loss who pass an otoacoustic emissions/automated auditory brainstem response newborn hearing screening protocol, 663
initially misleading communication of carrier results after newborn genetic screening, 1499
intrapartum antibiotic exposure and late-onset serious bacterial infections in, 696
long-term follow-up of neonatal mitochondrial cytopathies, 1170
measurement of transcutaneous hemoglobin concentration by noninvasive white-light spectroscopy in infants, 841
Medicaid acceptance and availability of timely follow-up for newborns, 1148
neonatal ethics at the limits of viability (commentary), 1019
neurological examination in early childhood (letter and reply), 1047
oxygen delivery through nasal cannulae to preterm infants, 857
pediatricians' attitudes toward expanding newborn screening, e476, 1008
Project 27/28: quality of neonatal care and survival of infants born at 27 and 28 weeks in England, Wales, and Northern Ireland, 1457
red blood cell transfusion in (letter and reply), 1609
research for newborn screening, 862
response of preterm newborns to immunization with hexavalent diphtheria–tetanus–acellular pertussis–hepatitis B virus–inactivated polio and *Haemophilus influenzae* type b vaccine, 1292
75 years of neonatal sepsis at Yale: 1928–2003, 595
structural and functional brain development after hydrocortisone treatment for neonatal chronic lung disease, 1
thyroxine/thyroxine-binding globulin ratio to detect congenital hypothyroidism in neonatal screening program, 168
tolerance of laparoscopy and thoracoscopy, e785, 1534
vancomycin-heparin lock solution for prevention of nosocomial bloodstream infection in critically ill neonates with peripherally inserted central venous catheters, e198, 482
Neural tube defects
Food and Drug Administration must require addition of more folic acid in "enriched" flour and other grains (commentary), 753
prevalence of spina bifida and anencephaly by race/ethnicity, 580
Neuroblastoma, longitudinal neurodevelopmental evaluation of children with opsoclonus-ataxia, 901
Neurodevelopment
the conundrum of prediction (commentary), 491
erythropoietin as neuroprotective agent (letter), 521
factors associated with age of diagnosis among children with autism spectrum disorders, 1480
folate status of mothers during pregnancy and mental and psychomotor development of their children at 5 years of age, 703
functional plasticity or vulnerability after early brain injury, 1374
grade 3 to 4 intraventricular hemorrhage and Bayley scores predict outcome (letter and reply), 1597
insulin-like growth factor I, insulin-like growth factor–binding protein-3, and intelligence quotient among 8- to 9-year-old children in Avon Longitudinal Study of Parents and Children, e681, 1208
late neurologic and cognitive sequelae of inflicted traumatic brain injury in infancy, e174, 482
longitudinal evaluation of children with opsoclonus-ataxia, 901
neurodevelopmental outcome at 5 years of age of national cohort of extremely low birth weight infants born in 1996–1997, 1391
outcomes of extremely low birth weight infants <32 weeks' gestation: 1993–1998, 635

Neurodevelopment—*continued*
poor predictive validity of Bayley Scales of Infant Development for cognitive function of extremely low birth weight children at school age, 333
population-based study to determine performance of Cognitive Adaptive Test/Clinical Linguistic and Auditory Milestone Scale to predict Mental Developmental Index at 18 months on the Bayley Scales of Infant Development-II in very preterm infants, e864, 1539
structural and functional brain development after hydrocortisone treatment for neonatal chronic lung disease, 1
Neurologic disorders
gross motor function in extremely low birth weight children with cerebral palsy at 18 months of age, 123
initial neurologic presentation in young children sustaining inflicted and unintentional fatal head injuries (letter and reply), 1608
late neurologic and cognitive sequelae of inflicted traumatic brain injury in infancy, e174, 482
neurodevelopmental outcomes of extremely low birth weight infants <32 weeks' gestation: 1993–1998, 635
regional variation in survival of people with cerebral palsy in United Kingdom, 1383
sulfite oxidase deficiency, 757
weight-for-height values and limb anthropometric composition of tube-fed children with quadriplegic cerebral palsy, e839, 1537
Neurological examination in early childhood (letter and reply), 1047
Newton Girls Study, childhood overweight and maturational timing in development of adult overweight and fatness, 620
Niemann-Pick disease type B, hematopoietic stem cell transplantation for, 1022
Niflumic acid, mucocutaneous reactions in children treated with niflumic acid, other NSAIDs, or nonopioid analgesics, e26, 212
Nitrate, infant methemoglobinemia: role of dietary nitrate in food and water, 784
Nonsteroidal anti-inflammatory drugs (NSAIDs)
early presentation with angioedema and urticaria in cross-reactive hypersensitivity to NSAIDs among young, Asian, atopic children, e675, 1208
escalating, stepwise approach to indomethacin treatment of patent ductus arteriosus in premature infants below 33 weeks of gestation, 1361
mucocutaneous reactions in children treated with niflumic acid, other NSAIDs, or nonopioid analgesics, e26, 212
Nucleated red blood cells in preterm infants with retinopathy of prematurity, e619, 1204
Nutrition. *See* Diet and nutrition; Feeding

Obesity and overweight
benefits of lifestyle-modification therapy (letter and reply), 292
childhood obesity and type 2 diabetes mellitus, 473
childhood overweight and maturational timing in development of adult overweight and fatness: Newton Girls Study, 620
consumption of fried food away from home, body mass index, and diet quality in older children and adolescents, e518, 1010
development of metabolic syndrome in black and white adolescent girls, 1178
dynamics of early childhood overweight, 1329
effect of obesity and high blood pressure on plasma lipid levels, 442
factors associated with parental readiness to make changes for overweight children, e94, 216
impaired fasting glucose and its relationship with cardiovascular disease risk factors in US adolescents, 1999–2000, 1122
inappropriate interpretation of the odds ratio (letter), 1612
national study of neighborhood safety, outdoor play, television viewing, and obesity in preschool children, 657
obesity, shame, and depression in school-aged children, e389, 744
obesity rather than severity of sleep-disordered breathing as major determinant of insulin resistance and ;altered lipidemia in snoring children, e66, 214
outcome of children's residential weight loss programs, 73
prevalence in children with functional constipation, e377, 744
prevalence of overweight among pediatric users of community health centers, e381, 744 (erratum, 1266)
screening and counseling associated with obesity diagnosis in national survey of ambulatory pediatric visits, 112
screening and interventions for childhood overweight, e125, 217
screening and interventions for overweight children and adolescents: recommendation statement, 205
screening for overweight in children and adolescents: call to action (commentary), 238
screening for overweight in children and adolescents: where is the evidence? (commentary), 235
spanning the boundary between clinics and communities to address overweight and obesity in children (commentary), 240
Obsessive-compulsive disorder, association between streptococcal infection, obsessive-compulsive disorder, Tourette's syndrome, and tic disorder, 56
Olfactory evaluation in children: CHARGE syndrome, e81, 215
Ophthalmology
incidence and course of retinopathy of prematurity, 15
nucleated red blood cells in preterm infants with retinopathy of prematurity, e619, 1204
persistent eye closure and paroxysmal events in infants, e485, 1008
risk factors for severe retinopathy of prematurity among very preterm infants (letter and reply), 516
screening for retinopathy in the pediatric patient with type 1 diabetes mellitus (AAP clinical report), 270
Opsoclonus-ataxia, longitudinal neurodevelopmental evaluation of children with, 901
Oral health
cariogenicity of cola, honey, cow milk, human milk, and sucrose, 921
melanin pigmentation in gingiva of children with parents who smoke, e186, 482
oral and dental aspects of child abuse and neglect (AAP clinical report), 1565
unmet dental care needs among children with special health care needs, e426, 747
Osteomyelitis
outbreak of osteomyelitis/septic arthritis caused by *Kingella kingae* among child care center attendees, e206, 483
treatment of chronic recurrent multifocal osteomyelitis with tumor necrosis factor-α blockage, 1231
Otitis media
acute, assessment of shared-decision model in parents of children with, 1267
adenoidectomy effects on incidence of otitis media in children younger than 4 years who receive tympanostomy tubes, 185
Otoacoustic emissions
infants with permanent hearing loss who pass an otoacoustic emissions/automated auditory brainstem response newborn hearing screening protocol, 663
neonatal hearing screening in NICU: failed auditory brainstem response/passed otoacoustic emission, 933
Outcome
aerobic capacity, strength, flexibility, and activity level in unimpaired extremely low birth weight survivors at 17 years of age compared with term-born controls, e58, 214
Brookline Early Education Project: 25-year follow-up study, 144
of children's residential weight loss programs, 73
of congenital diaphragmatic hernia in Western Australia, e356, 742

the conundrum of prediction (commentary), 491
dexamethasone in neonatal chronic lung disease: 13- to 17-year follow-up study
neurologic, psychological, and educational outcomes, 370
respiratory status, growth, and blood pressure, 379
ensuring accurate knowledge of prematurity outcomes for prenatal counseling (letter and reply), 1053
of extremely low birth weight infants with leukemoid reaction, e43, 213
folate status of mothers during pregnancy and mental and psychomotor development of their children at 5 years of age, 703
grade 3 to 4 intraventricular hemorrhage and Bayley scores predict outcome (letter and reply), 1597
hypertension 19 years after intrauterine growth restriction and preterm birth, 725
infections, Kawasaki disease, and coronary artery outcome, e760, 1532
living a normal life with the nondominant hemisphere: MRI findings and clinical outcome for a patient with left-hemispheric hydranencephaly, 242
long-term follow-up of neonatal mitochondrial cytopathies, 1170
longitudinal neurodevelopmental evaluation of children with opsoclonus-ataxia, 901
modeling clinical outcome of children with autistic spectrum disorders, 117
morphine and short-term pulmonary outcomes among ventilated preterm infants, 352
neurodevelopmental outcome at 5 years of age of national cohort of extremely low birth weight infants born in 1996–1997, 1391
neurodevelopmental outcomes of extremely low birth weight infants <32 weeks' gestation: 1993–1998, 635
nonresponse bias in follow-up study of 19-year-old adolescents born as preterm infants, e662, 1207
poor predictive validity of Bayley Scales of Infant Development for cognitive function of extremely low birth weight children at school age, 333
ten-year follow-up of children born at <30 weeks' gestational age supplemented with thyroxine in neonatal period, e613, 1204
thirty-six-month outcomes for families of children who have disabilities and participated in early intervention, 1346
Oxygen therapy
nasal cannula use in the preterm infant: oxygen or pressure? (commentary), 1216
neurocognitive changes before, during, and after hyperbaric oxygen therapy in fetal alcohol syndrome, e586, 1015
oxygen delivery through nasal cannulae to preterm infants, 857

Pacifiers and risk of sudden infant death syndrome, e716, 1211
Pain
analgesia for children with acute abdominal pain (commentary), 1018
clostridial myonecrosis in adolescent male, e735, 1212
efficacy and concerns regarding early analgesia in children with acute abdominal pain (commentary), 1018
epidemiology of recurrent abdominal pain from 2 to 6 years of age, 46
ethnic differences in parent preference to be present for painful medical procedures, e191, 482
lower limb pain in preadolescent population, 673
salivary cortisol and mood and pain profiles during skin-to-skin care for mothers and infants in neonatal intensive care, 1105
significant perinatal events and migraine severity, e555, 1013
Pain management
early analgesia for acute abdominal pain, 978
lidocaine gel to alleviate pain of bladder catheterization, 917
morphine and short-term pulmonary outcomes among ventilated preterm infants, 352
morphine sedation in ventilated newborns: who are we treating? (commentary), 492
mucocutaneous reactions in children treated with niflumic acid, other NSAIDs, or nonopioid analgesics, e26, 212
Palliative care
controversies in pediatric end-of-life care, 872
parental perspectives on hospital staff members' acts of kindness and commemoration after a child's death, 884
Paraneoplastic syndromes, longitudinal neurodevelopmental evaluation of children with opsoclonus-ataxia, 901
Parents and parenting. *See also* Family; Mothers
antibiotic prescribing for children with nasopharyngitis, upper respiratory infections, and bronchitis who have health-professional parents, 826
assessment of shared-decision model in parents of children with acute otitis media, 1267
changing parental opinions about teen privacy through education, 966
ethnic differences in parent preference to be present for painful medical procedures, e191, 482
factors associated with parental readiness to make changes for overweight children, e94, 216
father's role in promotion of breastfeeding, e494, 1008
injury prevention advice in top-selling parenting books, 1080
international comparison of care for very low birth weight infants: parents' perceptions of counseling and decision-making, e263, 486
melanin pigmentation in gingiva of children with parents who smoke, e186, 482
parental perspectives on hospital staff members' acts of kindness and commemoration after a child's death, 884
parental preferences for medical error disclosure, reporting, and legal action, 1276
parents' perceptions of factors that affect successful diabetes management for their children, 1095
of uninsured children who reportedly do not need health insurance, 345
Patent ductus arteriosus, escalating, stepwise approach to indomethacin treatment in premature infants below 33 weeks of gestation, 1361
Pediatric autoimmune neuropsychiatric disorders associated with streptococcal infection (PANDAS), streptococcal infection, obsessive-compulsive disorder, Tourette's syndrome, and tic disorder, 56
Pediatricians
ACCF/AHA/AAP recommendations for training in pediatric cardiology (AAP policy statement), 1574
anabolic steroids and the pediatric community (commentary), 1542
content of communication by pediatric residents after newborn genetic screening, 1492
how do physicians immunize their own children?, e623, 1204
leadership trends in academic pediatric departments, 342
part-time residency in pediatrics, 32
pediatric medical subspecialty workforce, 833
pediatric subspecialty workforce: public policy and forces of change, 1192
pediatricians and antidepressant medications: black box or black hole? (commentary), 233
pediatricians' attitudes toward expanding newborn screening, e476, 1008
primary care pediatricians and child deaths (letter and reply), 1052
psychosocial implications of disaster or terrorism on children: guide for the pediatrician (AAP clinical report), 787
the reflective practitioner: reaching for excellence in practice (commentary), 1546
reported practices regarding developmental screening, 174
role in rural emergency medical services for children, 1553
study of Pennsylvania pediatricians regarding child abuse, e5, 211
training young pediatricians as leaders (letter and reply), 518
workforce: current status and future prospects, e156, 219
workforce statement (AAP policy statement), 263

Pediculosis, Cetaphil cleanser cures head lice (letter), 1612
Perinatal pediatrics. *See also* Low birth weight; Neonates; Prematurity
apnea is not prolonged by acid gastroesophageal reflux in preterm infants, 1059
apnea is not prolonged by acid gastroesophageal reflux in preterm infants (commentary), 1217
Born-Alive Infants Protection Act of 2002, 1014
breastfeeding rates in US Baby-Friendly Hospitals, 628
C-reactive protein in diagnosis, management, and prognosis of neonatal necrotizing enterocolitis, 1064
cardiovascular malformations among preterm infants, e833, 1536
cerebellar hemorrhage in preterm infant, 717
comparison of mothers' and counselors' perceptions of predelivery counseling for extremely premature infants, 104
content of communication by pediatric residents after newborn genetic screening, 1492
contribution of withholding or withdrawing care to newborn mortality, 1487
dexamethasone in neonatal chronic lung disease: 13- to 17-year follow-up study
neurologic, psychological, and educational outcomes, 370
respiratory status, growth, and blood pressure, 379
disparate clinical presentation of neonatal hemochromatosis in twins, e880, 1540
distribution of pathogens associated with peritonitis in neonates with focal intestinal perforation vs. necrotizing enterocolitis, e241, 485
do Baby-Friendly hospitals influence breastfeeding duration on a national level?, e702, 1210
donor milk: down but not out (letter and reply), 1610
encephalopathy of prematurity includes neuronal abnormalities (commentary), 221
end-of-life decisions in newborns in Netherlands, 736
ensuring accurate knowledge of prematurity outcomes for prenatal counseling (letter and reply), 1053
erythropoietin as neuroprotective agent (letter), 521
escalating, stepwise approach to indomethacin treatment for patent ductus arteriosus in premature infants below 33 weeks of gestation, 1361
heart rate characteristics: novel physiomarkers to predict neonatal infection and death, 1070
hypothermia and distribution of cerebral lesions in infants with hypoxic-ischemic encephalopathy, 1001
improper stool disposal in neonatal units in developing countries: hazard for nosocomial infection (letter), 1265
incidence and course of retinopathy of prematurity, 15
infants with permanent hearing loss who pass an otoacoustic emissions/automated auditory brainstem response newborn hearing screening protocol, 663
Infasurf (calfactant) vs. Survanta (beractant) in prevention and treatment of respiratory distress syndrome, 392
initially misleading communication of carrier results after newborn genetic screening, 1499
international comparison of care for very low birth weight infants: parents' perceptions of counseling and decision-making, e263, 486
intrapartum antibiotic exposure and late-onset serious bacterial infections in infants, 696
leukemoid reaction and bronchopulmonary dysplasia (letter and reply), 1260
measurement of transcutaneous hemoglobin concentration by noninvasive white-light spectroscopy in infants, 841
Medicaid acceptance and availability of timely follow-up for newborns, 1148
medical futility in neonatal intensive care unit, 1219
morphine and short-term pulmonary outcomes among ventilated preterm infants, 352
morphine sedation in ventilated newborns: who are we treating? (commentary), 492
nasal cannula use in the preterm infant: oxygen or pressure? (commentary), 1216
neonatal ethics at the limits of viability (commentary), 1019
neurological examination in early childhood (letter and reply), 1047
newborn hearing screening in NICU: failed auditory brainstem response/passed otoacoustic emission, 933
oxygen delivery through nasal cannulae to preterm infants, 857
pediatricians' attitudes toward expanding newborn screening, e476, 1008
prediction of death for extremely low birth weight neonates, 1367
prenatal consultation practices at the border of viability, 407
Project 27/28: quality of neonatal care and survival of infants born at 27 and 28 weeks in England, Wales, and Northern Ireland, 1457
red blood cell transfusion in neonates (letter and reply), 1609
regional variations in rates of low birth weight, 1114
research for newborn screening, 862
risk factors for severe retinopathy of prematurity among very preterm infants (letter and reply), 516
salivary cortisol and mood and pain profiles during skin-to-skin care for mothers and infants in neonatal intensive care, 1105
75 years of neonatal sepsis at Yale: 1928–2003, 595
structural and functional brain development after hydrocortisone treatment for neonatal chronic lung disease, 1
ten-year follow-up of children born at <30 weeks' gestational age supplemented with thyroxine in neonatal period, e613, 1204
tolerance of laparoscopy and thoracoscopy in neonates, e785, 1534
trophic interactions between cerebellum and cerebrum in preterm infants, 844
validation of NIH consensus definition of bronchopulmonary dysplasia, 1353
vancomycin-heparin lock solution for prevention of nosocomial bloodstream infection in critically ill neonates with peripherally inserted central venous catheters, e198, 482
Periorbital cellulitis with meningitis, meningococcal, e874, 1539
Peritonitis, distribution of pathogens associated with peritonitis in neonates with focal intestinal perforation vs. necrotizing enterocolitis, e241, 485
Pernio, e472, 749
Pertussis, in adolescents and adults (letter and reply), 1263
Pertussis vaccine
for adolescents and adults (commentary), 755
Cherry picking (letter and reply), 1056
effectiveness among children 6 to 59 months of age in United States, 1998–2001, e285, 487
response of preterm newborns to immunization with hexavalent diphtheria–tetanus–acellular pertussis–hepatitis B virus–inactivated polio and *Haemophilus influenzae* type b vaccine, 1292
Physical activity
aerobic capacity, strength, flexibility, and activity level in unimpaired extremely low birth weight survivors at 17 years of age compared with term-born controls, e58, 214
effects of mass media campaign to increase physical activity among children, e277, 487
exercise with and without an insulin pump in type 1 diabetes mellitus, e348, 742
impact of cardiac rehabilitation on exercise function of children with serious congenital heart disease, 1339
national study of neighborhood safety, outdoor play, television viewing, and obesity in preschool children, 657

psychosocial and environmental correlates of adolescent sedentary behavior, 908
Physicians
antibiotic prescribing for children with nasopharyngitis, upper respiratory infections, and bronchitis who have health-professional parents, 826
content of communication by pediatric residents after newborn genetic screening, 1492
how do physicians immunize their own children?, e623, 1204
introduction of computerized physician order entry and change management in tertiary pediatric hospital, e634, 1204
part-time residency in pediatrics, 32
pediatric medical subspecialty workforce, 833
pediatric subspecialty workforce: public policy and forces of change, 1192
pediatrician workforce: current status and future prospects, e156, 219
pediatrician workforce statement (AAP policy statement), 263
pediatricians' attitudes toward expanding newborn screening, e476, 1008
primary care pediatricians and child deaths (letter and reply), 1052
psychosocial implications of disaster or terrorism on children: guide for the pediatrician (AAP clinical report), 787
the reflective practitioner: reaching for excellence in practice (commentary), 1546
role of pediatrician in rural emergency medical services for children, 1553
training young pediatricians as leaders (letter and reply), 518
Plasmapheresis, acute disseminated encephalomyelitis, 431
Platelets, excess soluble fms-like tyrosine kinase 1 and low platelet counts in premature neonates of preeclamptic mothers, 468
Pneumococcal vaccine
post-PCV7 changes in colonizing pneumococcal serotypes in 16 Massachusetts communities, e408, 746
safety and immunogenicity of AAP-recommended sequential pneumococcal conjugate and polysaccharide vaccine schedule in pediatric solid organ transplant recipients, 160
Poisoning
acute arsenic poisoning in two siblings, 249
acute tellurium toxicity from ingestion of metal-oxidizing solutions, e319, 489
acute vitamin D intoxication, e453, 748
lead poisoning associated with spices used in food preparation, e314, 488
Policy statements
AAP publications retired and reaffirmed, 796
care coordination in the medical home: integrating health and related systems of care for children with special health care needs, 1238
changing concept of sudden infant death syndrome: diagnostic coding shifts, controversies regarding the sleeping environment, and new variables to consider in reducing risk, 1245
confidentiality in adolescent health care (policy reaffirmed), 287
emergency contraception, 1026
lead exposure in children: prevention, detection, and management, 1036
Medicaid policy statement, 274
model contractual language for medical necessity for children, 261
pediatric care recommendations for freestanding urgent care facilities, 258
pediatrician workforce statement, 263
prevention and control of meningococcal disease: recommendations for use of meningococcal vaccines in pediatric patients, 496
promotion of healthy weight-control practices in young athletes, 1557
Polio vaccine, response of preterm newborns to immunization with hexavalent diphtheria–tetanus–acellular pertussis–hepatitis B virus–inactivated polio and *Haemophilus influenzae* type b vaccine, 1292
Polymorphisms
CD14 endotoxin receptor gene polymorphism in idiopathic neonatal cholestasis and, 437
prothrombotic factors in children with stroke or porencephaly, 447
Porencephaly, prothrombotic factors in children with stroke or, 447
Post-publication peer reviews, 220, 490, 751, 1017, 1213
Posttraumatic stress disorder
physical comorbidity among female children and adolescents, e767, 1532
psychosocial implications of disaster or terrorism on children: guide for the pediatrician (AAP clinical report), 787
Practice guidelines
compliance with guidelines for medical care of first urinary tract infections in infants (letter and reply), 1051
for reduction of inappropriate hospital admissions for influenza-like illness, e506, 1009
starting small (letter and reply), 1611
Pregnancy
adolescent pregnancy: current trends and issues (AAP clinical report), 281
early puberty and adolescent pregnancy: influence of alcohol use, 1451
emergency contraception (AAP policy statement), 1026
excess soluble fms-like tyrosine kinase 1 and low platelet counts in premature neonates of preeclamptic mothers, 468
folate status of mothers during pregnancy and mental and psychomotor development of their children at 5 years of age, 703
psychosocial correlates of adolescent males' pregnancy intention, e414, 746
risk of invasive meningococcal disease, pregnancy, and confounding (letter and reply), 798
smoking during pregnancy and risk for hyperkinetic disorder in offspring, 462
Prematurity. *See also* Low birth weight; Neonates; Perinatal pediatrics
accuracy of methods for calculating postnatal growth velocity for extremely low birth weight infants, 1466
apnea is not prolonged by acid gastroesophageal reflux in preterm infants, 1059
apnea is not prolonged by acid gastroesophageal reflux in preterm infants (commentary), 1217
Born-Alive Infants Protection Act of 2002, 1014
cardiovascular malformations among preterm infants, e833, 1536
cerebellar hemorrhage in preterm infant, 717
comparison of mothers' and counselors' perceptions of predelivery counseling for extremely premature infants, 104
donor human milk vs. preterm formula as substitutes for mothers' own milk in feeding of extremely premature infants, 400
donor milk: down but not out (letter and reply), 1610
encephalopathy of prematurity includes neuronal abnormalities (commentary), 221
ensuring accurate knowledge of prematurity outcomes for prenatal counseling (letter and reply), 1053
erythrocyte zinc protoporphyrin is elevated with prematurity and fetal hypoxemia, 414
escalating, stepwise approach to indomethacin treatment for patent ductus arteriosus in premature infants below 33 weeks of gestation, 1361
excess soluble fms-like tyrosine kinase 1 and low platelet counts in premature neonates of preeclamptic mothers, 468
hypertension 19 years after intrauterine growth restriction and preterm birth, 725
incidence and course of retinopathy of prematurity, 15
Infasurf (calfactant) vs. Survanta (beractant) in prevention and treatment of respiratory distress syndrome, 392
morphine and short-term pulmonary outcomes among ventilated preterm infants, 352

Prematurity. *See also* Low birth weight; Neonates; Perinatal pediatrics—*continued*
nasal cannula use in the preterm infant: oxygen or pressure? (commentary), 1216
neurodevelopmental outcomes of extremely low birth weight infants <32 weeks' gestation: 1993–1998, 635
nonresponse bias in follow-up study of 19-year-old adolescents born as preterm infants, e662, 1207
nucleated red blood cells in preterm infants with retinopathy of prematurity, e619, 1204
oxygen delivery through nasal cannulae to preterm infants, 857
population-based study to determine performance of Cognitive Adaptive Test/Clinical Linguistic and Auditory Milestone Scale to predict Mental Developmental Index at 18 months on the Bayley Scales of Infant Development-II in very preterm infants, e864, 1539
prediction of death for extremely low birth weight neonates, 1367
prenatal consultation practices at the border of viability, 407
preterm infants with congenital heart disease and bronchopulmonary dysplasia: outcome after cardiac surgery, 423
Project 27/28: quality of neonatal care and survival of infants born at 27 and 28 weeks in England, Wales, and Northern Ireland, 1457
response of preterm newborns to immunization with hexavalent diphtheria–tetanus–acellular pertussis–hepatitis B virus–inactivated polio and *Haemophilus influenzae* type b vaccine, 1292
risk factors for severe retinopathy of prematurity among very preterm infants (letter and reply), 516
ten-year follow-up of children born at <30 weeks' gestational age supplemented with thyroxine in neonatal period, e613, 1204
trophic interactions between cerebellum and cerebrum in preterm infants, 844
validation of NIH consensus definition of bronchopulmonary dysplasia, 1353
Prenatal consultation practices at the border of viability, 407
Prenatal substance exposure
intrapartum antibiotic exposure and late-onset serious bacterial infections in infants, 696
prenatal exposure to cigarettes, alcohol, and coffee and risk for febrile seizures, 1089
Preventive care. *See also* Immunization
fetal programming and risk of metabolic syndrome (letter and reply), 519
impact of decline in Colorado Medicaid managed care enrollment on access and quality of preventive primary care services, 1474
Infasurf (calfactant) vs. Survanta (beractant) in prevention and treatment of respiratory distress syndrome, 392
injury prevention advice in top-selling parenting books, 1080
intentional injury management and prevention, 996
lead exposure in children: prevention, detection, and management (AAP policy statement), 1036
opportunities for health promotion education in child care, e499, 1009
preventing asthma hospitalizations, 957
prevention and control of meningococcal disease: recommendations for use of meningococcal vaccines in pediatric patients (AAP policy statement), 496
screening and interventions for childhood overweight, e125, 217
screening and interventions for overweight children and adolescents: recommendation statement, 205
vancomycin-heparin lock solution for prevention of nosocomial bloodstream infection in critically ill neonates with peripherally inserted central venous catheters, e198, 482
Primary care
for children with special health care needs in rural areas, 649
impact of decline in Colorado Medicaid managed care enrollment on access and quality of preventive primary care services, 1474
office spirometry in primary care pediatrics, e792, 1534
open access in: North Carolina pilot project, 82
prevalence of overweight among pediatric users of community health centers, e381, 744 (erratum, 1266)
primary care pediatricians and child deaths (letter and reply), 1052
Privacy, changing parental opinions about teen privacy through education, 966
Probiotics
Lactobacillus paracasei strain ST11 has no effect on rotavirus but ameliorates the outcome of nonrotavirus diarrhea in children from Bangladesh, e221, 484
Lactobacillus sepsis associated with probiotic therapy (letter and reply), 517
necrotizing enterocolitis and (letter and reply), 293
probiotics, prebiotics, or both in very low birth weight infant (letter), 522
Procalcitonin, vesicoureteral reflux, and urinary tract infection (letter and reply), 1261
Project 27/28: quality of neonatal care and survival of infants born at 27 and 28 weeks in England, Wales, and Northern Ireland, 1457
Prothrombotic factors in children with stroke or porencephaly, 447
Psychological health
adverse health consequences that co-occur with depression, 78
anger, interpersonal relationships, and health-related quality of life in bullying boys who are treated with outpatient family therapy, e247, 485
antidepressants, suicidality, and research synthesis (commentary), 231
association between streptococcal infection, obsessive-compulsive disorder, Tourette's syndrome, and tic disorder, 56
clown doctors for preoperative anxiety, e563, 1013
dexamethasone in neonatal chronic lung disease: 13- to 17-year follow-up study, neurologic, psychological, and educational outcomes, 370
effects of atomoxetine on growth after 2-year treatment for attention-deficit/hyperactivity disorder, e74, 215
efficacy and safety of modafinil film-coated tablets in children and adolescents with attention-deficit/hyperactivity disorder, 1533
factors associated with age of diagnosis among children with autism spectrum disorders, 1480
FDA's deliberations on antidepressant use in pediatric patients, 195
fragmented care for inner-city minority children with attention-deficit/hyperactivity disorder, e512, 1010
iron supplementation in young child with attention-deficit/hyperactivity disorder, e732, 1212
modeling clinical outcome of children with autistic spectrum disorders, 117
obesity, shame, and depression in school-aged children, e389, 744
pediatricians and antidepressant medications: black box or black hole? (commentary), 233
posttraumatic stress disorder and physical comorbidity among female children and adolescents, e767, 1532
psychosocial implications of disaster or terrorism on children: guide for the pediatrician (AAP clinical report), 787
quality of life for children with newly diagnosed attention-deficit/hyperactivity disorder vs. asthmatic and healthy children, e364, 743 (erratum, 1266)
response to "scientifically unsupported and supported interventions for childhood psychopathology" (letter and reply), 289
US Department of Education data not reliable for tracking autism prevalence, e120, 217
Puberty
childhood overweight and maturational timing in development of adult overweight and fatness: Newton Girls Study, 620

early puberty and adolescent pregnancy: influence of alcohol use, 1451
histrelin implant for central precocious puberty, e798, 1534
prevalence and incidence of precocious puberty in Denmark, 1323
tamoxifen to improve height potential in short pubertal boys, 1513
Public health
cost of containing one case of measles: economic impact on public health infrastructure, Iowa, 2004, e1, 211
epinephrine for life-threatening allergic reactions in school settings, 1134

Quality of care
impact of decline in Colorado Medicaid managed care enrollment on access and quality of preventive primary care services, 1474
open access in primary care: North Carolina pilot project, 82
Project 27/28: quality of neonatal care and survival of infants born at 27 and 28 weeks in England, Wales, and Northern Ireland, 1457
the reflective practitioner: reaching for excellence in practice (commentary), 1546
Quality of life
anger, interpersonal relationships, and health-related quality of life in bullying boys who are treated with outpatient family therapy, e247, 485
for children with newly diagnosed attention-deficit/hyperactivity disorder vs. asthmatic and healthy children, e364, 743 (erratum, 1266)

Race/ethnicity
development of metabolic syndrome in black and white adolescent girls, 1178
dynamics of early childhood overweight, 1329
effectiveness of community-based case management in insuring uninsured Latino children, 1433
epidemiology of thalassemia in North America, e818, 1536
ethnic differences in parent preference to be present for painful medical procedures, e191, 482
fragmented care for inner-city minority children with attention-deficit/hyperactivity disorder, e512, 1010
insurance gaps among vulnerable children in United States, 1999–2001, 1155
prevalence of overweight among pediatric users of community health centers, e381, 744 (erratum, 1266)
prevalence of spina bifida and anencephaly by, 580
Red blood cell transfusion
exchange transfusion for malaria, e592, 1016
in neonates (letter and reply), 1609
in preterm infants, liberal vs. restrictive guidelines for (letter and reply), 1048
Rehabilitation, impact of cardiac rehabilitation on exercise function of children with serious congenital heart disease, 1339
Renal function and disease
compliance with guidelines for medical care of first urinary tract infections in infants (letter and reply), 1051
nephrotic syndrome and aberrant laminin isoforms in glomerular basement membranes of infant with Herlitz junctional epidermolysis bullosa, e601, 1016
Research, for newborn screening, 862
Residency training
ACCF/AHA/AAP recommendations for training in pediatric cardiology (AAP policy statement), 1574
continuity of care from the resident's perspective (letter), 296
Japanese residents have been judged to be workers (letter), 801
part-time residency in pediatrics, 32
training young pediatricians as leaders (letter and reply), 518
Respiratory distress
endobronchial tuberculosis in an infant, 246
Infasurf (calfactant) vs. Survanta (beractant) in prevention and treatment of respiratory distress syndrome, 392
Respiratory tract infection
antibiotic prescribing for children with nasopharyngitis, upper respiratory infections, and bronchitis who have health-professional parents, 826
coarse particulate matter and hospitalization for respiratory infections in children younger than 15 years in Toronto, e235, 485
early respiratory infections, asthma, and allergy: 10-year follow-up of Oslo Birth Cohort, e255, 486
endobronchial tuberculosis in an infant, 246
guidelines for reduction of inappropriate hospital admissions for influenza-like illness, e506, 1009
human papillomavirus, 815
Resuscitation
Born-Alive Infants Protection Act of 2002, 1014
end-of-life decisions in newborns in Netherlands, 736
international comparison of care for very low birth weight infants: parents' perceptions of counseling and decision-making, e263, 486
medical futility in neonatal intensive care unit, 1219
prenatal consultation practices at the border of viability, 407
utility of standard pediatric resuscitation cart vs. cart based on Broselow tape, e326, 741
Retinopathy
of prematurity
incidence and course of, 15
nucleated red blood cells in preterm infants with, e619, 1204
risk factors among very preterm infants (letter and reply), 516
screening for retinopathy in the pediatric patient with type 1 diabetes mellitus (AAP clinical report), 270
Risk behaviors
adolescent involvement in risk behaviors and belief in near-future death, 24
dating violence and sexually transmitted disease/HIV testing among adolescent females, e272, 486
exposure to mass media, body shape concerns, and use of supplements to improve weight and shape among adolescents, e214, 484
media impact on adolescent sexual attitudes and behaviors, 303
dilemma of, 329
executive summary, 297
introduction, 301
problems and solutions associated with media consumption: role of practitioner, 327
water-pipe smoking, e113, 217
Risk factors
changing concept of sudden infant death syndrome: diagnostic coding shifts, controversies regarding the sleeping environment, and new variables to consider in reducing risk (AAP policy statement), 1245
child deaths from inflicted injuries: household risk factors and perpetrator characteristics, e687, 1209
do pacifiers reduce risk of sudden infant death syndrome?, e716, 1211
impaired fasting glucose and its relationship with cardiovascular disease risk factors in US adolescents, 1999–2000, 1122
infections, Kawasaki disease, and coronary artery outcome, e760, 1532
for severe retinopathy of prematurity among very preterm infants (letter and reply), 516
for sudden infant death syndrome in child care settings in 2001, 972
for sudden unexplained infant death: infant care practices in Kentucky, e13, 212
Rotavirus, *Lactobacillus paracasei* strain ST11 has no effect on rotavirus but ameliorates the outcome of nonrotavirus diarrhea in children from Bangladesh, e221, 484
Rural health services
primary care for children with special health care needs, 649
role of pediatrician in rural emergency medical services for children, 1553

Safety issues
all-terrain vehicle–related nonfatal injuries among young riders: United States, 2001–2003, e608, 1204
authors incorrectly cited classification of adverse-event codes (letter and reply), 1259

Safety issues—*continued*
efficacy and safety of lovastatin in adolescent girls with heterozygous familial hypercholesterolemia, 682
efficacy and safety of modafinil film-coated tablets in children and adolescents with attention-deficit/hyperactivity disorder, 1533
FDA's deliberations on antidepressant use in pediatric patients, 195
heat stress from enclosed vehicles, e109, 217
household firearms and firearm-storage practices in 50 states and District of Columbia, e370, 743
injury prevention advice in top-selling parenting books, 1080
national study of neighborhood safety, outdoor play, television viewing, and obesity in preschool children, 657
parental preferences for medical error disclosure, reporting, and legal action, 1276
peer and adult helmet use and bicycle helmet use by children, 939
safety and efficacy of tacrolimus ointment 0.03% for atopic dermatitis, e334, 741
safety and immunogenicity of AAP-recommended sequential pneumococcal conjugate and polysaccharide vaccine schedule in pediatric solid organ transplant recipients, 160
safety of live attenuated influenza vaccine, trivalent, in children, e397, 745
standard drug concentrations and smart-pump technology reduce continuous-medication-infusion errors, e21, 212
strong opinion vs. science in waterbirth controversy (letter and reply), 522
Salmonellosis and cinnamon (letter), 1057
School issues
Brookline Early Education Project: 25-year follow-up study, 144
dexamethasone in neonatal chronic lung disease: 13- to 17-year follow-up study, neurologic, psychological, and educational outcomes, 370
effectiveness of a school-based influenza vaccination program, e868, 1539
epinephrine for life-threatening allergic reactions in school settings, 1134
limited measles outbreak in highly vaccinated US boarding school, 1287
poor predictive validity of Bayley Scales of Infant Development for cognitive function of extremely low birth weight children at school age, 333
preparedness of schools to respond to emergencies in children, e738, 1530
Screening
content of communication by pediatric residents after newborn genetic screening, 1492
infants with permanent hearing loss who pass an otoacoustic emissions/automated auditory brainstem response newborn hearing screening protocol, 663
initially misleading communication of carrier results after newborn genetic screening, 1499
newborn hearing screening in NICU: failed auditory brainstem response/passed otoacoustic emission, 933
for overweight in children and adolescents: call to action (commentary), 238
for overweight in children and adolescents: where is the evidence? (commentary), 235
pediatricians' attitudes toward expanding newborn screening, e476, 1008
pediatricians' reported practices regarding developmental screening, 174
population-based study to determine performance of Cognitive Adaptive Test/Clinical Linguistic and Auditory Milestone Scale to predict Mental Developmental Index at 18 months on the Bayley Scales of Infant Development-II in very preterm infants, e864, 1539
research for newborn screening, 862
for retinopathy in the pediatric patient with type 1 diabetes mellitus (AAP clinical report), 270
screening and counseling associated with obesity diagnosis in national survey of ambulatory pediatric visits, 112
screening and interventions for childhood overweight, e125, 217
screening and interventions for overweight children and adolescents: recommendation statement, 205
thyroxine/thyroxine-binding globulin ratio to detect congenital hypothyroidism in neonatal screening program, 168
Seizures
persistent eye closure and paroxysmal events in infants, e485, 1008
prenatal exposure to cigarettes, alcohol, and coffee and risk for febrile seizures, 1089
Sepsis. *See also* Infection
heart rate characteristics: novel physiomarkers to predict neonatal infection and death, 1070
Lactobacillus sepsis associated with probiotic therapy (letter and reply), 517
75 years of neonatal sepsis at Yale: 1928–2003, 595
vancomycin-heparin lock solution for prevention of nosocomial bloodstream infection in critically ill neonates with peripherally inserted central venous catheters, e198, 482
Service delivery, primary care for children with special health care needs in rural areas, 649
Sexual attitudes and behaviors
adolescent: media impact on, 303
dilemma of, 329
executive summary, 297
introduction, 301
problems and solutions associated with media consumption: role of practitioner, 327
early puberty and adolescent pregnancy: influence of alcohol use, 1451
masturbation in infancy and early childhood presenting as a movement disorder, 1427
Sexually transmitted diseases
anogenital and respiratory tract human papillomavirus infections, 815
dating violence and sexually transmitted disease/HIV testing among adolescent females, e272, 486
evaluation of sexual abuse in children (AAP clinical report), 506
Shaken baby syndrome, late neurologic and cognitive sequelae of inflicted traumatic brain injury in infancy, e174, 482
Short stature
children with idiopathic short stature are poor eaters and have decreased body mass index, e52, 214
effect of nutrition on growth in short stature before and during growth-hormone therapy, 68
growth characteristics of children with ectodermal dysplasia syndromes, e229, 484
health supervision for children with achondroplasia (AAP clinical report), 771
tamoxifen to improve height potential in short pubertal boys, 1513
Siblings
acute arsenic poisoning in two siblings, 249
disparate clinical presentation of neonatal hemochromatosis in twins, e880, 1540
Sickle cell disease
bone area and bone mineral content deficits in, 943
initially misleading communication of carrier results after newborn genetic screening, 1499
serum biomarkers for identifying acute chest syndrome in emergency department, e420, 746
Silverman, William A., 732
Sinogenic intracranial empyema, e461, 749
Skin conditions
diaper dye dermatitis, e450, 748
mucocutaneous reactions in children treated with niflumic acid, other NSAIDs, or nonopioid analgesics, e26, 212
pernio, e472, 749
safety and efficacy of tacrolimus ointment 0.03% for atopic dermatitis, e334, 741
Wells' syndrome, e149, 218

Sleep
changing concept of sudden infant death syndrome: diagnostic coding shifts, controversies regarding the sleeping environment, and new variables to consider in reducing risk (AAP policy statement), 1245
television viewing and sleep schedules in children less than 3 years of age, 851
Sleep-disordered breathing
behavioral morbidity in school-aged children with (letter and reply), 797
enuresis and sleep apnea (letter and reply), 799
obesity rather than severity of, as major determinant of insulin resistance and altered lipidemia in snoring children, e66, 214
Smoking and tobacco exposure
bedsharing and maternal smoking, e530, 1011
evaluation of adolescent smoking-cessation media campaign, 950
exposure to movie smoking and relation to smoking initiation among US adolescents, 1183
melanin pigmentation in gingiva of children with parents who smoke, e186, 482
prenatal exposure to cigarettes, alcohol, and coffee and risk for febrile seizures, 1089
smoking during pregnancy and risk for hyperkinetic disorder in offspring, 462
smoking in the movies increases adolescent smoking, 1516
water-pipe smoking, e113, 217
Snoring, obesity rather than severity of sleep-disordered breathing as major determinant of insulin resistance and altered lipidemia in snoring children, e66, 214
Soluble fms-like tyrosine kinase 1 and low platelet counts in premature neonates of preeclamptic mothers, 468
Special health care needs
care coordination: integrating health and related systems of care for children with (AAP policy statement), 1238
managed care and (letter), 520
primary care for children in rural areas with, 649
underinsurance and access to care among children with special health care needs in United States, 1162
unmet dental care needs among children with, e426, 747
Spina bifida and anencephaly, prevalence by race/ethnicity, 580
Spirometry in primary care pediatrics, e792, 1534
Sports medicine, promotion of healthy weight-control practices in young athletes (AAP policy statement), 1557
State Children's Health Insurance Program (SCHIP), effect of SCHIP expansions on children with chronic health conditions, e34, 213
Stem cell transplantation for Niemann-Pick disease type B, 1022
Still's disease, coronary artery dilation in children with systemic-onset juvenile idiopathic arthritis, e89, 215
Streptococcal infection
association with obsessive-compulsive disorder, Tourette's syndrome, and tic disorder, 56
poor bacteriologic eradication rate of single-dose ceftriaxone in group A streptococcal tonsillopharyngitis, 927
safety and immunogenicity of AAP-recommended sequential pneumococcal conjugate and polysaccharide vaccine schedule in pediatric solid organ transplant recipients, 160
Stroke
Moyamoya syndrome associated with Down syndrome: outcome after surgical revascularization, e694, 1209
prothrombotic factors in children with porencephaly or, 447
Subspecialist care
ACCF/AHA/AAP recommendations for training in pediatric cardiology (AAP policy statement), 1574
pediatric medical subspecialty workforce, 833
pediatric subspecialty workforce: public policy and forces of change, 1192
pediatrician workforce: current status and future prospects, e156, 219
pediatrician workforce statement (AAP policy statement), 263
Substance use disorders
adolescent involvement in risk behaviors and belief in near-future death, 24
anabolic steroids and the pediatric community (commentary), 1542
early puberty and adolescent pregnancy: influence of alcohol use, 1451
exposure to mass media, body shape concerns, and use of supplements to improve weight and shape among adolescents, e214, 484
exposure to movie smoking and relation to smoking initiation among US adolescents, 1183
neurocognitive changes before, during, and after hyperbaric oxygen therapy in fetal alcohol syndrome, e586, 1015
response to AAP report on legalization of marijuana (letter and reply), 1256
smoking in the movies increases adolescent smoking, 1516
Sudden infant death syndrome (SIDS)
bedsharing and maternal smoking, e530, 1011
changing concept of: diagnostic coding shifts, controversies regarding the sleeping environment, and new variables to consider in reducing risk (AAP policy statement), 1245
do pacifiers reduce risk?, e716, 1211
is it SIDS or sudden unexpected infant death? (letter), 800
risk factors: infant care practices in Kentucky, e13, 212
risk factors in child care settings in 2001, 972
Suicidality
antidepressants, suicidality, and research synthesis (commentary), 231
FDA's deliberations on antidepressant use in pediatric patients, 195
Sulfite oxidase deficiency, 757
Surfactant, Infasurf (calfactant) vs. Survanta (beractant) in prevention and treatment of respiratory distress syndrome, 392
Surgery
adenoidectomy effects on incidence of otitis media in children younger than 4 years who receive tympanostomy tubes, 185
clown doctors for preoperative anxiety, e563, 1013
electronic surveillance system for monitoring surgical antimicrobial prophylaxis, 1317
Moyamoya syndrome associated with Down syndrome: outcome after surgical revascularization, e694, 1209
preterm infants with congenital heart disease and bronchopulmonary dysplasia: outcome after cardiac surgery, 423
prophylactic or therapeutic adenoidectomy? (letter and reply), 1257
tolerance of laparoscopy and thoracoscopy in neonates, e785, 1534

Tacrolimus ointment 0.03%, safety and efficacy for atopic dermatitis, e334, 741
Tamoxifen to improve height potential in short pubertal boys, 1513
Tax cuts, budget deficits, and Medicaid cuts (commentary), 1545
Television viewing
association with sleep schedules in children less than 3 years of age, 851
national study of neighborhood safety, outdoor play, television viewing, and obesity in preschool children, 657
psychosocial and environmental correlates of adolescent sedentary behavior, 908
Tellurium toxicity from ingestion of metal-oxidizing solutions, e319, 489
Temperature and thermoregulation
heat stress from enclosed vehicles, e109, 217
pernio, e472, 749
Tenofovir disoproxil fumarate and optimized background regimen of antiretroviral agents as salvage therapy for pediatric HIV infection, e846, 1538
Terminal illness
controversies in pediatric end-of-life care, 872
end-of-life decisions in newborns in Netherlands, 736

Terminal illness—*continued*
parental perspectives on hospital staff members' acts of kindness and commemoration after a child's death, 884
Terrorism, psychosocial implications of disaster or terrorism on children: guide for the pediatrician (AAP clinical report), 787
Tetanus toxoid, response of preterm newborns to immunization with hexavalent diphtheria–tetanus–acellular pertussis–hepatitis B virus–inactivated polio and *Haemophilus influenzae* type b vaccine, 1292
Thalassemia, epidemiology in North America, e818, 1536
Thoracoscopy, neonatal tolerance of laparoscopy and, e785, 1534
Thromboembolic disorders
Lemierre's and Lemierre's-like syndromes, e543, 1012
prothrombotic factors in children with stroke or porencephaly, 447
pulmonary thromboembolism in Klippel-Trenaunay syndrome, e596, 1016
Thyroxine
ten-year follow-up of children born at <30 weeks' gestational age supplemented with thyroxine in neonatal period, e613, 1204
thyroxine/thyroxine-binding globulin ratio to detect congenital hypothyroidism in neonatal screening program, 168
Tic disorder, association between streptococcal infection, obsessive-compulsive disorder, Tourette's syndrome, and tic disorder, 56
Tobacco exposure. *See* Smoking and tobacco exposure
Toddlers and preschool children
behavioral and nutrition treatment to improve energy intake and growth in toddlers and preschoolers with cystic fibrosis, 1442
gross motor function in extremely low birth weight children with cerebral palsy at 18 months of age, 123
masturbation in infancy and early childhood presenting as a movement disorder, 1427
national study of neighborhood safety, outdoor play, television viewing, and obesity in, 657
pertussis vaccine effectiveness among children 6 to 59 months of age in United States, 1998–2001, e285, 487
television viewing and sleep schedules in children less than 3 years of age, 851
Tonsillopharyngitis, group A streptococcal, poor bacteriologic eradication rate of single-dose ceftriaxone in, 927
Tourette's syndrome, association between streptococcal infection, obsessive-compulsive disorder, Tourette's syndrome, and tic disorder, 56
Trampolines, minitrampoline- and full-sized trampoline–related injuries in United States, 1990–2002, 96
Transfusion
liberal vs. restrictive guidelines for red blood cell transfusion in preterm infants (letter and reply), 1048
red blood cell exchange transfusion for malaria, e592, 1016
Transplantation
hematopoietic stem cell transplantation for Niemann-Pick disease type B, 1022
safety and immunogenicity of AAP-recommended sequential pneumococcal conjugate and polysaccharide vaccine schedule in pediatric solid organ transplant recipients, 160
treatment of bronchiolitis obliterans in bone marrow transplant patient with tumor necrosis factor-α blockade, 767
Trauma. *See* Injuries
Tuberculosis
endobronchial, in infant, 246
epidemiology of pediatric tuberculosis using traditional and molecular techniques in Houston, Texas, 1141
Tumor necrosis factor-α blockade
for bronchiolitis obliterans in bone marrow transplant patient, 767
in chronic recurrent multifocal osteomyelitis, 1231
Tympanostomy tubes, adenoidectomy effects on incidence of otitis media in children younger than 4 years who receive, 185

Ultrasonography
bladder (letter and reply), 797
cerebellar hemorrhage in preterm infant, 717
Upper airway, best articles, 551
Urban health care, fragmented care for inner-city minority children with attention-deficit/hyperactivity disorder, e512, 1010
Urgent care facilities, pediatric care recommendations for (AAP policy statement), 258
Urinary tract infection
compliance with guidelines for medical care of first urinary tract infections in infants (letter and reply), 1051
evidence does not support AAP recommendation for routine imaging after a first urinary tract infection (letter), 1613
factors associated with, in young febrile infants, 644
heart rate characteristics: novel physiomarkers to predict neonatal infection and death, 1070
procalcitonin, vesicoureteral reflux and (letter and reply), 1261
Utilization of health care resources
cost and utilization analysis of a pediatric emergency department diversion project, 1075
developmental and behavioral needs and service use for young children in child welfare, 891
factors associated with increased resource utilization for congenital heart disease, 689
patterns of health care use that may identify children at risk for maltreatment, 1303
uninsured children who reportedly do not need health insurance, 345

Vaccines. *See* Immunization
Varicella
eczema and postvaccination varicella breakthrough (letter), 1613
steroid therapy and severity of varicella infections in children with acute lymphoblastic leukemia, e525, 1010
Vasculature. *See* Cardiovascular health and disease
Vesicoureteral reflux, procalcitonin, urinary tract infection and (letter and reply), 1261
Violence
cross-national study of fighting and weapon carrying as determinants of adolescent injury, e855, 1538
dating violence and sexually transmitted disease/HIV testing among adolescent females, e272, 486
Vitamin D intoxication, e453, 748

WAGR syndrome, 984
Water-birth controversy, strong opinion vs. science in (letter and reply), 522
Water-pipe smoking, e113, 217
Weight control. *See also* Obesity and overweight
outcome of children's residential weight loss programs, 73
promotion of healthy weight-control practices in young athletes (AAP policy statement), 1557
Well-child care, screening and counseling associated with obesity diagnosis in national survey of ambulatory pediatric visits, 112
Wells' syndrome, e149, 218
Wilms' tumor, WAGR syndrome, 984
Workforce issues
part-time residency in pediatrics, 32
pediatric medical subspecialty workforce, 833
pediatric subspecialty workforce: public policy and forces of change, 1192
pediatrician workforce: current status and future prospects, e156, 219
pediatrician workforce statement (AAP policy statement), 263
Wound infection, electronic surveillance system for monitoring surgical antimicrobial prophylaxis, 1317